```
FREQUENCIES VARIABLES=rodj pol god
  /BARCHART FREQ
  /ORDER=ANALYSIS.
```

Frequencies

Notes

	Output Created	03-Oct-2012 20:36:56
	Comments	
Input	Data	G:\Personal Data\My Folders\Others\Tanja Kalezic\Istrazivanje01\rez\SPSS\Stat.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	80
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
	Syntax	FREQUENCIES VARIABLES=rodj pol god /BARCHART FREQ /ORDER=ANALYSIS.
Resources	Processor Time	0:00:02.437
	Elapsed Time	0:00:02.438

[DataSet1] G:\Personal Data\My Folders\Others\TanjaKalezic\Istrazivanje01\rez\SPSS\Stat.sav

Statistics

		rodj	pol	god
N	Valid	79	80	80
	Missing	1	0	0

Frequency Table

rodj

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1922	1	1.3	1.3	1.3
	1925	1	1.3	1.3	2.5
	1926	1	1.3	1.3	3.8
	1930	1	1.3	1.3	5.1

rodj

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1931	2	2.5	2.5	7.6
	1934	1	1.3	1.3	8.9
	1935	3	3.8	3.8	12.7
	1936	4	5.0	5.1	17.7
	1937	1	1.3	1.3	19.0
	1938	2	2.5	2.5	21.5
	1939	3	3.8	3.8	25.3
	1941	3	3.8	3.8	29.1
	1942	1	1.3	1.3	30.4
	1943	2	2.5	2.5	32.9
	1944	3	3.8	3.8	36.7
	1945	1	1.3	1.3	38.0
	1946	1	1.3	1.3	39.2
	1947	2	2.5	2.5	41.8
	1948	1	1.3	1.3	43.0
	1949	3	3.8	3.8	46.8
	1950	1	1.3	1.3	48.1
	1952	1	1.3	1.3	49.4
	1953	2	2.5	2.5	51.9
	1955	1	1.3	1.3	53.2
	1956	1	1.3	1.3	54.4
	1957	4	5.0	5.1	59.5
	1958	3	3.8	3.8	63.3
	1959	1	1.3	1.3	64.6
	1960	2	2.5	2.5	67.1
	1961	1	1.3	1.3	68.4
	1962	1	1.3	1.3	69.6
	1963	3	3.8	3.8	73.4
	1964	1	1.3	1.3	74.7
	1968	3	3.8	3.8	78.5
	1970	1	1.3	1.3	79.7
	1971	2	2.5	2.5	82.3
	1972	1	1.3	1.3	83.5
	1973	1	1.3	1.3	84.8
	1974	1	1.3	1.3	86.1
	1976	2	2.5	2.5	88.6
	1977	1	1.3	1.3	89.9
	1981	2	2.5	2.5	92.4
	1982	1	1.3	1.3	93.7
	1985	2	2.5	2.5	96.2
	1986	1	1.3	1.3	97.5

rodj

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1988	1	1.3	1.3	98.7
	1996	1	1.3	1.3	100.0
	Total	79	98.8	100.0	
Missing	System	1	1.3		
	Total	80	100.0		

pol

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	man	49	61.3	61.3	61.3
	woman	31	38.8	38.8	100.0
	Total	80	100.0	100.0	

god

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	less than 25	2	2.5	2.5	2.5
	25 to 45	20	25.0	25.0	27.5
	more than 45	58	72.5	72.5	100.0
	Total	80	100.0	100.0	

Bar Chart

rodj

pol

god

god

```
FREQUENCIES VARIABLES=fd01 fd02 fd03 fd04 fd05 fd06 fd07 fd08 fd09 fd10 fd11
fd12 fd13 fd14 fd15 fd16 fd17 fd18 fd19 fd20
  /BARCHART FREQ
  /ORDER=ANALYSIS.
```

Frequencies

Notes

Output Created	03-Oct-2012 20:36:58
Comments	

Notes

Input	Data	G:\Personal Data\My Folders\Others\Tanja Kalezic\Istrazivanje01\rez\SPSS\Stat. sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	80
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
	Syntax	FREQUENCIES VARIABLES=fd01 fd02 fd03 fd04 fd05 fd06 fd07 fd08 fd09 fd10 fd11 fd12 fd13 fd14 fd15 fd16 fd17 fd18 fd19 fd20 /BARCHART FREQ /ORDER=ANALYSIS.
Resources	Processor Time	0:00:16.797
	Elapsed Time	0:00:17.219

[DataSet1] G:\Personal Data\My Folders\Others\TanjaKalezic\Istrazivanje01\rez \SPSS\Stat.sav

Statistics

		1. Macula corneae propter keratitidem herpeticam	2. St.post KPP	3. Macula corneae	4. Leucoma corneae vascularisatum	5. St.post vulneram penetratum corneae
N	Valid	56	56	56	56	56
	Missing	24	24	24	24	24

Statistics

		6. Keratoconus anterior	7. Leucoma corneae	8. Keratopathia bullosa	9. Pseudophakia	10. Dystophia corneae Groenow II
N	Valid	56	56	56	56	56
	Missing	24	24	24	24	24

Statistics

		11. Degeneratio corneae Salzmann	12. Dystrophio corneae endoepithelialis(Sy Fuchs)	13. Cataracta senilis incipiens	14. St.post vulnus perforans corneae	15. Keratoconus posterior
N	Valid	56	56	56	56	56
	Missing	24	24	24	24	24

Statistics

		16. Exotropia	17. Dystrophio corneae Groenow I	18. St.post reKPP	19. Glaucoma secundarium	20. Dystrophio corneae BHD parenchimatosa
N	Valid	56	56	56	56	56
	Missing	24	24	24	24	24

Frequency Table

1. Macula corneae propter keratitidem herpeticam

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	no	49	61.3	87.5	87.5
	yes	7	8.8	12.5	100.0
	Total	56	70.0	100.0	
Missing	System	24	30.0		
	Total	80	100.0		

2. St.post KPP

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	no	37	46.3	66.1	66.1
	yes	19	23.8	33.9	100.0
	Total	56	70.0	100.0	
Missing	System	24	30.0		
	Total	80	100.0		

3. Macula corneae

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	no	46	57.5	82.1	82.1
	yes	10	12.5	17.9	100.0
	Total	56	70.0	100.0	
Missing	System	24	30.0		
	Total	80	100.0		

4. Leucoma corneae vascularisatum

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	no	48	60.0	85.7	85.7
	yes	8	10.0	14.3	100.0
	Total	56	70.0	100.0	
Missing	System	24	30.0		
	Total	80	100.0		

5. St.post vulneram penetratum corneae

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	no	54	67.5	96.4	96.4
	yes	2	2.5	3.6	100.0
	Total	56	70.0	100.0	
Missing	System	24	30.0		
	Total	80	100.0		

6. Keratoconus anterior

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	no	41	51.3	73.2	73.2
	yes	15	18.8	26.8	100.0
	Total	56	70.0	100.0	
Missing	System	24	30.0		
	Total	80	100.0		

7. Leucoma corneae

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	no	49	61.3	87.5	87.5
	yes	7	8.8	12.5	100.0
	Total	56	70.0	100.0	
Missing	System	24	30.0		
	Total	80	100.0		

8. Keratopathia bullosa

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	no	42	52.5	75.0	75.0
	yes	14	17.5	25.0	100.0
	Total	56	70.0	100.0	
Missing	System	24	30.0		
	Total	80	100.0		

9. Pseudophakia

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	no	53	66.3	94.6	94.6
	yes	3	3.8	5.4	100.0
	Total	56	70.0	100.0	
Missing	System	24	30.0		
	Total	80	100.0		

10. Dystophia corneae Groenow II

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	no	51	63.8	91.1	91.1
	yes	5	6.3	8.9	100.0
	Total	56	70.0	100.0	
Missing	System	24	30.0		
	Total	80	100.0		

11. Degeneratio corneae Salzmann

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	no	55	68.8	98.2	98.2
	yes	1	1.3	1.8	100.0
	Total	56	70.0	100.0	
Missing	System	24	30.0		
	Total	80	100.0		

12. Dystrophio corneae endoepithelialis(Sy Fuchs)

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	no	47	58.8	83.9	83.9
	yes	9	11.3	16.1	100.0
	Total	56	70.0	100.0	
Missing	System	24	30.0		
	Total	80	100.0		

13. Cataracta senilis incipiens

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	no	55	68.8	98.2	98.2
	yes	1	1.3	1.8	100.0
	Total	56	70.0	100.0	
Missing	System	24	30.0		
	Total	80	100.0		

14. St.post vulnus perforans corneae

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	no	55	68.8	98.2	98.2
	yes	1	1.3	1.8	100.0
	Total	56	70.0	100.0	
Missing	System	24	30.0		
	Total	80	100.0		

15. Keratoconus posterior

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	no	55	68.8	98.2	98.2
	yes	1	1.3	1.8	100.0
	Total	56	70.0	100.0	
Missing	System	24	30.0		
	Total	80	100.0		

16. Exotropia

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	no	55	68.8	98.2	98.2
	yes	1	1.3	1.8	100.0
	Total	56	70.0	100.0	
Missing	System	24	30.0		
	Total	80	100.0		

17. Dystrophio corneae Groenow I

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	no	55	68.8	98.2	98.2
	yes	1	1.3	1.8	100.0
	Total	56	70.0	100.0	
Missing	System	24	30.0		
	Total	80	100.0		

18. St.post reKPP

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	no	54	67.5	96.4	96.4
	yes	2	2.5	3.6	100.0
	Total	56	70.0	100.0	
Missing	System	24	30.0		
	Total	80	100.0		

19. Glaucoma secundarium

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	no	55	68.8	98.2	98.2
	yes	1	1.3	1.8	100.0
	Total	56	70.0	100.0	
Missing	System	24	30.0		
	Total	80	100.0		

20. Dystrophio corneae BHD parenchimatosa

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	no	54	67.5	96.4	96.4
	yes	2	2.5	3.6	100.0
	Total	56	70.0	100.0	
Missing	System	24	30.0		
	Total	80	100.0		

Bar Chart

1. Macula corneae propter keratitidem herpeticam

1. Macula corneae propter keratitidem herpeticam

2. St.post KPP

3. Macula corneae

3. Macula corneae

4. Leucoma corneae vascularisatum

4. Leucoma corneae vascularisatum

5. St.post vulneram penetratum corneae

5. St.post vulneram penetratum corneae

6. Keratoconus anterior

7. Leucoma corneae

8. Keratopathia bullosa

9. Pseudophakia

9. Pseudophakia

10. Dystophia corneae Groenow II

10. Dystophia corneae Groenow II

11. Degeneratio corneae Salzmann

11. Degeneratio corneae Salzmann

12. Dystrophio corneae endoepithelialis(Sy Fuchs)

12. Dystrophio corneae endoepithelialis(Sy Fuchs)

13. Cataracta senilis incipiens

**13. Cataracta senilis incipiens**

14. St.post vulnus perforans corneae

14. St.post vulnus perforans corneae

15. Keratoconus posterior

16. Exotropia

16. Exotropia

17. Dystrophio corneae Groenow I

**17. Dystrophio corneae Groenow I**

18. St.post reKPP

19. Glaucoma secundarium

19. Glaucoma secundarium

20. Dystrophio corneae BHD parenchimatosa

20. Dystrophio corneae BHD parenchimatosa

```
FREQUENCIES VARIABLES=fmc_mon fOSDI fOSDI_scale fmc_mon_scale
  /STATISTICS=STDDEV VARIANCE MEAN MEDIAN
  /BARCHART FREQ
  /ORDER=ANALYSIS.
```

Frequencies

Notes

Output Created	03-Oct-2012 20:37:16
Comments	

Notes

Input	Data	G:\Personal Data\My Folders\Others\Tanja Kalezic\Istrazivanje01\rez\SPSS\Stat. sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	80
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
	Syntax	FREQUENCIES VARIABLES=fmc_mon fOSDI fOSDI_scale fmc_mon_scale /STATISTICS=STDDEV VARIANCE MEAN MEDIAN /BARCHART FREQ /ORDER=ANALYSIS.
Resources	Processor Time	0:00:03.687
	Elapsed Time	0:00:03.813

[DataSet1] G:\Personal Data\My Folders\Others\TanjaKalezic\Istrazivanje01\rez \SPSS\Stat.sav

Statistics

		fmc_mon	fOSDI	fOSDI_scale	fmc_mon_ scale
N	Valid	79	80	80	79
	Missing	1	0	0	1
	Mean	12.56	35.1018	2.06	.77
	Median	13.00	33.3333	3.00	1.00
	Std. Deviation	6.715	20.40939	1.140	.659
	Variance	45.096	416.543	1.300	.435

Frequency Table

fmc_mon

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	3	3.8	3.8	3.8
	2	2	2.5	2.5	6.3
	3	2	2.5	2.5	8.9
	4	2	2.5	2.5	11.4
	5	7	8.8	8.9	20.3
	6	4	5.0	5.1	25.3

fmc_mon

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	8	2	2.5	2.5	27.8
	9	6	7.5	7.6	35.4
	10	5	6.3	6.3	41.8
	11	1	1.3	1.3	43.0
	12	5	6.3	6.3	49.4
	13	3	3.8	3.8	53.2
	14	7	8.8	8.9	62.0
	15	4	5.0	5.1	67.1
	16	3	3.8	3.8	70.9
	17	4	5.0	5.1	75.9
	18	5	6.3	6.3	82.3
	19	2	2.5	2.5	84.8
	20	2	2.5	2.5	87.3
	21	2	2.5	2.5	89.9
	23	1	1.3	1.3	91.1
	24	3	3.8	3.8	94.9
	25	2	2.5	2.5	97.5
	26	1	1.3	1.3	98.7
	27	1	1.3	1.3	100.0
	Total	79	98.8	100.0	
Missing	System	1	1.3		
	Total	80	100.0		

fOSDI

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	.00	3	3.8	3.8	3.8
	2.08	2	2.5	2.5	6.3
	4.17	3	3.8	3.8	10.0
	5.00	1	1.3	1.3	11.3
	8.33	1	1.3	1.3	12.5
	9.09	1	1.3	1.3	13.8
	10.42	1	1.3	1.3	15.0
	15.00	1	1.3	1.3	16.3
	16.67	2	2.5	2.5	18.8
	18.18	4	5.0	5.0	23.8
	18.75	1	1.3	1.3	25.0
	20.00	1	1.3	1.3	26.3
	20.45	1	1.3	1.3	27.5
	20.83	3	3.8	3.8	31.3
	22.50	1	1.3	1.3	32.5

fOSDI

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	25.00	2	2.5	2.5	35.0
	27.08	1	1.3	1.3	36.3
	27.27	3	3.8	3.8	40.0
	29.17	2	2.5	2.5	42.5
	30.00	3	3.8	3.8	46.3
	31.25	1	1.3	1.3	47.5
	32.50	1	1.3	1.3	48.8
	33.33	2	2.5	2.5	51.3
	35.00	1	1.3	1.3	52.5
	35.42	1	1.3	1.3	53.8
	36.36	1	1.3	1.3	55.0
	37.50	2	2.5	2.5	57.5
	39.58	2	2.5	2.5	60.0
	41.67	1	1.3	1.3	61.3
	43.75	1	1.3	1.3	62.5
	45.45	1	1.3	1.3	63.8
	47.73	2	2.5	2.5	66.3
	47.92	1	1.3	1.3	67.5
	50.00	9	11.3	11.3	78.8
	52.08	1	1.3	1.3	80.0
	52.27	1	1.3	1.3	81.3
	54.17	1	1.3	1.3	82.5
	56.25	2	2.5	2.5	85.0
	57.50	1	1.3	1.3	86.3
	58.33	1	1.3	1.3	87.5
	59.09	1	1.3	1.3	88.8
	60.42	1	1.3	1.3	90.0
	68.75	3	3.8	3.8	93.8
	70.83	3	3.8	3.8	97.5
	72.50	1	1.3	1.3	98.8
	72.92	1	1.3	1.3	100.0
	Total	80	100.0	100.0	

fOSDI_scale

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	normal	12	15.0	15.0	15.0
	mild	13	16.3	16.3	31.3
	moderate	13	16.3	16.3	47.5
	severe	42	52.5	52.5	100.0
	Total	80	100.0	100.0	

fmc_mon_scale

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	normal	28	35.0	35.4	35.4
	moderate	41	51.3	51.9	87.3
	severe	10	12.5	12.7	100.0
	Total	79	98.8	100.0	
Missing	System	1	1.3		
	Total	80	100.0		

Bar Chart

fmc_mon

fOSDI

fOSDI_scale

fmc_mon_scale

fmc_mon_scale

```
FREQUENCIES VARIABLES=SchirmerOD SchirmerOS Schrimer_scale
  /STATISTICS=STDDEV VARIANCE MEAN MEDIAN
  /BARCHART FREQ
  /ORDER=ANALYSIS.
```

Frequencies

Notes

Output Created	03-Oct-2012 20:37:20
Comments	

Notes

Input	Data	G:\Personal Data\My Folders\Others\Tanja Kalezic\Istrazivanje01\rez\SPSS\Stat.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	80
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
	Syntax	FREQUENCIES VARIABLES=SchirmerOD SchirmerOS Schrimer_scale /STATISTICS=STDDEV VARIANCE MEAN MEDIAN /BARCHART FREQ /ORDER=ANALYSIS.
Resources	Processor Time	0:00:03.485
	Elapsed Time	0:00:04.452

[DataSet1] G:\Personal Data\My Folders\Others\TanjaKalezic\Istrazivanje01\rez \SPSS\Stat.sav

Statistics

		SchirmerOD	SchirmerOS	Schrimer_ scale
N	Valid	61	61	61
	Missing	19	19	19
	Mean	6.7377	6.9016	1.00
	Median	6.0000	6.0000	1.00
	Std. Deviation	3.70990	3.43853	.000
	Variance	13.763	11.823	.000

Frequency Table

SchirmerOD

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	.00	5	6.3	8.2	8.2
	2.00	2	2.5	3.3	11.5
	3.00	11	13.8	18.0	29.5
	6.00	14	17.5	23.0	52.5
	7.00	1	1.3	1.6	54.1
	9.00	7	8.8	11.5	65.6

SchirmerOD

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	10.00	19	23.8	31.1	96.7
	12.00	1	1.3	1.6	98.4
	18.00	1	1.3	1.6	100.0
	Total	61	76.3	100.0	
Missing	System	19	23.8		
	Total	80	100.0		

SchirmerOS

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	.00	3	3.8	4.9	4.9
	1.00	1	1.3	1.6	6.6
	3.00	11	13.8	18.0	24.6
	4.00	1	1.3	1.6	26.2
	5.00	3	3.8	4.9	31.1
	6.00	13	16.3	21.3	52.5
	7.00	1	1.3	1.6	54.1
	8.00	1	1.3	1.6	55.7
	9.00	6	7.5	9.8	65.6
	10.00	17	21.3	27.9	93.4
	12.00	3	3.8	4.9	98.4
	15.00	1	1.3	1.6	100.0
	Total	61	76.3	100.0	
Missing	System	19	23.8		
	Total	80	100.0		

Schrimer_scale

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	pathology	61	76.3	100.0	100.0
Missing	System	19	23.8		
	Total	80	100.0		

Bar Chart

SchirmerOD

SchirmerOS

Schrimer_scale

pathology

Schrimer_scale

```
FREQUENCIES VARIABLES=BUTOD BUTOS BUT_scale
  /STATISTICS=STDDEV VARIANCE MEAN MEDIAN
  /BARCHART FREQ
  /ORDER=ANALYSIS.
```

Frequencies

Notes	
Output Created	03-Oct-2012 20:37:25
Comments	

Statistics

		BUTOD	BUTOS	BUT_scale
N	Valid	60	60	60
	Missing	20	20	20
	Mean	4.0500	3.9000	1.00
	Median	3.0000	4.0000	1.00
	Std. Deviation	3.85511	3.26616	.000
	Variance	14.862	10.668	.000

Frequency Table

BUTOD

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	.00	16	20.0	26.7	26.7
	1.00	2	2.5	3.3	30.0
	2.00	6	7.5	10.0	40.0
	3.00	10	12.5	16.7	56.7
	4.00	4	5.0	6.7	63.3
	5.00	6	7.5	10.0	73.3

BUTOD

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	6.00	2	2.5	3.3	76.7
	8.00	2	2.5	3.3	80.0
	9.00	2	2.5	3.3	83.3
	10.00	8	10.0	13.3	96.7
	12.00	1	1.3	1.7	98.3
	15.00	1	1.3	1.7	100.0
	Total	60	75.0	100.0	
Missing	System	20	25.0		
	Total	80	100.0		

BUTOS

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	.00	15	18.8	25.0	25.0
	1.00	3	3.8	5.0	30.0
	2.00	5	6.3	8.3	38.3
	3.00	3	3.8	5.0	43.3
	4.00	8	10.0	13.3	56.7
	5.00	10	12.5	16.7	73.3
	6.00	7	8.8	11.7	85.0
	9.00	2	2.5	3.3	88.3
	10.00	7	8.8	11.7	100.0
	Total	60	75.0	100.0	
Missing	System	20	25.0		
	Total	80	100.0		

BUT_scale

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	pathology	60	75.0	100.0	100.0
Missing	System	20	25.0		
	Total	80	100.0		

Bar Chart

BUTOD

BUTOS

BUT_scale


BUT_scale

```
FREQUENCIES VARIABLES=RoseBengalOD RoseBengalOS RoseBengal_scale
  /STATISTICS=STDDEV VARIANCE MEAN MEDIAN
  /BARCHART FREQ
  /ORDER=ANALYSIS.
```

Frequencies

Notes

Output Created	03-Oct-2012 20:37:29
Comments	

Notes

Input	Data	G:\Personal Data\My Folders\Others\Tanja Kalezic\Istrazivanje01\rez\SPSS\Stat. sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	80
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data.
	Syntax	FREQUENCIES VARIABLES=RoseBengalOD RoseBengalOS RoseBengal_scale /STATISTICS=STDDEV VARIANCE MEAN MEDIAN /BARCHART FREQ /ORDER=ANALYSIS.
Resources	Processor Time	0:00:02.593
	Elapsed Time	0:00:02.656

[DataSet1] G:\Personal Data\My Folders\Others\TanjaKalezic\Istrazivanje01\rez
\SPSS\Stat.sav

Statistics

		RoseBengal OD	RoseBengal OS	RoseBengal_ scale
N	Valid	59	59	59
	Missing	21	21	21
	Mean	.9831	.9322	.59
	Median	.0000	.0000	1.00
	Std. Deviation	1.31950	1.24380	.495
	Variance	1.741	1.547	.245

Frequency Table

RoseBengalOD

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	.00	31	38.8	52.5	52.5
	1.00	11	13.8	18.6	71.2
	2.00	9	11.3	15.3	86.4
	3.00	5	6.3	8.5	94.9
	4.00	1	1.3	1.7	96.6
	5.00	2	2.5	3.4	100.0

RoseBengalOD

		Frequency	Percent	Valid Percent
Valid	Total	59	73.8	100.0
Missing	System	21	26.3	
	Total	80	100.0	

RoseBengalOS

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	.00	31	38.8	52.5	52.5
	1.00	13	16.3	22.0	74.6
	2.00	6	7.5	10.2	84.7
	3.00	7	8.8	11.9	96.6
	4.00	1	1.3	1.7	98.3
	5.00	1	1.3	1.7	100.0
	Total	59	73.8	100.0	
Missing	System	21	26.3		
	Total	80	100.0		

RoseBengal_scale

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	normal	24	30.0	40.7	40.7
	moderate	35	43.8	59.3	100.0
	Total	59	73.8	100.0	
Missing	System	21	26.3		
	Total	80	100.0		

Bar Chart

RoseBengalOD

RoseBengalOS

RoseBengal_scale