

Presentation template

Timothée Poisot

August 28, 2015

Université de Montréal



Colors

Background colors

 \square background (p1BG)

■ foreground (p1FG)

■ text (plTX)

Highlight colors

■ low (p1L0)

medium (plMD)

■ high (plHI)


This documentclass uses the Droid family of fonts. Droid Sans is the default font, and the nonospace font is Droid Mono. Math support is provided.

Fonts

Maths

$$\int_a^b \alpha A \approx \sum \prod \epsilon \phi$$

Note that the maths are rendered using mathastext.



Colors

Options

This example presentation was compiled with 9pt, compress, aspectratio=169, and serif.

To remove the progress bar below each slide title, use the noprogressbar option.

By the way, the progressbar colors are derived from plHI and plBG.







The theme comes with a few pgfplots options, notably in the form of pre-defined cycles.


Note that there are also some document-level options, such as (notably) scale only axis.


By design, most cycles are limited to three or four elements. This will force to keep graphs simple.


The default color of graphics is plMD.


























Useful if you don't want to have a full frame around the graph.




Useful if you don't want to have a full frame around the graph.




Used to not draw any axes. For whenever you feel like minimalism is the way.



Sometimes barplots are a necessary evil. We've got you covered. There is a plBarColors cycle to go with it. Only three colors. Note that the y axis will always start at 0 when this style is used.







General remarks on code

The highlighting of code is handled by minted, which uses pygments as the syntax engine.


Slides with code must be marked as fragile. For example, the beginning of the present slide is:

sindes with tode mast be marked as 11 agrie. For example, the beginning of the present sinde is

\begin{frame}[fragile]{General remarks on code}

Refer to the minted documentation.

```
def double(x):
    # This is not a useful function
    return 2 * x
```



Get the source of this theme and the demo presentation from

github.com/matze/mtheme

This presentation

