



Presentation template

Timothée Poisot

August 3, 2017

Université de Montréal


General informations

Colors


Background colors

 background (plBG)


 foreground (plFG)

 text (plTX)

Highlight colors

 low (plL0)

 medium (plMD)

 high (plHI)

Fonts

This documentclass uses the Fira family of fonts. Fira Sans is the default font, and the monospace font is Fira Mono. Math support is provided.

$$\int_a^b \alpha \eta \approx \sum \Pi \varepsilon \varphi$$

Colors

The normal text is set in pLTx. The alerted text is in pLHI. It also works for α^2 maths.
This slide has the b option to be bottom-aligned, to show the white space at the bottom.
The structure is in pLL0.

Options

This example presentation was compiled with 9pt, compress, and aspectratio=169. To remove the progress bar below each slide title, use the nopressbar option. By the way, the progressbar colors are derived from plHI and plBG.

Plots


PGFplots

The theme comes with a few pgfplots options, notably in the form of pre-defined cycles. Note that there are also some document-level options, such as (notably) `scale only axis`.


By design, most cycles are limited to three or four elements. This will force to keep graphs simple.

The default color of graphics is `plMD`.


The plLineSymbol cycle




The pLLineType cycle




The plLineColor cycle (only three values!)




The pLSymbol cycle




The `plSymbolColor` cycle (only three values!)




The p1SymbolFilled cycle (only three values!)





The `plLineSymbolColor` cycle (only three values!)



The plLineSymbolFilled cycle (only three values!)




Demonstration with two plots




The plLineGraph style

Useful if you don't want to have a full frame around the graph.




The `plCenteredAxes` style

Useful if you don't want to have a full frame around the graph.




The plNoAxes style

Used to not draw **any** axes. For whenever you feel like minimalism is the way.




The plVerticalBarPlot style

Sometimes barplots are a necessary evil. We've got you covered. There is a `plBarColors` cycle to go with it. Only three colors. Note that the y axis will **always** start at 0 when this style is used.



3D with `plSurfacePlot`



Code

General remarks on code

The highlighting of code is handled by minted, which uses pygments as the syntax engine.

Slides with code **must** be marked as fragile. For example, the beginning of the present slide is:

```
\begin{frame}[fragile]{General remarks on code}
```

Refer to the minted documentation.

Example

```
def double(x):  
    # This is not a useful function  
    return 2 * x +  $\alpha$ 
```

Final matters

Lots of original code from

`github.com/matze/mtheme`