

HKN ECE 310 Review Worksheet 2

Author: Members of HKN

1 The very basics

1. What is the relation between the Z-transform and the Discrete-Time Fourier Transform? When is this relation not valid?

$$X_d(\omega) = X(z)|_{z=\exp(j\omega)}$$

2 Sampling and DTFTs

(Let the output of a radio be) Consider a signal given by

$$x(t) = 2 \cos(10\pi t) + \sin(30\pi t)$$

1. What is the nyquist sampling rate of this signal?

Since the maximum frequency of any of the components of this signal is 15Hz, the minimum sampling rate must be $2 \cdot 15\text{Hz} = 30\text{Hz}$.

2. Let's say the signal is sampled at twice the nyquist rate. What does the discrete-time signal look like for three samples starting at $n = 0$? What is the n 'th sample?

We are sampling at 60Hz, so the sampled signal is

$$x[n] = 2 \cos\left(\frac{1}{6}\pi n\right) + \sin\left(\frac{1}{2}\pi n\right)$$

3. Find the Discrete-Time Fourier Transform of the signal. Plot both the real and imaginary components of the DTFT over the range $(-\pi, \pi)$.

The DTFT is

$$X_d(\omega) = 2\pi \left[\delta\left(\omega - \frac{\pi}{6}\right) + \delta\left(\omega + \frac{\pi}{6}\right) \right] - j\pi \left[\delta\left(\omega - \frac{\pi}{2}\right) - \delta\left(\omega + \frac{\pi}{2}\right) \right]$$

4. What is the power contained in this signal? Make sure to include units!

Using Parseval's Relation, the power is 5π watts.

5. If we want to build a low-pass filter to filter out the fastest component of this signal, what is the smallest value of ω at which the filter can start attenuating?

$$\omega_{\text{cutoff}} = \frac{\pi}{6}$$

6. Lets say we have a perfect filter to do said filtering. We then amplify the signal such that the magnitude of each component is doubled. How does the power of the signal change?

Using Parseval's relation again, the power contained is 16π watts.