

9.4.21

EE24BTECH11050 - Pothuri Rahul

Question:

In a bank, principal increases continuously at the rate of 5% per year. An amount of rupees 1000 is deposited with this bank. How much will it worth after 10 years ($e^{0.5} = 1.648$)

Solution:

variable	description
P	Principle at any time t
t	time in years
C	primary arbitrary constant
C_1	secondary arbitrary constant
P_0	initial principle amount

TABLE 0: Variables Used

Solution: Let P be the principle at any time t . According to the given problem, Rate of change in principle can be given as

$$\frac{dP}{dt} = \left(\frac{5}{100} \right) \times P \quad (0.1)$$

$$\frac{dP}{dt} = \left(\frac{P}{20} \right) \quad (0.2)$$

Seperating the variables in the equation (0.2), We get

$$\frac{dP}{P} = \frac{dt}{20} \quad (0.3)$$

On integrating both sides

$$\int \frac{dP}{P} = \int \frac{dt}{20} \quad (0.4)$$

$$\log P = \frac{t}{20} + C \quad (0.5)$$

$$P = e^{\frac{t}{20} + C} \quad (0.6)$$

$$P = e^{\frac{t}{20}} \cdot e^C \quad (0.7)$$

$$P = e^{\frac{t}{20}} \cdot C_1 \quad (0.8)$$

Given, at time $t=0, P_0=1000$ then, from (0.8)

$$1000 = C_1 \quad (0.9)$$

Principle can be given as

$$P = 1000 \times e^{\frac{t}{20}} \quad (0.10)$$

At time $t=10$, Principle can be given as

$$P = 1000 \times e^{\frac{10}{20}} \quad (0.11)$$

$$P = 1000 \times e^{0.5} \quad (0.12)$$

$$P = 1000 \times 1.648 \quad (0.13)$$

$$P = 1648 \quad (0.14)$$

Logic used for programming:-

Method of finite differences: This method is used to find the approximate solution of the given differential equation by using the values of the function at discrete points.

From the definition of derivative of a function

$$\frac{dy}{dx} \approx \frac{y(x+h) - y(x)}{h} \quad (0.15)$$

by rearranging the terms, we get the function

$$y(x+h) = y(x) + h \times \frac{dy}{dx} \quad (0.16)$$

$$P(t+h) = P(t) + h \times \frac{P}{20} \quad (0.17)$$

Let (t_0, P_0) be points on the curve,

$$t_1 = t_0 + h \quad (0.18)$$

$$P_1 = P_0 + h \times \frac{P}{20} \quad (0.19)$$

On generalising the above equations,

$$t_{n+1} = t_n + h \quad (0.20)$$

$$P_{n+1} = P_n + h \times \frac{P}{20} \quad (0.21)$$

Where h is a very small division (example 0.1), We need iterate this algorithm by taking $P_0 = 1000$ and $t = 0$, till $t_n = 10$. Then we get the principle amount after 10 years. If we plot all the points (t, P) , we get the function P varying with t , i.e P vs T graph.

Finding the solution of this equation using the Z-Transform: By using the z-transform method we can convert the differential equation into a linear equation in Z-domain, after finding the solution in z-domain, inverse of it is the solution of the given differential equation.

The differential equation for this question is,

$$\frac{dP}{dt} = \frac{P}{20} \quad (0.22)$$

from (0.21),

$$P_{n+1} = P_n + h \times \frac{P_n}{20} \quad (0.23)$$

$$P_{n+1} = P_n \left(1 + \frac{h}{20}\right) \quad (0.24)$$

Applying Z-tranform on both sides, We get,

$$Z(P_{n+1}) = Z\left(P_n \left(1 + \frac{h}{20}\right)\right) \quad (0.25)$$

$$Z(P_n + 1) = \left(1 + \frac{h}{20}\right)Z(P_n) \quad (0.26)$$

Let,

$$Z(P_n) = P(z) \quad (0.27)$$

Then,

$$Z(P_{n+1}) = zP(z) - zP_0 \quad (0.28)$$

Now,

$$zP(z) - zP_0 = P(z)(1 + h/20) \quad (0.29)$$

$$P(z) \left[z - \left(1 + \frac{h}{20}\right) \right] = zP_0 \quad (0.30)$$

$$(0.31)$$

$$P(z) = P_0 \left[\frac{z}{z - \left(1 + \frac{h}{20}\right)} \right] \quad (0.32)$$

By inversing, we get

$$P_n = P_0 \times \left(1 + \frac{h}{20}\right)^n \quad (0.33)$$

We know that,

$$1 + \frac{h}{20} \approx e^{\frac{h}{20}} \quad (0.34)$$

then,

$$P_n = P_0 \left(e^{\frac{h}{20}}\right)^n \quad (0.35)$$

$$P_n = P_0 e^{\frac{nh}{20}} \quad (0.36)$$

As h is the small division of time and n are the total no. of divisions, nh turns to be t at that point, Then

$$P(t) = P_0 e^{\frac{t}{20}} \quad (0.37)$$




Fig. 0.1: Plot