

Cambridge International Examinations

Cambridge International Advanced Subsidiary and Advanced Level

CHEMISTRY 9701/35

Paper 3 Advanced Practical Skills 1

October/November 2014

CONFIDENTIAL INSTRUCTIONS



Great care should be taken to ensure that any confidential information given does not reach the candidates either directly or indirectly.

The Supervisor's attention is drawn to the form on page 7 which must be completed and returned with the scripts.

If you have any problems or queries regarding these Instructions, please contact CIE

by e-mail: info@cie.org.uk, by phone: +44 1223 553554, by fax +44 1223 553558,

stating the Centre number, the nature of the query and the syllabus number quoted above.

This document consists of 8 printed pages.



Safety

Supervisors are advised to remind candidates that **all** substances in the examination should be treated with caution.

Only those tests described in the question paper should be attempted. Please also see under 'Apparatus' on the use of pipette fillers, safety goggles and plastic gloves.

In accordance with COSHH (Control of Substances Hazardous to Health) Regulations, operative in the UK, a hazard appraisal of the examination has been carried out.

Attention is drawn in particular, to certain materials used in the examination. The following codes are used where relevant.

C corrosive substance F highly flammable substance

H harmful or irritating substance O oxidising substance

T toxic substance N dangerous for the environment

The attention of Supervisors is drawn to any local regulations relating to safety and first-aid.

'Hazard Data Sheets', relating to materials used in this examination, should be available from your chemical supplier.

Before the Examination

1 Access to the question paper is NOT permitted in advance of the examination.

2 Preparation of materials

Where quantities are specified for each candidate, they are sufficient for the experiments described in the question paper to be completed.

In preparing materials, the bulk quantity for each substance should be increased by 25% as spare material should be available to cover accidental loss. More material may be supplied if requested by candidates, without penalty.

All solutions should be bulked and mixed thoroughly before use to ensure uniformity.

Every effort should be made to keep the concentrations accurate to within one part in two hundred of those specified.

Supervisors are asked to carry out any confirmatory tests given on page 4 to ensure the materials supplied are appropriate.

If the concentrations differ slightly from those specified, the Examiners will make the necessary allowance. They should be informed of the exact concentrations.

3 Labelling of materials

Materials must be labelled as specified in these instructions. Materials with an **FA** code number should be so labelled **without** the identities being included on the label. Where appropriate the identity of an **FA** coded chemical is given in the question paper itself.

4 Identity of materials

It should be noted that descriptions of solutions given in the question paper may not correspond exactly with the specifications in these Instructions. The candidates must assume the descriptions given in the question paper.

5 Size of group

In view of the difficulty of the preparation of large quantities of solution of uniform concentration, it is recommended that the maximum number of candidates per group be 30 and that separate supplies of solutions be prepared for each group.

Apparatus

- 1 In addition to the fittings ordinarily contained in a chemical laboratory, the apparatus and materials specified below will be necessary.
- 2 Pipette fillers (or equivalent safety devices), safety goggles and disposable gloves should be used where necessary.
- 3 For each candidate
 - $1 \times 50 \, \text{cm}^3$ burette
 - 1 × funnel (for filling burette)
 - 1 × burette stand and clamp
 - $1 \times 25 \, \text{cm}^3$ pipette
 - $1 \times 25 \, \text{cm}^3$ measuring cylinder
 - 2 × teat/dropping pipettes
 - 1 × 250 cm³ volumetric (graduated) flask
 - 1 × white tile
 - $1 \times 250 \, \text{cm}^3 \, \text{beaker}$
 - 2 × 250 cm³ conical flasks
 - 1 × spatula
 - $1 \times glass rod$
 - $1 \times \text{heat proof mat}$
 - 1 × Bunsen burner
 - 2 × foamed plastic (polystyrene) cups
 - $1 \times \text{thermometer} (-10 \,^{\circ}\text{C to} + 110 \,^{\circ}\text{C}, \text{ at } 1 \,^{\circ}\text{C})$
 - 3 × boiling tubes*
 - $8 \times test-tubes^*$
 - 1 × hard-glass test-tube
 - $1 \times test-tube rack$
 - 1 × test-tube holder
 - 1 × wash bottle containing distilled water
 - 1 × marker pen or labels (suitable for labelling glassware)

paper towels

access to a balance reading to at least 0.1 g

Where access to a balance is limited, candidates should be directed to start the practical examination on different questions. (See p56 of the 2014 Syllabus for balance: candidate ratio.)

^{*}Candidates are expected to rinse and reuse test-tubes and boiling tubes where possible. Additional tubes should be available.

Chemicals Required

It is especially important that great care is taken that the confidential information given below does not reach the candidates either directly or indirectly.

2 Particular requirements

FA 1 40cm³ 0.524 moldm³ sodium carbonate Dissolve 150.0g Na¸CO₃,10H²O [H] in carbonate Dissolve 150.0g Na¸CO₃,10H²O [H] in carbonate [H] FA 2 125 cm³ 0.110 moldm³ nitric acid nmethyl orange indicator Dilute 7.0 cm³ of concentrated (70% w solution prepared using 55.6 g of N dm³ of solution would also be suitable purchased.) [H] FA 4 3.9g anhydrous sodium carbonate anhydrous sodium carbonate This should be heated in an oven at 1 This solid should be freshly purchase [H] FA 5 10.1g hydrated sodium carbonate anhydrous sodium carbonate 10.1 ± 0.1g anhydrous Na¸CO₃.1HJ in a st This solid should be freshly purchase [H] FA 6 80 cm³ 4.0 moldm³ hydrochloric acid approximately 11 moldm³) to 1 dm³. FA 7 0.5g anixture of aluminium sulfate approximately 11 moldm³) to 1 dm³. Approximately 41 moldm³) to 1 dm³. FA 8 0.5g anixture of magnesium iodide Approximately 41 moldm³) to 1 dm³. FA 9 1.5g anmonium iron(II) sulfate Approximately 1.5g of (NH₄)₂Fe(SO₄)	hazard	label	per candidate	identity	notes (hazards given in this column are for the raw materials)
FA 2125cm³0.110 moldm¬³ nitric acidmethyl orange indicator5cm³methyl orange indicatorFA 43.9ganhydrous sodium carbonateFA 510.1ghydrated sodium carbonateFA 680 cm³4.0 mol dm¬³ hydrochloric acidFA 70.5ga mixture of aluminium sulfateFA 80.5ga mixture of magnesium carbonate and potassium iodideFA 91.5gammonium iron(II) sulfatedistilled water300 cm³distilled water		FA 1	40 cm³	0.524 mol dm ⁻³ sodium carbonate	Dissolve 150.0g Na ₂ CO ₃ .10H ₂ O [H] in each dm³ of solution. (A solution prepared using 55.6 g of Na ₂ CO ₃ (anhydrous) [H] in each dm³ of solution would also be suitable. Either solid should be freshly purchased.)
methyl orange indicator FA 4 3.9g anhydrous sodium carbonate FA 5 10.1g hydrated sodium carbonate FA 6 80 cm³ 4.0 mol dm⁻³ hydrochloric acid FA 7 0.5g a mixture of aluminium sulfate FA 8 0.5g and sodium chloride FA 9 1.5g ammonium iron(II) sulfate distilled water 300 cm³ distilled water	Ξ	FA 2	$125\mathrm{cm}^3$	0.110 moldm ⁻³ nitric acid	Dilute 7.0 cm 3 of concentrated (70% w/v) nitric acid [C][O] to 1 dm 3 .
FA 4 3.9g anhydrous sodium carbonate FA 5 10.1g hydrated sodium carbonate FA 6 80 cm³ 4.0 mol dm⁻³ hydrochloric acid FA 7 0.5g a mixture of aluminium sulfate A 7 0.5g and sodium chloride B 7 0.5g a mixture of magnesium Carbonate and potassium iodide A 9 1.5g ammonium iron(II) sulfate distilled water 300 cm³ distilled water		methyl orange indicator	5 cm ³	methyl orange indicator	See preparation instructions on p 60 of the 2014 Syllabus.
FA 510.1ghydrated sodium carbonateFA 680 cm³4.0 mol dm⁻³ hydrochloric acid a mixture of aluminium sulfate and sodium chloride a mixture of magnesium 	Ξ	FA 4	3.9g	anhydrous sodium carbonate	3.9 ± 0.1 g anhydrous Na $_2$ CO $_3$ [H] in a stoppered tube. This should be heated in an oven at 100 °C to ensure that the solid is anhydrous. This solid should be freshly purchased.
FA 680 cm³4.0 mol dm⁻³ hydrochloric acidFA 70.5ga mixture of aluminium sulfate and sodium chloride a mixture of magnesium carbonate and potassium iodideFA 80.5gcarbonate and potassium iodideFA 91.5gammonium iron(II) sulfatedistilled water300 cm³distilled water	Ξ	FA 5	10.1g	hydrated sodium carbonate	10.1 ± 0.1 g Na ₂ CO ₃ .10H ₂ O [H] in a stoppered tube. This solid should be freshly purchased.
FA 7 0.5g a mixture of aluminium sulfate and sodium chloride FA 8 0.5g a mixture of magnesium carbonate and potassium iodide FA 9 1.5g ammonium iron(II) sulfate distilled water 300 cm³ distilled water	Œ	FA 6	80 cm³	4.0 mol dm ⁻³ hydrochloric acid	Dilute 344 cm 3 of concentrated hydrochloric acid [C] (35–37%, approximately 11 mol dm $^{-3}$) to 1 dm 3 .
FA 8 0.5g carbonate and potassium iodide FA 9 1.5g ammonium iron(II) sulfate distilled water 300 cm³ distilled water		FA 7	0.5g	a mixture of aluminium sulfate and sodium chloride	Approximately equal masses of $AI_2(SO_4)_3$.16 H_2O and NaC l thoroughly mixed.
FA 9 1.5g ammonium iron(II) sulfate distilled water 300 cm³ distilled water		FA 8	0.5g	a mixture of magnesium carbonate and potassium iodide	Approximately equal masses of $MgCO_3$ and KI thoroughly mixed. Note: 'basic' forms of magnesium carbonate are suitable.
300 cm³	[H]	FA 9	1.5g	ammonium iron(II) sulfate	Approximately 1.5 g of (NH ₄) ₂ Fe(SO ₄) ₂ .6H ₂ O [H]
		distilled water	300 cm³	distilled water	

reagents. If necessary, they may be made available from a communal supply: however, the attention of the Invigilators should be drawn to the The reagents below should also be provided. Unless otherwise stated, each candidate should require no more than 10 cm³ of any of these fact that such an arrangement may lead to contamination of reagents and enhance the opportunity for malpractice between candidates. က

hazard	label	per candidate	identity	notes
Ξ	dilute hydrochloric acid			
[C]	dilute nitric acid	25 cm³		
Ξ	dilute sulfuric acid			
Ξ	aqueous ammonia	25cm³	See ident on pa	See identity details and preparation instructions on pages 59 and 60 of the 2014 syllabus.
<u>5</u>	aqueous sodium hydroxide	25cm³		
[H][N]	0.05 mol dm ⁻³ silver nitrate			
Ξ	limewater			
[H][N]	acidified aqueous potassium manganate(VII)	Mix equal volume	es of 0.02 moldm ⁻³ KMnO ₄ I	Mix equal volumes of $0.02\mathrm{moldm^{-3}KMnO_4}$ [N] and $1.0\mathrm{moldm^{-3}sulfuricacid}$ [H].
	aqueous barium nitrate	5 cm³	0.1 moldm ⁻³ barium nitrate	Dissolve 26.1 g of Ba(NO ₃) ₂ [H][O] in each dm ³ of solution. Note: barium chloride is not a suitable alternative.

. The following materials and apparatus should be available.

red and blue litmus papers, plain filter paper strips for use with acidified manganate(VII), aluminium foil for testing nitrate/nitrite, wooden splints and the apparatus normally used in the Centre for use with limewater in testing for carbon dioxide

Responsibilities of the Supervisor during the Examination

1 The Supervisor, or other competent chemist, must, out of sight of the candidates, carry out the experiments in Question 1 and Question 2 and complete tables of readings on a spare copy of the question paper which should be labelled 'Supervisor's Results'.

This should be done for:

each session held and each laboratory used in that session, and each set of solutions supplied.

N.B. The question paper cover requests the candidate to fill in details of the examination session and the laboratory used for the examination.

It is essential that each packet of scripts contains a copy of the applicable Supervisor's Results as the candidates' work cannot be assessed accurately without such information.

2 The Supervisor must complete the Report Form on page 7 to show which candidates attended each session. If all candidates took the examination in one session, please indicate this on the Report Form. A copy of the Report Form must accompany each copy of the Supervisor's Results in order for the candidates' work to be assessed accurately.

The Supervisor must give details on page 8 of any particular difficulties experienced by a candidate, especially if the Examiner would be unable to discover this from the written answers.

After the Examination

Each envelope returned to Cambridge must contain the following items.

- 1 The scripts of those candidates specified on the bar code label provided.
- 2 A copy of the Supervisor's Report relevant to the candidates in 1.
- **3** A copy of the Report Form, including details of any difficulties experienced by candidates (see pages 7 and 8).
- 4 The Attendance Register.
- 5 A Seating Plan for each session/laboratory.

Failure to provide appropriate documentation in each envelope may cause candidates to be penalised.

COLOUR-BLINDNESS

With regard to colour-blindness it is permissible to advise candidates who request assistance on colours of, for example precipitates and solutions (especially titration end-points). Please include with the scripts a note of the candidate numbers of such candidates.

Experience suggests that candidates who are red/green colour-blind – the most common form – do not generally have significant difficulty. Reporting such cases with the scripts removes the need for a 'Special Consideration' application.

© UCLES 2014 9701/35/CI/O/N/14

REPORT FORM

Th	is form must be completed and sent to the Examiner in the envelope with the scripts.
Се	ntre Number
1	Supervisor's Results
	Please submit details of the readings obtained in Question 1 and Question 2 on a spare copy of the question paper clearly marked 'Supervisor's Results' and showing the Centre number and appropriate session/laboratory number.
2	The candidate numbers of candidates attending each session were:
	First Session Second Session
3	The Supervisor is required to give details overleaf of any difficulties experienced by particular candidates, giving names and candidate numbers. These should include reference to:
	(a) any general difficulties encountered in making preparation;
	(b) difficulties due to faulty apparatus or materials;
	(c) accidents to apparatus or materials;
	(d) assistance with respect to colour-blindness.

4 A plan of work benches, giving details by candidate numbers of the places occupied by the candidates for each experiment for each session, must be enclosed with the scripts.

normal 'Application for Special Consideration' form.

Other cases of hardship, e.g. illness, temporary disability, should be reported direct to CIE on the



Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included the publisher will be pleased to make amends at the earliest possible opportunity.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.