
# ETSI TS 121 101 V6.2.0 (2005-06)

*Technical Specification*

**Universal Mobile Telecommunications System (UMTS);
Technical Specifications and Technical Reports
for a UTRAN-based 3GPP system
(3GPP TS 21.101 version 6.2.0 Release 6)**



Reference
RTS/TSGS-0021101v620

Keywords
UMTS

***ETSI***

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

***Important notice***

Individual copies of the present document can be downloaded from:
http://www.etsi.org

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at
http://portal.etsi.org/tb/status/status.asp

If you find errors in the present document, please send your comment to one of the following services:
http://portal.etsi.org/chaircor/ETSI_support.asp

***Copyright Notification***

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2005.
All rights reserved.

**DECT**™, **PLUGTESTS**™ and **UMTS**™ are Trade Marks of ETSI registered for the benefit of its Members.
**TIPHON**™ and the **TIPHON logo** are Trade Marks currently being registered by ETSI for the benefit of its Members.
**3GPP**™ is a Trade Mark of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

# Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (http://webapp.etsi.org/IPR/home.asp).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

# Foreword

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities, UMTS identities or GSM identities. These should be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between GSM, UMTS, 3GPP and ETSI identities can be found under http://webapp.etsi.org/key/queryform.asp .

# Contents

Intellectual Property Rights ..... 2
Foreword ..... 2
Foreword ..... 4
1 Scope ..... 5
2 References ..... 5
3 Abbreviations ..... 5
4 General ..... 5
5 Specifications and Reports of 3G Release 5 ..... 6
**Annex A (informative): Change history ..... 28**
History ..... 29

# Foreword

This Technical Specification (TS) has been produced by the 3rd Generation Partnership Project (3GPP).

The contents of the present document are subject to continuing work within the TSG and may change following formal TSG approval. Should the TSG modify the contents of the present document, it will be re-released by the TSG with an identifying change of release date and an increase in version number as follows:

Version x.y.z

where:

- x the first digit:
  - 1 presented to TSG for information;
  - 2 presented to TSG for approval;
  - 3 or greater indicates TSG approved document under change control.
- y the second digit is incremented for all changes of substance, i.e. technical enhancements, corrections, updates, etc.
- z the third digit is incremented when editorial only changes have been incorporated in the document.

# 1 Scope

The present document identifies the 3rd generation mobile system specifications for Release 5. The specifications and reports of 3GPP Release 5 have a major version number 5 (e.g. 5.x.y).

Most of the core Release 5 Technical Specifications and Technical Reports were functionally frozen at either the 15th Technical Specification Group meetings in March 2002 or the 16th in June 2002.

NOTE 1: Functionally frozen means that no further functionality/features may be incorporated into the set of specifications, and that only corrective Change Requests (CRs) are to be accepted and agreed.

NOTE 2: It can be expected that corrective CRs will be introduced into the Release 5 version 5.x.y specifications throughout 2002 and beyond.

# 2 References

The following documents contain provisions which, through reference in this text, constitute provisions of the present document.

- References are either specific (identified by date of publication, edition number, version number, etc.) or non-specific.
- For a specific reference, subsequent revisions do not apply.
- For a non-specific reference, the latest version applies. In the case of a reference to a 3GPP document (including a GSM document), a non-specific reference implicitly refers to the latest version of that document *in the same Release as the present document.*

[1] 3GPP TR 21.905: "Vocabulary for 3GPP Specifications".

[2] 3GPP TR 21.900: "Technical Specification Group working procedures".

# 3 Abbreviations

For the purposes of the present document, the terms and definitions given in 3GPP TS 21.905 [1] apply.

# 4 General

Release 5 consists of 3G-only specifications and the GSM Core Network specifications developed for both GSM Release 5 and Release 5 of the 3rd Generation mobile system.

The present document identifies the 3G system set of specifications required to implement Release 5.

The numbering scheme for specifications is described in 3GPP TR 21.900 [2].

# 5 Specifications and Reports of 3G Release 5

NOTE 1: The "for publication?" column of the table below indicates whether or not the documents are intended for adoption by the partner Standards Development Organizations as their own publications. Those marked "no" are internal working documents of the 3GPP TSGs.

NOTE 2: Some of the algorithm specifications in the 35.-series are available only under licence.

NOTE 3: "Type" indicates Technical Specification (TS) or Technical Report (TR).

NOTE 4: For definition of "freezing" of specifications (last two colunms), see 3GPP TS 21.900 [2].

| Type | Number | Title | WG prime | For pub-lication? | freeze date | frozen |
|---|---|---|---|---|---|---|
| TS | 21.101 | Technical Specifications and Technical Reports for a UTRAN-based 3GPP system | SP | Yes | 2004-12-16 | yes |
| TS | 21.111 | USIM and IC card requirements | C6 | Yes | 2004-12-10 | yes |
| TR | 21.801 | Specification drafting rules | SP | No | 2004-12-16 | yes |
| TR | 21.877 | Radio optimization impacts on the Packet Switched (PS) domain architecture | S2 | No | 2004-12-16 | yes |
| TR | 21.900 | Technical Specification Group working methods | SP | Yes | 2004-12-16 | yes |
| TR | 21.902 | Evolution of 3GPP system | SP | Yes | 2003-09-25 | yes |
| TR | 21.905 | Vocabulary for 3GPP Specifications | S1 | Yes | 2003-12-18 | yes |
| TS | 22.001 | Principles of circuit telecommunication services supported by a Public Land Mobile Network (PLMN) | S1 | Yes | 2004-12-16 | yes |
| TS | 22.002 | Circuit Bearer Services (BS) supported by a Public Land Mobile Network (PLMN) | S1 | Yes | 2004-12-16 | yes |
| TS | 22.003 | Circuit Teleservices supported by a Public Land Mobile Network (PLMN) | S1 | Yes | 2004-12-16 | yes |
| TS | 22.004 | General on supplementary services | S1 | Yes | 2004-12-16 | yes |
| TS | 22.011 | Service accessibility | S1 | Yes | 2004-12-16 | yes |
| TS | 22.016 | International Mobile Equipment Identities (IMEI) | S1 | Yes | 2004-12-16 | yes |
| TS | 22.022 | Personalisation of Mobile Equipment (ME); Mobile functionality specification | S3 | Yes | 2004-12-16 | yes |
| TS | 22.024 | Description of Charge Advice Information (CAI) | S1 | Yes | 2004-12-16 | yes |
| TS | 22.030 | Man-Machine Interface (MMI) of the User Equipment (UE) | S1 | Yes | 2004-12-16 | yes |
| TS | 22.031 | Fraud Information Gathering System (FIGS); Service description; Stage 1 | S3 | Yes | 2004-12-16 | yes |
| TS | 22.032 | Immediate Service Termination (IST); Service description; Stage 1 | S3 | Yes | 2004-12-16 | yes |
| TS | 22.034 | High Speed Circuit Switched Data (HSCSD); Stage 1 | S1 | Yes | 2004-12-16 | yes |
| TS | 22.038 | USIM/SIM Application Toolkit (USAT/SAT); Service description; Stage 1 | S1 | Yes | 2004-12-16 | yes |
| TS | 22.041 | Operator Determined Call Barring | S1 | Yes | 2004-12-16 | yes |
| TS | 22.042 | Network Identity and Time Zone (NITZ) service description; Stage 1 | S1 | Yes | 2004-12-16 | yes |
| TS | 22.053 | Tandem Free Operation (TFO); Service description; Stage 1 | S4 | Yes | 2004-12-16 | yes |
| TS | 22.057 | Mobile Execution Environment (MExE) service description; Stage 1 | S1 | Yes | 2004-12-16 | yes |
| TS | 22.060 | General Packet Radio Service (GPRS); Service description; Stage 1 | S1 | Yes | 2004-12-16 | yes |
| TS | 22.066 | Support of Mobile Number Portability (MNP); Stage 1 | S1 | Yes | 2004-12-16 | yes |
| TS | 22.067 | enhanced Multi-Level Precedence and Pre-emption service (eMLPP); Stage 1 | S1 | Yes | 2004-12-16 | yes |
| TS | 22.071 | Location Services (LCS); Stage 1 | S1 | Yes | 2004-12-16 | yes |
| TS | 22.072 | Call Deflection (CD); Stage 1 | S1 | Yes | 2004-12-16 | yes |

| Type | Number | Title | WG prime | For pub-lication? | freeze date | frozen |
|---|---|---|---|---|---|---|
| TS | 22.076 | Noise suppression for the AMR codec; Service description; Stage 1 | S4 | Yes | 2004-12-16 | yes |
| TS | 22.078 | Customized Applications for Mobile network Enhanced Logic (CAMEL); Service description; Stage 1 | S1 | Yes | 2004-12-16 | yes |
| TS | 22.079 | Support of optimal routeing; Stage 1 | S1 | Yes | 2004-12-16 | yes |
| TS | 22.081 | Line Identification supplementary services; Stage 1 | S1 | Yes | 2004-12-16 | yes |
| TS | 22.082 | Call Forwarding (CF) Supplementary Services; Stage 1 | S1 | Yes | 2004-12-16 | yes |
| TS | 22.083 | Call Waiting (CW) and Call Hold (HOLD) supplementary services; Stage 1 | S1 | Yes | 2004-12-16 | yes |
| TS | 22.084 | MultiParty (MPTY) supplementary service; Stage 1 | S1 | Yes | 2004-12-16 | yes |
| TS | 22.085 | Closed User Group (CUG) supplementary services; Stage 1 | S1 | Yes | 2004-12-16 | yes |
| TS | 22.086 | Advice of Charge (AoC) supplementary services; Stage 1 | S1 | Yes | 2004-12-16 | yes |
| TS | 22.087 | User-to-user signalling (UUS); Stage 1 | S1 | Yes | 2004-12-16 | yes |
| TS | 22.088 | Call Barring (CB) supplementary services; Stage 1 | S1 | Yes | 2004-12-16 | yes |
| TS | 22.090 | Unstructured Supplementary Service Data (USSD); Stage 1 | S1 | Yes | 2004-12-16 | yes |
| TS | 22.091 | Explicit Call Transfer (ECT) supplementary service; Stage 1 | S1 | Yes | 2004-12-16 | yes |
| TS | 22.093 | Completion of Calls to Busy Subscriber (CCBS); Service description, Stage 1 | S1 | Yes | 2004-12-16 | yes |
| TS | 22.094 | Follow Me service description - Stage 1 | S1 | Yes | 2004-12-16 | yes |
| TS | 22.096 | Name identification supplementary services; Stage 1 | S1 | Yes | 2004-12-16 | yes |
| TS | 22.097 | Multiple Subscriber Profile (MSP) Phase 2; Service description; Stage 1 | S1 | Yes | 2004-12-16 | yes |
| TS | 22.101 | Service aspects; Service principles | S1 | Yes | 2004-12-16 | yes |
| TS | 22.105 | Services and service capabilities | S1 | Yes | 2004-12-16 | yes |
| TS | 22.112 | USIM toolkit interpreter; Stage 1 | C6 | Yes | 2004-12-10 | yes |
| TS | 22.115 | Service aspects; Charging and billing | S1 | Yes | 2004-12-16 | yes |
| TS | 22.127 | Service Requirement for the Open Services Access (OSA); Stage 1 | S1 | Yes | 2004-12-16 | yes |
| TS | 22.129 | Handover requirements between UTRAN and GERAN or other radio systems | S1 | Yes | 2004-12-16 | yes |
| TS | 22.135 | Multicall; Service description; Stage 1 | S1 | Yes | 2004-12-16 | yes |
| TS | 22.140 | Multimedia Messaging Service (MMS); Stage 1 | S1 | Yes | 2004-12-16 | yes |
| TS | 22.141 | Presence service; Stage 1 | S1 | Yes | 2004-12-16 | yes |
| TS | 22.146 | Multimedia Broadcast/Multicast Service (MBMS); Stage 1 | S1 | Yes | 2004-12-16 | yes |
| TS | 22.174 | Push service; Stage 1 | S1 | Yes | 2004-12-16 | yes |
| TS | 22.177 | Speech-enabled services; Stage 1 | S1 | Yes | 2004-12-16 | yes |
| TS | 22.226 | Global text telephony (GTT); Stage 1: Service description | S1 | Yes | 2004-12-16 | yes |
| TS | 22.228 | Service requirements for the Internet Protocol (IP) multimedia core network subsystem (IMS); Stage 1 | S1 | Yes | 2004-12-16 | yes |
| TS | 22.233 | Transparent end-to-end packet-switched streamng service; Stage 1 | S1 | Yes | 2004-12-16 | yes |
| TS | 22.234 | Requirements on 3GPP system to Wireless Local Area Network (WLAN) interworking | S1 | Yes | 2004-12-16 | yes |
| TS | 22.240 | Service requirements for 3GPP Generic User Profile (GUP); Stage 1 | S1 | Yes | 2004-12-16 | yes |
| TS | 22.242 | Digital Rights Management (DRM); Stage 1 | S1 | Yes | 2002-12-12 | yes |
| TS | 22.243 | Speech recognition framework for automated voice services; Stage 1 | S1 | Yes | 2004-12-16 | yes |
| TS | 22.246 | Multimedia Broadcast/Multicast Service (MBMS) user services; Stage 1 | S1 | Yes | 2004-12-16 | yes |
| TS | 22.250 | IP Multimedia Subsystem (IMS) Group Management; Stage 1 | S1 | Yes | 2004-12-16 | yes |
| TS | 22.340 | IP Multimedia Subsystem (IMS) messaging; Stage 1 | S1 | Yes | 2004-12-16 | yes |
| TR | 22.800 | IP Multimedia Subsystem (IMS) subscription and access scenarios | S1 | No | 2004-12-16 | yes |

| Type | Number | Title | WG prime | For pub-lication? | freeze date | frozen |
|---|---|---|---|---|---|---|
| TR | 22.857 | Run-time independent framework feasibility study | S1 | No | 2004-12-10 | yes |
| TR | 22.934 | Feasibility study on 3GPP system to Wireles Local Area Network (WLAN) interworking | S1 | Yes | 2002-12-12 | yes |
| TR | 22.940 | IP Multimedia Subsystem (IMS) messaging; Stage 1 | S1 | Yes | 2004-12-16 | yes |
| TR | 22.944 | Report on service requirements for UE functionality split | S1 | Yes | 2004-12-16 | yes |
| TR | 22.949 | Study on a generalized privacy capability | S1 | Yes | 2004-12-16 | yes |
| TR | 22.950 | Priority service feasibility study | S1 | Yes | 2004-12-16 | yes |
| TR | 22.951 | Service aspects and requirements for network sharing | S1 | Yes | 2004-12-16 | yes |
| TR | 22.952 | Priority service guide | S1 | Yes | 2004-12-16 | yes |
| TR | 22.977 | Feasibility study for speech-enabled services | S1 | Yes | 2004-12-16 | yes |
| TS | 23.002 | Network architecture | S2 | Yes | 2004-12-16 | yes |
| TS | 23.003 | Numbering, addressing and identification | C4 | Yes | 2004-12-10 | yes |
| TS | 23.007 | Restoration procedures | C4 | Yes | 2004-12-10 | yes |
| TS | 23.008 | Organization of subscriber data | C4 | Yes | 2004-12-10 | yes |
| TS | 23.009 | Handover procedures | C1 | Yes | 2004-12-10 | yes |
| TS | 23.011 | Technical realization of Supplementary Services | C4 | Yes | 2004-12-10 | yes |
| TS | 23.012 | Location management procedures | C4 | Yes | 2004-12-10 | yes |
| TS | 23.014 | Support of Dual Tone Multi Frequency (DTMF) signalling | C1 | Yes | 2004-12-10 | yes |
| TS | 23.015 | Technical realization of Operator Determined Barring (ODB) | C4 | Yes | 2004-12-10 | yes |
| TS | 23.016 | Subscriber data management; Stage 2 | C4 | Yes | 2004-12-10 | yes |
| TS | 23.018 | Basic Call Handling; Technical realization | C4 | Yes | 2004-12-10 | yes |
| TS | 23.031 | Fraud Information Gathering System (FIGS); Service description; Stage 2 | S3 | Yes | 2004-12-16 | yes |
| TS | 23.032 | Universal Geographical Area Description (GAD) | S2 | Yes | 2004-12-16 | yes |
| TS | 23.034 | High Speed Circuit Switched Data (HSCSD); Stage 2 | C1 | Yes | 2004-12-10 | yes |
| TS | 23.035 | Immediate Service Termination (IST); Stage 2 | S3 | Yes | 2004-12-16 | yes |
| TS | 23.038 | Alphabets and language-specific information | C1 | Yes | 2004-12-10 | yes |
| TS | 23.040 | Technical realization of Short Message Service (SMS) | C1 | Yes | 2004-12-10 | yes |
| TS | 23.041 | Technical realization of Cell Broadcast Service (CBS) | C1 | Yes | 2004-12-10 | yes |
| TS | 23.042 | Compression algorithm for SMS | C1 | Yes | 2004-12-10 | yes |
| TS | 23.053 | Tandem Free Operation (TFO); Service description; Stage 2 | S4 | Yes | 2004-12-16 | yes |
| TS | 23.057 | Mobile Execution Environment (MExE); Functional description; Stage 2 | S1 | Yes | 2004-12-10 | yes |
| TS | 23.060 | General Packet Radio Service (GPRS); Service description; Stage 2 | S2 | Yes | 2004-12-16 | yes |
| TS | 23.066 | Support of GSM Mobile Number Portability (MNP) stage 2 | C4 | Yes | 2004-12-10 | yes |
| TS | 23.067 | Enhanced Multi-Level Precedence and Pre-emption Service (eMLPP); Stage 2 | C4 | Yes | 2004-12-10 | yes |
| TS | 23.072 | Call Deflection Supplementary Service; Stage 2 | C4 | Yes | 2004-12-10 | yes |
| TS | 23.078 | customized Applications for Mobile network Enhanced Logic (CAMEL) Phase X; Stage 2 | C4 | Yes | 2004-12-10 | yes |
| TS | 23.079 | Support of Optimal Routeing (SOR); Technical realization; Stage 2 | C4 | Yes | 2004-12-10 | yes |
| TS | 23.081 | Line Identification supplementary services; Stage 2 | C4 | Yes | 2004-12-10 | yes |
| TS | 23.082 | Call Forwarding (CF) Supplementary Services; Stage 2 | C4 | Yes | 2004-12-10 | yes |
| TS | 23.083 | Call Waiting (CW) and Call Hold (HOLD) Supplementary Service; Stage 2 | C4 | Yes | 2004-12-10 | yes |
| TS | 23.084 | MultiParty (MPTY) Supplementary Service; Stage 2 | C4 | Yes | 2004-12-10 | yes |
| TS | 23.085 | Closed User Group (CUG) Supplementary Service; Stage 2 | C4 | Yes | 2004-12-10 | yes |
| TS | 23.086 | Advice of Charge (AoC) Supplementary Service; Stage 2 | C4 | Yes | 2004-12-10 | yes |
| TS | 23.087 | User-to-User Signalling (UUS) supplementary service; Stage 2 | C4 | Yes | 2004-12-10 | yes |
| TS | 23.088 | Call Barring (CB) Supplementary Service; Stage 2 | C4 | Yes | 2004-12-10 | yes |
| TS | 23.090 | Unstructured Supplementary Service Data (USSD); Stage 2 | C4 | Yes | 2004-12-10 | yes |

| Type | Number | Title | WG prime | For pub-lication? | freeze date | frozen |
|---|---|---|---|---|---|---|
| TS | 23.091 | Explicit Call Transfer (ECT) Supplementary Service; Stage 2 | C4 | Yes | 2004-12-10 | yes |
| TS | 23.093 | Technical realization of Completion of Calls to Busy Subscriber (CCBS); Stage 2 | C4 | Yes | 2004-12-10 | yes |
| TS | 23.094 | Follow Me Stage 2 | C4 | Yes | 2004-12-10 | yes |
| TS | 23.096 | Name Identification Supplementary Service; Stage 2 | C4 | Yes | 2004-12-10 | yes |
| TS | 23.097 | Multiple Subscriber Profile (MSP) Phase 1; Stage 2 | C4 | Yes | 2004-12-10 | yes |
| TS | 23.101 | General UMTS Architecture | S2 | Yes | 2004-12-16 | yes |
| TS | 23.107 | Quality of Service (QoS) concept and architecture | S2 | Yes | 2004-12-16 | yes |
| TS | 23.108 | Mobile radio interface layer 3 specification core network protocols; Stage 2 (structured procedures) | C1 | Yes | 2004-12-10 | yes |
| TS | 23.110 | UMTS Access Stratum Services and Functions | S2 | Yes | 2004-12-16 | yes |
| TS | 23.116 | Super-Charger technical realization; Stage 2 | C4 | Yes | 2004-12-10 | yes |
| TS | 23.119 | Gateway Location Register (GLR); Stage2 | C4 | Yes | 2004-12-10 | yes |
| TS | 23.122 | Non-Access-Stratum (NAS) functions related to Mobile Station (MS) in idle mode | C1 | Yes | 2004-12-10 | yes |
| TS | 23.125 | Overall high level functionality and architecture impacts of flow based charging; Stage 2 | S2 | No | 2004-12-16 | yes |
| TS | 23.135 | Multicall supplementary service; Stage 2 | C4 | Yes | 2004-12-10 | yes |
| TS | 23.140 | Multimedia Messaging Service (MMS); Functional description; Stage 2 | CP | Yes | 2004-12-10 | yes |
| TS | 23.141 | Presence service; Architecture and functional description; Stage 2 | S2 | Yes | 2004-12-16 | yes |
| TS | 23.146 | Technical realization of facsimile Group 3 service - non-transparent | C3 | Yes | 2004-12-10 | yes |
| TS | 23.153 | Out of band transcoder control; Stage 2 | C4 | Yes | 2004-12-10 | yes |
| TS | 23.172 | Technical realization of Circuit Switched (CS) multimedia service; UDI/RDI fallback and service modification; Stage 2 | C3 | Yes | 2004-12-10 | yes |
| TS | 23.174 | Push service; stage 2 | S2 | Yes | 2004-12-16 | yes |
| TS | 23.195 | Provision of User Equipment Specific Behaviour Information (UESBI) to network entities | S2 | Yes | 2004-12-16 | yes |
| TS | 23.198 | Open Service Access (OSA); Stage 2 | C5 | Yes | 2004-12-10 | yes |
| TS | 23.202 | Circuit switched data bearer services | C3 | Yes | 2004-12-10 | yes |
| TS | 23.205 | Bearer-independent circuit-switched core network; Stage 2 | C4 | Yes | 2004-12-10 | yes |
| TS | 23.207 | End-to-end Quality of Service (QoS) concept and architecture | S2 | Yes | 2004-12-16 | yes |
| TS | 23.218 | IP Multimedia (IM) session handling; IM call model; Stage 2 | C1 | Yes | 2004-12-10 | yes |
| TS | 23.221 | Architectural requirements | S2 | Yes | 2004-12-16 | yes |
| TS | 23.226 | Global text telephony (GTT); Stage 2: Architecture | S2 | Yes | 2004-12-16 | yes |
| TS | 23.228 | IP Multimedia Subsystem (IMS); Stage 2 | S2 | Yes | 2004-12-16 | yes |
| TS | 23.234 | 3GPP system to Wireles Local Area Network (WLAN) interworking; System description | S2 | Yes | 2004-12-16 | yes |
| TS | 23.236 | Intra-domain connection of Radio Access Network (RAN) nodes to multiple Core Network (CN) nodes | S2 | Yes | 2004-12-16 | yes |
| TS | 23.240 | 3GPP Generic User Profile (GUP) requirements; Architecture (Stage 2) | S2 | Yes | 2004-12-16 | yes |
| TS | 23.246 | Multimedia Broadcast/Multicast Service (MBMS); Architecture and functional description | S2 | Yes | 2004-12-16 | yes |
| TS | 23.251 | Network sharing; Architecture and functional description | S2 | Yes | 2004-12-16 | yes |
| TS | 23.271 | Functional stage 2 description of Location Services (LCS) | S2 | Yes | 2004-12-16 | yes |
| TS | 23.278 | Customised Applications for Mobile network Enhanced Logic (CAMEL) Phase 4; Stage 2; IM CN Interworking | C4 | Yes | 2004-12-10 | yes |
| TR | 23.801 | Potential mechanisms for Circuit Switched (CS) domain video and voice service improvements | S2 | No | 2004-12-16 | yes |
| TR | 23.835 | Study into applicability of Galileo in Location Services (LCS) | S2 | No | 2004-12-16 | yes |
| TR | 23.841 | Presence service architecture | S2 | No | 2004-12-16 | yes |
| TR | 23.846 | Multimedia Broadcast/Multicast Service (MBMS); Stage 2 | S2 | No | 2004-12-16 | yes |

| Type | Number | Title | WG prime | For pub-lication? | freeze date | frozen |
|---|---|---|---|---|---|---|
| TS | 23.851 | Network sharing; Architecture and functional description | S2 | No | 2004-12-16 | yes |
| TR | 23.864 | Commonality and interoperability between IP Multimedia System (IMS) core networks | S2 | No | 2004-12-16 | yes |
| TR | 23.867 | Internet Protocol (IP) based IP Multimedia Subsystem (IMS) emergency sessions | S2 | No | 2004-12-16 | yes |
| TR | 23.877 | Architectural aspects of speech-enabled services | S2 | No | 2004-12-16 | yes |
| TR | 23.895 | Provision of UE specific behaviour information to network entities | S2 | No | 2004-12-16 | yes |
| TR | 23.899 | Combining Circuit Switched (CS) bearers with IP Multimeida Subsystem (IMS) | S2 | No | 2004-12-16 | yes |
| TR | 23.903 | Redial solution for voice-video switching | S2 | Yes | 2004-12-16 | yes |
| TR | 23.934 | 3GPP system to Wireless Local Area Network (WLAN) interworking; Functional and architectural definition | S2 | Yes | 2004-12-16 | yes |
| TR | 23.941 | 3GPP Generic User Profile (GUP); Stage 2; Data Description Method (DDM) | C4 | Yes | 2004-12-10 | yes |
| TR | 23.976 | Push architecture | S2 | Yes | 2004-12-16 | yes |
| TR | 23.977 | Bandwidth And Resource Savings (BARS) and speech enhancements for Circuit Switched (CS) networks | S2 | Yes | 2004-12-16 | yes |
| TR | 23.979 | 3GPP enablers for Open Mobile Alliance (OMA) Push-to-talk over Cellular (PoC) services; Stage 2 | S2 | Yes | 2004-12-16 | yes |
| TR | 23.981 | Interworking aspects and migration scenarios for IPv4-based IP Multimedia Subsystem (IMS) implementations | S2 | Yes | 2004-12-16 | yes |
| TS | 24.002 | GSM-UMTS Public Land Mobile Network (PLMN) Access Reference Configuration | C1 | Yes | 2004-12-10 | yes |
| TS | 24.007 | Mobile radio interface signalling layer 3; General Aspects | C1 | Yes | 2004-12-10 | yes |
| TS | 24.008 | Mobile radio interface Layer 3 specification; Core network protocols; Stage 3 | C1 | Yes | 2004-12-10 | yes |
| TS | 24.010 | Mobile Radio Interface Layer 3 - Supplementary Services Specification - General Aspects | C4 | Yes | 2004-12-10 | yes |
| TS | 24.011 | Point-to-Point (PP) Short Message Service (SMS) support on Mobile Radio Interface | C1 | Yes | 2004-12-10 | yes |
| TS | 24.022 | Radio Link Protocol (RLP) for circuit switched bearer and teleservices | C3 | Yes | 2004-12-10 | yes |
| TS | 24.030 | Location Services (LCS); Supplementary service operations; Stage 3 | C4 | Yes | 2004-12-10 | yes |
| TS | 24.067 | Enhanced Multi-Level Precedence and Pre-emption service (eMLPP); Stage 3 | C4 | Yes | 2004-12-10 | yes |
| TS | 24.072 | Call Deflection Supplementary Service; Stage 3 | C4 | Yes | 2004-12-10 | yes |
| TS | 24.080 | Mobile radio Layer 3 supplementary service specification; Formats and coding | C4 | Yes | 2004-12-10 | yes |
| TS | 24.081 | Line Identification Supplementary Service; Stage 3 | C4 | Yes | 2004-12-10 | yes |
| TS | 24.082 | Call Forwarding supplementary service; Stage 3 | C4 | Yes | 2004-12-10 | yes |
| TS | 24.083 | Call Waiting (CW) and Call Hold (HOLD) Supplementary Service; Stage 3 | C4 | Yes | 2004-12-10 | yes |
| TS | 24.084 | MultiParty (MPTY) Supplementary Service; Stage 3 | C4 | Yes | 2004-12-10 | yes |
| TS | 24.085 | Closed User Group (CUG) Supplementary Service; Stage 3 | C4 | Yes | 2004-12-10 | yes |
| TS | 24.086 | Advice of Charge (AoC) Supplementary Service; Stage 3 | C4 | Yes | 2004-12-10 | yes |
| TS | 24.087 | User-to-User Signalling (UUS); Stage 3 | C4 | Yes | 2004-12-10 | yes |
| TS | 24.088 | Call Barring (CB) Supplementary Service; Stage 3 | C4 | Yes | 2004-12-10 | yes |
| TS | 24.090 | Unstructured Supplementary Service Data (USSD); Stage 3 | C4 | Yes | 2004-12-10 | yes |
| TS | 24.091 | Explicit Call Transfer (ECT) Supplementary Service; Stage 3 | C4 | Yes | 2004-12-10 | yes |
| TS | 24.093 | Call Completion to Busy Subscriber (CCBS); Stage 3 | C4 | Yes | 2004-12-10 | yes |
| TS | 24.096 | Name Identification Supplementary Service; Stage 3 | C4 | Yes | 2004-12-10 | yes |
| TS | 24.109 | Bootstrapping interface (Ub) and network application function interface (Ua); Protocol details | C1 | Yes | 2004-12-10 | yes |

| Type | Number | Title | WG prime | For pub-lication? | freeze date | frozen |
|---|---|---|---|---|---|---|
| TS | 24.135 | Multicall supplementary service; Stage 3 | C4 | Yes | 2004-12-10 | yes |
| TS | 24.141 | Presence service using the IP Multimedia (IM) Core Network (CN) subsystem; Stage 3 | C1 | Yes | 2004-12-10 | yes |
| TS | 24.147 | Conferencing using the IP Multimedia (IM) Core Network (CN) subsystem; Stage 3 | C1 | Yes | 2004-12-10 | yes |
| TS | 24.167 | 3GPP IMS Management Object (MO); Stage 3 | C1 | Yes | 2004-12-10 | yes |
| TS | 24.229 | Internet Protocol (IP) multimedia call control protocol based on Session Initiation Protocol (SIP) and Session Description Protocol (SDP); Stage 3 | C1 | Yes | 2004-12-10 | yes |
| TS | 24.234 | 3GPP system to Wireless Local Area Network (WLAN) interworking; User Equipment (UE) to network protocols; Stage 3 | C1 | Yes | 2004-12-10 | yes |
| TS | 24.241 | 3GPP Generic User Profile (GUP) Common objects; Stage 3 | C4 | Yes | 2004-12-10 | yes |
| TS | 24.247 | Messaging using the IP Multimedia (IM) Core Network (CN) subsystem; Stage 3 | C1 | Yes | 2004-12-10 | yes |
| TR | 24.841 | Presence service based on Session Initiation Protocol (SIP); Functional models, information flows and protocol details | C1 | No | 2004-12-10 | yes |
| TS | 25.101 | User Equipment (UE) radio transmission and reception (FDD) | R4 | Yes | 2004-12-10 | yes |
| TS | 25.102 | User Equipment (UE) radio transmission and reception (TDD) | R4 | Yes | 2004-12-10 | yes |
| TS | 25.104 | Base Station (BS) radio transmission and reception (FDD) | R4 | Yes | 2004-12-10 | yes |
| TS | 25.105 | Base Station (BS) radio transmission and reception (TDD) | R4 | Yes | 2004-12-10 | yes |
| TS | 25.106 | UTRA repeater radio transmission and reception | R4 | Yes | 2004-12-10 | yes |
| TS | 25.113 | Base station and repeater electromagnetic compatibility (EMC) | R4 | Yes | 2004-12-10 | yes |
| TS | 25.123 | Requirements for support of radio resource management (TDD) | R4 | Yes | 2004-12-10 | yes |
| TS | 25.133 | Requirements for support of radio resource management (FDD) | R4 | Yes | 2004-12-10 | yes |
| TS | 25.141 | Base Station (BS) conformance testing (FDD) | R4 | Yes | 2004-12-10 | yes |
| TS | 25.142 | Base Station (BS) conformance testing (TDD) | R4 | Yes | 2004-12-10 | yes |
| TS | 25.143 | UTRA repeater conformance testing | R4 | Yes | 2004-12-10 | yes |
| TS | 25.171 | Requirements for support of Assisted Global Positioning System (A-GPS); Frequency Division Duplex (FDD) | R4 | Yes | 2004-12-10 | yes |
| TS | 25.201 | Physical layer - general description | R1 | Yes | 2004-12-10 | yes |
| TS | 25.211 | Physical channels and mapping of transport channels onto physical channels (FDD) | R1 | Yes | 2004-12-10 | yes |
| TS | 25.212 | Multiplexing and channel coding (FDD) | R1 | Yes | 2004-12-10 | yes |
| TS | 25.213 | Spreading and modulation (FDD) | R1 | Yes | 2004-12-10 | yes |
| TS | 25.214 | Physical layer procedures (FDD) | R1 | Yes | 2004-12-10 | yes |
| TS | 25.215 | Physical layer; Measurements (FDD) | R1 | Yes | 2004-12-10 | yes |
| TS | 25.221 | Physical channels and mapping of transport channels onto physical channels (TDD) | R1 | Yes | 2004-12-10 | yes |
| TS | 25.222 | Multiplexing and channel coding (TDD) | R1 | Yes | 2004-12-10 | yes |
| TS | 25.223 | Spreading and modulation (TDD) | R1 | Yes | 2004-12-10 | yes |
| TS | 25.224 | Physical layer procedures (TDD) | R1 | Yes | 2004-12-10 | yes |
| TS | 25.225 | Physical layer; Measurements (TDD) | R1 | Yes | 2004-12-10 | yes |
| TS | 25.301 | Radio interface protocol architecture | R2 | Yes | 2004-12-10 | yes |
| TS | 25.302 | Services provided by the physical layer | R2 | Yes | 2004-12-10 | yes |
| TS | 25.303 | Interlayer procedures in Connected Mode | R2 | Yes | 2004-12-10 | yes |
| TS | 25.304 | User Equipment (UE) procedures in idle mode and procedures for cell reselection in connected mode | R2 | Yes | 2004-12-10 | yes |
| TS | 25.305 | User Equipment (UE) positioning in Universal Terrestrial Radio Access Network (UTRAN); Stage 2 | R2 | Yes | 2004-12-10 | yes |
| TS | 25.306 | UE Radio Access capabilities definition | R2 | Yes | 2004-12-10 | yes |
| TS | 25.307 | Requirements on User Equipments (Ues) supporting a release-independent frequency band | R2 | Yes | 2004-12-10 | yes |

| Type | Number | Title | WG prime | For pub-lication? | freeze date | frozen |
|---|---|---|---|---|---|---|
| TS | 25.308 | UTRA High Speed Downlink Packet Access (HSDPA); Overall description; Stage 2 | R2 | Yes | 2004-12-10 | yes |
| TS | 25.309 | FDD enhanced uplink; Overall description; Stage 2 | R2 | Yes | 2004-12-10 | yes |
| TS | 25.321 | Medium Access Control (MAC) protocol specification | R2 | Yes | 2004-12-10 | yes |
| TS | 25.322 | Radio Link Control (RLC) protocol specification | R2 | Yes | 2004-12-10 | yes |
| TS | 25.323 | Packet Data Convergence Protocol (PDCP) specification | R2 | Yes | 2004-12-10 | yes |
| TS | 25.324 | Broadcast/Multicast Control (BMC) | R2 | Yes | 2004-12-10 | yes |
| TS | 25.331 | Radio Resource Control (RRC) protocol specification | R2 | Yes | 2004-12-10 | yes |
| TS | 25.346 | Introduction of Multimedia Broadcast/Multicast Service (MBMS) in the Radio Access Network (RAN); Stage 2 | R2 | Yes | 2004-12-10 | yes |
| TS | 25.401 | UTRAN overall description | R3 | Yes | 2004-12-10 | yes |
| TS | 25.402 | Synchronization in UTRAN Stage 2 | R3 | Yes | 2004-12-10 | yes |
| TS | 25.409 | Enhanced uplink UTRA FDD; Stage 3 | R3 | Yes | 2004-12-10 | yes |
| TS | 25.410 | UTRAN Iu interface: General aspects and principles | R3 | Yes | 2004-12-10 | yes |
| TS | 25.411 | UTRAN Iu interface layer 1 | R3 | Yes | 2004-12-10 | yes |
| TS | 25.412 | UTRAN Iu interface signalling transport | R3 | Yes | 2004-12-10 | yes |
| TS | 25.413 | UTRAN Iu interface Radio Access Network Application Part (RANAP) signalling | R3 | Yes | 2004-12-10 | yes |
| TS | 25.414 | UTRAN Iu interface data transport & transport signalling | R3 | Yes | 2004-12-10 | yes |
| TS | 25.415 | UTRAN Iu interface user plane protocols | R3 | Yes | 2004-12-10 | yes |
| TS | 25.419 | UTRAN Iu-BC interface: Service Area Broadcast Protocol (SABP) | R3 | Yes | 2004-12-10 | yes |
| TS | 25.420 | UTRAN Iur Interface: General Aspects and Principles | R3 | Yes | 2004-12-10 | yes |
| TS | 25.421 | UTRAN Iur interface Layer 1 | R3 | Yes | 2004-12-10 | yes |
| TS | 25.422 | UTRAN Iur interface signalling transport | R3 | Yes | 2004-12-10 | yes |
| TS | 25.423 | UTRAN Iur interface Radio Network Subsystem Application Part (RNSAP) signalling | R3 | Yes | 2004-12-10 | yes |
| TS | 25.424 | UTRAN Iur interface data transport & transport signalling for Common Transport Channel data streams | R3 | Yes | 2004-12-10 | yes |
| TS | 25.425 | UTRAN Iur interface user plane protocols for Common Transport Channel data streams | R3 | Yes | 2004-12-10 | yes |
| TS | 25.426 | UTRAN Iur and Iub interface data transport & transport signalling for DCH data streams | R3 | Yes | 2004-12-10 | yes |
| TS | 25.427 | UTRAN Iur and Iub interface user plane protocols for DCH data streams | R3 | Yes | 2004-12-10 | yes |
| TS | 25.430 | UTRAN Iub Interface: General Aspects and Principles | R3 | Yes | 2004-12-10 | yes |
| TS | 25.431 | UTRAN Iub interface Layer 1 | R3 | Yes | 2004-12-10 | yes |
| TS | 25.432 | UTRAN Iub interface: signalling transport | R3 | Yes | 2004-12-10 | yes |
| TS | 25.433 | UTRAN Iub interface NBAP signalling | R3 | Yes | 2004-12-10 | yes |
| TS | 25.434 | UTRAN Iub interface data transport & transport signalling for CCH data streams | R3 | Yes | 2004-12-10 | yes |
| TS | 25.435 | UTRAN Iub interface user plane protocols for CCH data streams | R3 | Yes | 2004-12-10 | yes |
| TS | 25.442 | UTRAN implementation-specific O&M transport | R3 | Yes | 2004-12-10 | yes |
| TS | 25.450 | UTRAN Iupc interface general aspects and principles | R3 | Yes | 2004-12-10 | yes |
| TS | 25.451 | UTRAN Iupc interface layer 1 | R3 | Yes | 2004-12-10 | yes |
| TS | 25.452 | UTRAN Iupc interface: signalling transport | R3 | Yes | 2004-12-10 | yes |
| TS | 25.453 | UTRAN Iupc interface Positioning Calculation Application Part (PCAP) signalling | R3 | Yes | 2004-12-10 | yes |
| TS | 25.460 | UTRAN Iuant interface: General aspects and principles | R3 | Yes | 2004-12-10 | yes |
| TS | 25.461 | UTRAN Iuant interface: Layer 1 | R3 | Yes | 2004-12-10 | yes |
| TS | 25.462 | UTRAN Iuant interface: Signalling transport | R3 | Yes | 2004-12-10 | yes |
| TS | 25.463 | UTRAN Iuant interface: Remote Electrical Tilting (RET) antennas Application Part (RETAP) signalling | R3 | Yes | 2004-12-10 | yes |

| Type | Number | Title | WG prime | For pub-lication? | freeze date | frozen |
|---|---|---|---|---|---|---|
| TR | 25.801 | Feasibility study for improved access to User Equipment (UE) measurement data for Controlling Radio Network Controller (CRNC) to support Time Division Duplex (TDD) Radio Resource Management (RRM) | R3 | No | 2004-12-10 | yes |
| TR | 25.803 | S-CCPCH performance for MBMS | R1 | Yes | 2004-12-10 | yes |
| TR | 25.804 | Feasibility study on uplink enhancements for UTRA TDD | R1 | No | 2004-12-10 | yes |
| TR | 25.805 | DS-CDMA introduction in the 800 MHz band | R4 | No | 2004-12-10 | yes |
| TR | 25.806 | UMTS 1700/2100MHz Work Item | R4 | No | 2004-12-10 | yes |
| TR | 25.807 | Low output powers for general purpose Frequency Division Duplex (FDD) Base Station (BS) | R3 | No | 2004-12-10 | yes |
| TR | 25.808 | FDD enhanced uplink; Physical layer aspects | R1 | No | 2004-12-10 | yes |
| TR | 25.852 | Iu enhancements for IP Multimedia (IMS) support in UTRAN | R3 | No | 2004-12-10 | yes |
| TR | 25.862 | RAB support for IMS | R2 | Yes | 2004-12-10 | yes |
| TR | 25.887 | Beamforming enhancements | R1 | No | 2004-12-10 | yes |
| TR | 25.888 | Improvement of inter frequency and inter system measurement for 1,28 Mcps TDD | R1 | No | 2004-12-10 | yes |
| TR | 25.889 | Feasibility study considering the viable deployment of UTRA in additional and diverse spectrum arrangements | R4 | No | 2004-12-10 | yes |
| TR | 25.891 | Improvement of Radio Resource Management (RRM) across RNS and RNS/BSS post-Rel-5 | R3 | No | 2004-12-10 | yes |
| TR | 25.892 | Feasibility study for Orthogonal Frequency Division Multiplexing (OFDM) for UTRAN enhancement | R1 | No | 2004-12-10 | yes |
| TR | 25.894 | Enhanced UE positioning using software blanking | R2 | No | 2004-12-10 | yes |
| TR | 25.895 | Analysis of higher chip rates for UTRA TDD evolution | R1 | No | 2004-12-10 | yes |
| TR | 25.896 | Feasibility study for enhanced uplink for UTRA FDD | R1 | No | 2004-12-10 | yes |
| TR | 25.898 | Power control enhancements for UTRA | R1 | No | 2004-12-10 | yes |
| TR | 25.899 | High Speed Downlink Packet Access (HSDPA) enhancements | R1 | No | 2004-12-10 | yes |
| TR | 25.901 | Network Assisted Cell Change (NACC) from UTRAN to GERAN; Network side aspects | R3 | Yes | 2004-12-10 | yes |
| TR | 25.902 | Iub/Iur congestion control | R3 | Yes | | |
| TR | 25.921 | Guidelines and principles for protocol description and error handling | R2 | Yes | 2004-12-10 | yes |
| TR | 25.922 | Radio resource management strategies | R2 | Yes | 2004-12-10 | yes |
| TR | 25.931 | UTRAN functions, examples on signalling procedures | R3 | Yes | 2004-12-10 | yes |
| TR | 25.942 | Radio Frequency (RF) system scenarios | R4 | Yes | 2004-12-10 | yes |
| TR | 25.943 | Deployment aspects | R4 | Yes | 2004-12-10 | yes |
| TR | 25.951 | Base Station (BS) classification (FDD) | R4 | Yes | 2004-12-10 | yes |
| TR | 25.956 | Universal Terrestrial Radio Access (UTRA) repeater planning guidelines and system analysis | R4 | Yes | 2004-12-10 | yes |
| TR | 25.992 | Multimedia Broadcast/Multicast Service (MBMS); UTRAN/GERAN requirements | RP | Yes | 2004-12-10 | yes |
| TR | 25.993 | Typical examples of Radio Access Bearers (RABs) and Radio Bearers (RBs) supported by Universal Terrestrial Radio Access (UTRA) | R2 | Yes | 2004-12-10 | yes |
| TR | 25.994 | Measures employed by the UMTS Radio Access Network (UTRAN) to overcome early User Equipment (UE) implementation faults | R2 | Yes | 2004-12-10 | yes |
| TR | 25.995 | Measures employed by the UMTS Radio Access Network (RAN) to cater for legacy User Equipment (UE) which conforms to superseded versions of the RAN interface specification | R2 | Yes | 2004-12-10 | yes |
| TR | 25.996 | Spacial channel model for Multiple Input Multiple Output (MIMO) simulations | R1 | Yes | 2004-12-10 | yes |
| TS | 26.071 | AMR speech Codec; General description | S4 | Yes | 2004-12-16 | yes |
| TS | 26.073 | AMR speech Codec; C-source code | S4 | Yes | 2004-12-16 | yes |
| TS | 26.074 | AMR speech Codec; Test sequences | S4 | Yes | 2004-12-16 | yes |

| Type | Number | Title | WG prime | For pub-lication? | freeze date | frozen |
|---|---|---|---|---|---|---|
| TS | 26.077 | Minimum performance requirements for noise suppresser application to the Adaptive Multi-Rate (AMR) speech encoder | S4 | Yes | 2004-12-16 | yes |
| TS | 26.090 | AMR speech Codec; Transcoding Functions | S4 | Yes | 2004-12-16 | yes |
| TS | 26.091 | AMR speech Codec; Error concealment of lost frames | S4 | Yes | 2004-12-16 | yes |
| TS | 26.092 | AMR speech Codec; comfort noise for AMR Speech Traffic Channels | S4 | Yes | 2004-12-16 | yes |
| TS | 26.093 | AMR speech Codec; Source Controlled Rate operation | S4 | Yes | 2004-12-16 | yes |
| TS | 26.094 | AMR Speech Codec; Voice Activity Detector for AMR Speech Traffic Channels | S4 | Yes | 2004-12-16 | yes |
| TS | 26.101 | Mandatory speech codec speech processing functions; Adaptive Multi-Rate (AMR) speech codec frame structure | S4 | Yes | 2004-12-16 | yes |
| TS | 26.102 | Adaptive Multi-Rate (AMR) speech codec; Interface to Iu and Uu | S4 | Yes | 2004-12-16 | yes |
| TS | 26.103 | Speech codec list for GSM and UMTS | S4 | Yes | 2004-12-16 | yes |
| TS | 26.104 | ANSI-C code for the floating-point Adaptive Multi-Rate (AMR) speech codec | S4 | Yes | 2004-12-16 | yes |
| TS | 26.110 | Codec for circuit switched multimedia telephony service; General description | S4 | Yes | 2004-12-16 | yes |
| TS | 26.111 | Codec for Circuit switched Multimedia Telephony Service; Modifications to H.324 | S4 | Yes | 2004-12-16 | yes |
| TS | 26.115 | Echo control for speech and multimedia services | S4 | Yes | 2004-12-16 | yes |
| TS | 26.131 | Terminal acoustic characteristics for telephony; Requirements | S4 | Yes | 2004-12-16 | yes |
| TS | 26.132 | Narrow band (3,1 kHz) speech and video telephony terminal acoustic test specification | S4 | Yes | 2004-12-16 | yes |
| TS | 26.140 | Multimedia Messaging Service (MMS); Media formats and codes | S4 | Yes | 2004-12-16 | yes |
| TS | 26.141 | IP Multimedia System (IMS) Messaging and Presence; Media formats and codecs | S4 | Yes | 2004-12-16 | yes |
| TS | 26.171 | Speech codec speech processing functions; Adaptive Multi-Rate - Wideband (AMR-WB) speech codec; General description | S4 | Yes | 2004-12-16 | yes |
| TS | 26.173 | ANSI-C code for the Adaptive Multi-Rate - Wideband (AMR-W) speech codec | S4 | Yes | 2004-12-16 | yes |
| TS | 26.174 | Speech codec speech processing functions; Adaptive Multi-Rate - Wideband (AMR-WB) speech codec test sequences | S4 | Yes | 2004-12-16 | yes |
| TS | 26.177 | Speech Enabled Services (SES); Distributed Speech Recognition (DSR) extended advanced front-end test sequences | S4 | Yes | 2004-12-16 | yes |
| TS | 26.190 | Speech codec speech processing functions; Adaptive Multi-Rate - Wideband (AMR-WB) speech codec; Transcoding functions | S4 | Yes | 2004-12-16 | yes |
| TS | 26.191 | Speech codec speech processing functions; Adaptive Multi-Rate - Wideband (AMR-WB) speech codec; Error concealment of erroneous or lost frames | S4 | Yes | 2004-12-16 | yes |
| TS | 26.192 | Speech codec speech processing functions; Adaptive Multi-Rate - Wideband (AMR-WB) speech codec; Comfort noise aspects | S4 | Yes | 2004-12-16 | yes |
| TS | 26.193 | Speech codec speech processing functions; Adaptive Multi-Rate - Wideband (AMR-WB) speech codec; Source controlled rate operation | S4 | Yes | 2004-12-16 | yes |
| TS | 26.194 | Speech codec speech processing functions; Adaptive Multi-Rate - Wideband (AMR-WB) speech codec; Voice Activity Detector (VAD) | S4 | Yes | 2004-12-16 | yes |
| TS | 26.201 | Speech codec speech processing functions; Adaptive Multi-Rate - Wideband (AMR-WB) speech codec; Frame structure | S4 | Yes | 2004-12-16 | yes |
| TS | 26.202 | Speech codec speech processing functions; Adaptive Multi-Rate - Wideband (AMR-WB) speech codec; Interface to Iu, Uu and Nb | S4 | Yes | 2004-12-16 | yes |

| Type | Number | Title | WG prime | For pub-lication? | freeze date | frozen |
|---|---|---|---|---|---|---|
| TS | 26.204 | Speech codec speech processing functions; Adaptive Multi-Rate - Wideband (AMR-WB) speech codec; ANSI-C code | S4 | Yes | 2004-12-16 | yes |
| TS | 26.226 | Cellular text telephone modem; General description | S4 | Yes | 2004-12-16 | yes |
| TS | 26.230 | Cellular text telephone modem; Transmitter bit exact C-code | S4 | Yes | 2004-12-16 | yes |
| TS | 26.231 | Cellular text telephone modem; Minimum performance requirements | S4 | Yes | 2004-12-16 | yes |
| TS | 26.233 | End-to-end transparent streaming service; General description | S4 | Yes | 2004-12-16 | yes |
| TS | 26.234 | Transparent end-to-end Packet-switched Streaming Service (PSS); Protocols and codecs | S4 | Yes | 2004-12-16 | yes |
| TS | 26.235 | Packet switched conversational multimedia applications; Default codecs | S4 | Yes | 2004-12-16 | yes |
| TS | 26.236 | Packet switched conversational multimedia applications; Transport protocols | S4 | Yes | 2004-12-16 | yes |
| TS | 26.243 | ANSI C code for the fixed-point distributed speech recognition extended advanced front-end | S4 | Yes | 2004-12-16 | yes |
| TS | 26.244 | Transparent end-to-end packet switched streaming service (PSS); 3GPP file format (3GP) | S4 | Yes | 2004-12-16 | yes |
| TS | 26.245 | Transparent end-to-end Packet switched Streaming Service (PSS); Timed text format | S4 | Yes | 2004-12-16 | yes |
| TS | 26.246 | Transparent end-to-end Packet-switched Streaming Service (PSS); 3GPP SMIL language profile | S4 | Yes | 2004-12-16 | yes |
| TS | 26.273 | ANSI-C code for the fixed-point Extended Adaptive Multi-Rate - Wideband (AMR-WB+) speech codec | S4 | Yes | 2004-12-16 | yes |
| TS | 26.274 | Speech codec speech processing functions; Extended Adaptive Multi-Rate - Wideband (AMR-WB+) speech codec; Conformance testing | S4 | Yes | | |
| TS | 26.290 | Audio codec processing functions; Extended Adaptive Multi-Rate - Wideband (AMR-WB+) codec; Transcoding functions | S4 | Yes | 2004-12-16 | yes |
| TS | 26.304 | Extended Adaptive Multi-Rate - Wideband (AMR-WB+) codec; Floating-point ANSI-C code | S4 | Yes | 2004-12-16 | yes |
| TS | 26.346 | Multimedia Broadcast/Multicast Service (MBMS); Protocols and codecs | S4 | Yes | 2004-12-16 | yes |
| TS | 26.401 | General audio codec audio processing functions; Enhanced aacPlus general audio codec; General description | S4 | Yes | 2004-12-16 | yes |
| TS | 26.402 | General audio codec audio processing functions; Enhanced aacPlus general audio codec; Additional decoder tools | S4 | Yes | 2004-12-16 | yes |
| TS | 26.403 | General audio codec audio processing functions; Enhanced aacPlus general audio codec; Encoder specification; Advanced Audio Coding (AAC) part | S4 | Yes | 2004-12-16 | yes |
| TS | 26.404 | General audio codec audio processing functions; Enhanced aacPlus general audio codec; Encoder specification; Spectral Band Replication (SBR) part | S4 | Yes | 2004-12-16 | yes |
| TS | 26.405 | General audio codec audio processing functions; Enhanced aacPlus general audio codec; Encoder specification; Parametric stereo part | S4 | Yes | 2004-12-16 | yes |
| TS | 26.406 | General audio codec audio processing functions; Enhanced aacPlus general audio codec; Conformance testing | S4 | Yes | 2004-12-16 | yes |
| TS | 26.410 | General audio codec audio processing functions; Enhanced aacPlus general audio codec; Floating-point ANSI-C code | S4 | Yes | 2004-12-16 | yes |
| TS | 26.411 | General audio codec audio processing functions; Enhanced aacPlus general audio codec; Fixed-point ANSI-C code | S4 | Yes | 2004-12-16 | yes |
| TS | 26.412 | General audio codec audio processing functions; Source code for 3GP file format | S4 | Yes | | |
| TR | 26.911 | Codec for Circuit switched Multimedia Telephony Service;Terminal Implementor"s Guide | S4 | Yes | 2004-12-16 | yes |
| TR | 26.935 | Packet Switched (PS) conversational multimedia applications; Performance characterization of default codecs | S4 | Yes | 2004-12-16 | yes |

| Type | Number | Title | WG prime | For pub-lication? | freeze date | frozen |
|---|---|---|---|---|---|---|
| TS | 26.936 | Performance characterization of the Enhanced aacPlus and Extended Adaptive Multi-Rate - Wideband (AMR-WB+) audio codecs | S4 | Yes | | |
| TR | 26.937 | Transparent end-to-end packet switched streaming service (PSS); Real-time Transport Protocol (RTP) usage model | S4 | Yes | 2004-12-16 | yes |
| TR | 26.943 | Recognition performance evaluations of codecs for Speech Enabled Services (SES) | S4 | Yes | 2004-12-16 | yes |
| TR | 26.946 | Multimedia Broadcast/Multicast Service (MBMS) user service guidelines | S4 | Yes | 2004-12-16 | yes |
| TR | 26.975 | Performance characterization of the Adaptive Multi-Rate (AMR) speech codec | S4 | Yes | 2004-12-16 | yes |
| TR | 26.976 | Performance characterization of the Adaptive Multi-Rate Wideband (AMR-WB) speech codec | S4 | Yes | 2004-12-16 | yes |
| TR | 26.978 | Results of the Adaptive Multi-Rate (AMR) noise suppression selection phase | S4 | Yes | 2004-12-16 | yes |
| TS | 27.001 | General on Terminal Adaptation Functions (TAF) for Mobile Stations (MS) | C3 | Yes | 2004-12-10 | yes |
| TS | 27.002 | Terminal Adaptation Functions (TAF) for services using Asynchronous bearer capabilities | C3 | Yes | 2004-12-10 | yes |
| TS | 27.003 | Terminal Adaptation Functions (TAF) for services using Synchronous bearer capabilities | C3 | Yes | 2004-12-10 | yes |
| TS | 27.005 | Use of Data Terminal Equipment - Data Circuit terminating Equipment (DTE-DCE) interface for Short Message Service (SMS) and Cell Broadcast Service (CBS) | C1 | Yes | 2004-12-10 | yes |
| TS | 27.007 | AT command set for User Equipment (UE) | C1 | Yes | 2004-12-10 | yes |
| TS | 27.010 | Terminal Equipment to User Equipment (TE-UE) multiplexer protocol | C3 | Yes | 2004-12-10 | yes |
| TS | 27.060 | Packet domain; Mobile Station (MS) supporting Packet Switched services | C3 | Yes | 2004-12-10 | yes |
| TS | 28.062 | Inband Tandem Free Operation (TFO) of speech codecs; Service description; Stage 3 | S4 | Yes | 2004-12-16 | yes |
| TS | 29.002 | Mobile Application Part (MAP) specification | C4 | Yes | 2004-12-10 | yes |
| TS | 29.007 | General requirements on interworking between the Public Land Mobile Network (PLMN) and the Integrated Services Digital Network (ISDN) or Public Switched Telephone Network (PSTN) | C3 | Yes | 2004-12-10 | yes |
| TS | 29.010 | Information element mapping between Mobile Station - Base Station System (MS - BSS) and Base Station System - Mobile-services Switching Centre (BSS - MSC); Signalling Procedures and the Mobile Application Part (MAP) | C4 | Yes | 2004-12-10 | yes |
| TS | 29.011 | Signalling Interworking for Supplementary Services | C4 | Yes | 2004-12-10 | yes |
| TS | 29.013 | Signalling interworking between ISDN supplementary services Application Service Element (ASE) and Mobile Application Part (MAP) protocols | C4 | Yes | 2004-12-10 | yes |
| TS | 29.016 | Serving GPRS Support Node SGSN - Visitors Location Register (VLR); Gs Interface Network Service Specification | C1 | Yes | 2004-12-10 | yes |
| TS | 29.018 | General Packet Radio Service (GPRS); Serving GPRS Support Node (SGSN) - Visitors Location Register (VLR); Gs interface layer 3 specification | C1 | Yes | 2004-12-10 | yes |
| TS | 29.060 | General Packet Radio Service (GPRS); GPRS Tunnelling Protocol (GTP) across the Gn and Gp interface | C4 | Yes | 2004-12-10 | yes |
| TS | 29.061 | Interworking between the Public Land Mobile Network (PLMN) supporting packet based services and Packet Data Networks (PDN) | C3 | Yes | 2004-12-10 | yes |
| TS | 29.078 | customized Applications for Mobile network Enhanced Logic (CAMEL) Phase X; CAMEL Application Part (CAP) specification | C4 | Yes | 2004-12-10 | yes |
| TS | 29.108 | Application of the Radio Access Network Application Part (RANAP) on the E-interface | R3 | Yes | 2004-12-10 | yes |

| Type | Number | Title | WG prime | For pub-lication? | freeze date | frozen |
|---|---|---|---|---|---|---|
| TS | 29.109 | Generic Authentication Architecture (GAA); Zh and Zn Interfaces based on the Diameter protocol; Stage 3 | C4 | Yes | 2004-12-10 | yes |
| TS | 29.119 | GPRS Tunnelling Protocol (GTP) specification for Gateway Location Register (GLR) | C4 | Yes | 2004-12-10 | yes |
| TS | 29.120 | Mobile Application Part (MAP) specification for Gateway Location Register (GLR); Stage 3 | C4 | Yes | 2004-12-10 | yes |
| TS | 29.140 | Multimedia Messaging Service (MMS); MM10 interface based on Diameter protocol; Stage 3 | C4 | Yes | 2004-12-10 | yes |
| TS | 29.161 | Interworking between the Public Land Mobile Network (PLMN) supporting packet based services with Wireless Local Area Network (WLAN) access and Packet data Networks (PDNs) | C3 | Yes | 2004-12-10 | yes |
| TS | 29.162 | Interworking between the IM CN subsystem and IP networks | C3 | Yes | 2004-12-10 | yes |
| TS | 29.163 | Interworking between the IP Multimedia (IM) Core Network (CN) subsystem and Circuit Switched (CS) networks | C3 | Yes | 2004-12-10 | yes |
| TS | 29.198-01 | Open Service Access (OSA) Application Programming Interface (API); Part 1: Overview | C5 | Yes | 2004-12-10 | yes |
| TS | 29.198-02 | Open Service Access (OSA) Application Programming Interface (API); Part 2: Common data definitions | C5 | Yes | 2004-12-10 | yes |
| TS | 29.198-03 | Open Service Access (OSA) Application Programming Interface (API); Part 3: Framework | C5 | Yes | 2004-12-10 | yes |
| TS | 29.198-04-1 | Open Service Access (OSA) Application Programming Interface (API); Part 4: Call control; Subpart 1: Call control common definitions | C5 | Yes | 2004-12-10 | yes |
| TS | 29.198-04-2 | Open Service Access (OSA) Application Programming Interface (API); Part 4: Call control; Subpart 2: Generic call control Service Capability Feature (SCF) | C5 | Yes | 2004-12-10 | yes |
| TS | 29.198-04-3 | Open Service Access (OSA) Application Programming Interface (API); Part 4: Call control; Subpart 3: Multi-party call control Service Capability Feature (SCF) | C5 | Yes | 2004-12-10 | yes |
| TS | 29.198-04-4 | Open Service Access (OSA) Application Programming Interface (API); Part 4: Call control; Subpart 4: Multimedia call control Service Capability Feature (SCF) | C5 | Yes | 2004-12-10 | yes |
| TS | 29.198-05 | Open Service Access (OSA) Application Programming Interface (API); Part 5: User interaction Service Capability Feature (SCF) | C5 | Yes | 2004-12-10 | yes |
| TS | 29.198-06 | Open Service Access (OSA) Application Programming Interface (API); Part 6: Mobility Service Capability Feature (SCF) | C5 | Yes | 2004-12-10 | yes |
| TS | 29.198-07 | Open Service Access (OSA) Application Programming Interface (API); Part 7: Terminal capabilities Service Capability Feature (SCF) | C5 | Yes | 2004-12-10 | yes |
| TS | 29.198-08 | Open Service Access (OSA) Application Programming Interface (API); Part 8: Data session control Service Capability Feature (SCF) | C5 | Yes | 2004-12-10 | yes |
| TS | 29.198-11 | Open Service Access (OSA) Application Programming Interface (API); Part 11: Account management Service Capability Feature (SCF) | C5 | Yes | 2004-12-10 | yes |
| TS | 29.198-12 | Open Service Access (OSA) Application Programming Interface (API); Part 12: Charging Service Capability Feature (SCF) | C5 | Yes | 2004-12-10 | yes |
| TS | 29.198-13 | Open Service Access (OSA) Application Programming Interface (API); Part 13: Policy management Service Capability Feature (SCF) | C5 | Yes | 2004-12-10 | yes |
| TS | 29.198-14 | Open Service Access (OSA) Application Programming Interface (API); Part 14: Presence and Availability Management (PAM) Service Capability Feature (SCF) | C5 | Yes | 2004-12-10 | yes |
| TS | 29.198-15 | Open Service Access (OSA) Application Programming Interface (API); Part 15: Multi-media Messaging (MM) Service Capability Feature (SCF) | C5 | Yes | 2004-12-10 | yes |

| Type | Number | Title | WG prime | For pub-lication? | freeze date | frozen |
|---|---|---|---|---|---|---|
| TS | 29.199-01 | Open Service Access (OSA); Parlay X web services; Part 1: Common | C5 | Yes | 2004-12-10 | yes |
| TS | 29.199-02 | Open Service Access (OSA); Parlay X web services; Part 2: Third party call | C5 | Yes | 2004-12-10 | yes |
| TS | 29.199-03 | Open Service Access (OSA); Parlay X web services; Part 3: Call notification | C5 | Yes | 2004-12-10 | yes |
| TS | 29.199-04 | Open Service Access (OSA); Parlay X web services; Part 4: Short messaging | C5 | Yes | 2004-12-10 | yes |
| TS | 29.199-05 | Open Service Access (OSA); Parlay X web services; Part 5: Multimedia messaging | C5 | Yes | 2004-12-10 | yes |
| TS | 29.199-06 | Open Service Access (OSA); Parlay X web services; Part 6: Payment | C5 | Yes | 2004-12-10 | yes |
| TS | 29.199-07 | Open Service Access (OSA); Parlay X web services; Part 7: Account management | C5 | Yes | 2004-12-10 | yes |
| TS | 29.199-08 | Open Service Access (OSA); Parlay X web services; Part 8: Terminal status | C5 | Yes | 2004-12-10 | yes |
| TS | 29.199-09 | Open Service Access (OSA); Parlay X web services; Part 9: Terminal location | C5 | Yes | 2004-12-10 | yes |
| TS | 29.199-10 | Open Service Access (OSA); Parlay X web services; Part 10: Call handling | C5 | Yes | 2004-12-10 | yes |
| TS | 29.199-11 | Open Service Access (OSA); Parlay X web services; Part 11: Audio call | C5 | Yes | 2004-12-10 | yes |
| TS | 29.199-12 | Open Service Access (OSA); Parlay X web services; Part 12: Multimedia conference | C5 | Yes | 2004-12-10 | yes |
| TS | 29.199-13 | Open Service Access (OSA); Parlay X web services; Part 13: Address list management | C5 | Yes | 2004-12-10 | yes |
| TS | 29.199-14 | Open Service Access (OSA); Parlay X web services; Part 14: Presence | C5 | Yes | 2004-12-10 | yes |
| TS | 29.200 | Signalling System No. 7; Mobile Application Part (MAP); Security signalling flows for the Ze interface | C4 | Yes | 2004-12-10 | yes |
| TS | 29.202 | Signalling System No. 7 (SS7) signalling transport in core network; Stage 3 | C4 | Yes | 2004-12-10 | yes |
| TS | 29.205 | Application of Q.1900 series to bearer-independent Circuit Switched (CS) core network architecture; Stage 3 | C4 | Yes | 2004-12-10 | yes |
| TS | 29.207 | Policy control over Go interface | C3 | Yes | 2004-12-10 | yes |
| TS | 29.208 | End to end Quality of Service (QoS) signalling flows | C3 | Yes | 2004-12-10 | yes |
| TS | 29.209 | Policy control over Gq interface | C3 | Yes | 2004-12-10 | yes |
| TS | 29.210 | Charging rule provisioning over Gx interface | C3 | Yes | 2004-12-10 | yes |
| TS | 29.211 | Rx Interface and Rx/Gx signalling flows | C3 | Yes | 2004-12-10 | yes |
| TS | 29.228 | IP Multimedia (IM) Subsystem Cx and Dx Interfaces; Signalling flows and message contents | C4 | Yes | 2004-12-10 | yes |
| TS | 29.229 | Cx and Dx interfaces based on the Diameter protocol; Protocol details | C4 | Yes | 2004-12-10 | yes |
| TS | 29.230 | Diameter applications; 3GPP specific codes and identifiers | C4 | Yes | 2004-12-10 | yes |
| TS | 29.232 | Media Gateway Controller (MGC) - Media Gateway (MGW) interface; Stage 3 | C4 | Yes | 2004-12-10 | yes |
| TS | 29.234 | 3GPP system to Wireless Local Area Network (WLAN) interworking; Stage 3 | C4 | Yes | 2004-12-10 | yes |
| TS | 29.240 | 3GPP Generic User Profile (GUP); Stage 3; Network | C4 | Yes | 2005-03-11 | yes |
| TS | 29.278 | customized Applications for Mobile network Enhanced Logic (CAMEL); CAMEL Application Part (CAP) specification for IP Multimedia Subsystems (IMS) | C4 | Yes | 2004-12-10 | yes |
| TS | 29.328 | IP Multimedia Subsystem (IMS) Sh interface; Signalling flows and message contents | C4 | Yes | 2004-12-10 | yes |
| TS | 29.329 | Sh interface based on the Diameter protocol; Protocol details | C4 | Yes | 2004-12-10 | yes |
| TS | 29.332 | Media Gateway Control Function (MGCF) - IM Media Gateway (IM-MGW) Mn interface | C4 | Yes | 2004-12-10 | yes |

| Type | Number | Title | WG prime | For pub-lication? | freeze date | frozen |
|---|---|---|---|---|---|---|
| TS | 29.414 | Core network Nb data transport and transport signalling | C3 | Yes | 2004-12-10 | yes |
| TS | 29.415 | Core network Nb interface user plane protocols | C3 | Yes | 2004-12-10 | yes |
| TR | 29.846 | Multimedia Broadcast/Multicast Service (MBMS); CN1 procedure description | C1 | No | 2004-12-10 | yes |
| TR | 29.847 | Conferencing based on SIP, SDP, and other protocols; Functional models, information flows and protocol details | C1 | No | 2004-12-10 | yes |
| TR | 29.903 | Feasibility Study on SS7 signalling transport in the core network with SCCP-User Adaptation (SUA) layer | C4 | Yes | 2004-12-10 | yes |
| TR | 29.962 | Signalling interworking between the 3GPP profile of the Session Initiation Protocol (SIP) and non-3GPP SIP usage | C3 | Yes | 2004-12-10 | yes |
| TR | 29.994 | Recommended infrastructure measures to overcome specific Mobile Station (MS) and User Equipment (UE) faults | C1 | Yes | 2004-12-10 | yes |
| TR | 29.998-01 | Open Service Access (OSA) Application Programming Interface (API) Mapping for Open Service Access; Part 1: General issues on Application Programme Interface (API) mapping | C5 | Yes | 2004-12-10 | yes |
| TR | 29.998-04-1 | Open Service Access (OSA) Application Programming Interface (API) Mapping for Open Service Access; Part 4: Call Control Service Mapping; Subpart 1: API to CAP Mapping | C5 | Yes | 2004-12-10 | yes |
| TR | 29.998-04-4 | Open Service Access (OSA) Application Programming Interface (API) Mapping for Open Service Access; Part 4: Call Control Service Mapping; Subpart 4: Multiparty Call Control ISC | C5 | Yes | 2004-12-10 | yes |
| TR | 29.998-05-1 | Open Service Access (OSA) Application Programming Interface (API) Mapping for Open Service Access; Part 5: User Interaction Service Mapping; Subpart 1: API to CAP Mapping | C5 | Yes | 2004-12-10 | yes |
| TR | 29.998-05-4 | Open Service Access (OSA) Application Programming Interface (API) Mapping for Open Service Access; Part 5: User Interaction Service Mapping; Subpart 4: API to SMS Mapping | C5 | Yes | 2004-12-10 | yes |
| TR | 29.998-06 | Open Service Access (OSA) Application Programming Interface (API) Mapping for Open Service Access; Part 6: User Location and User Status Service Mapping to MAP | C5 | Yes | 2004-12-10 | yes |
| TR | 29.998-08 | Open Service Access (OSA) Application Programming Interface (API) Mapping for Open Service Access; Part 8: Data Session Control Service Mapping to CAP | C5 | Yes | 2004-12-10 | yes |
| TR | 30.531 | Work Plan and Study Items - RAN WG3 | R3 | No | 2004-12-10 | yes |
| TR | 30.902 | Guidelines for the modification of the Mobile Application Part (MAP) in Phase 2+ | C4 | No | 2004-12-10 | yes |
| TS | 31.101 | UICC-terminal interface; Physical and logical characteristics | C6 | Yes | 2004-12-10 | yes |
| TS | 31.102 | Characteristics of the USIM application | C6 | Yes | 2004-12-10 | yes |
| TS | 31.103 | Characteristics of the IP Multimedia Services Identity Module (ISIM) application | C6 | Yes | 2004-12-10 | yes |
| TS | 31.111 | Universal Subscriber Identity Module (USIM) Application Toolkit (USAT) | C6 | Yes | 2005-06-03 | yes |
| TS | 31.112 | Universal Subscriber Identity Module Application Toolkit (USAT) interpreter architecture description; Stage 2 | C6 | Yes | 2004-12-10 | yes |
| TS | 31.113 | Universal Subscriber Identity Module Application Toolkit (USAT) interpreter byte codes | C6 | Yes | 2004-12-10 | yes |
| TS | 31.114 | Universal Subscriber Identity Module Application Toolkit (USAT) interpreter protocol and administration | C6 | Yes | 2004-12-10 | yes |
| TS | 31.115 | Secured packet structure for (Universal) Subscriber Identity Module (U)SIM Toolkit applications | C6 | Yes | 2004-12-10 | yes |
| TS | 31.116 | Remote APDU Structure for (Universal) Subscriber Identity Module (U)SIM Toolkit applications | C6 | Yes | 2004-12-10 | yes |
| TS | 31.120 | UICC-terminal interface; Physical, electrical and logical test specification | C6 | Yes | 2004-12-10 | yes |
| TS | 31.121 | UICC-terminal interface; Universal Subscriber Identity Module (USIM) application test specification | C6 | Yes | | |

| Type | Number | Title | WG prime | For pub-lication? | freeze date | frozen |
|---|---|---|---|---|---|---|
| TS | 31.122 | Universal Subscriber Identity Module (USIM) conformance test specification | C6 | Yes | | |
| TS | 31.124 | Mobile Equipment (ME) conformance test specification; Universal Subscriber Interface Module Application Toolkit (USAT) conformance test specification | C6 | Yes | 2004-12-10 | yes |
| TS | 31.130 | (U)SIM Application Programming Interface (API); (U)SIM API for Java Card | C6 | Yes | 2004-12-10 | yes |
| TS | 31.131 | C-language binding for (Universal) Subscriber Identity Module ((U)SIM) API | C6 | Yes | 2004-12-10 | yes |
| TS | 31.213 | Test Specification for (U)SIM API for Java(TM) Card | C6 | Yes | 2004-12-10 | yes |
| TR | 31.900 | SIM/USIM internal and external interworking aspects | C6 | Yes | 2004-12-10 | yes |
| TR | 31.919 | 2G/3G Java Card(TM) Application Programming Interface (API) based applet interworking | C6 | Yes | 2004-12-10 | yes |
| TS | 32.101 | Telecommunication management; Principles and high level requirements | S5 | Yes | 2004-12-16 | yes |
| TS | 32.102 | Telecommunication management; Architecture | S5 | Yes | 2004-12-16 | yes |
| TS | 32.111-1 | Telecommunication management; Fault Management; Part 1: 3G fault management requirements | S5 | Yes | 2004-12-16 | yes |
| TS | 32.111-2 | Telecommunication management; Fault Management; Part 2: Alarm Integration Reference Point (IRP): Information Service (IS) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.111-3 | Telecommunication management; Fault Management; Part 3: Alarm Integration Reference Point (IRP): Common Object Request Broker Architecture (CORBA) Solution Set (SS) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.111-4 | Telecommunication management; Fault Management; Part 4: Alarm Integration Reference Point (IRP): Common Management Information Protocol (CMIP) Solution Set (SS) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.111-5 | Telecommunication management; Fault Management; Part 5: Alarm Integration Reference Point (IRP): eXtensible Markup Language (XML) definitions | S5 | Yes | 2004-12-16 | yes |
| TS | 32.140 | Telecommunication management; Subscription Management (SuM) requirements | S5 | Yes | 2004-12-16 | yes |
| TS | 32.141 | Telecommunication management; Subscription Management (SuM) architecture | S5 | Yes | 2004-12-16 | yes |
| TS | 32.150 | Telecommunication management; Integration Reference Point (IRP) Concept and definitions | S5 | Yes | 2004-12-16 | yes |
| TS | 32.151 | Telecommunication management; Integration Reference Point (IRP) Information Service (IS) template | S5 | Yes | 2004-12-16 | yes |
| TS | 32.152 | Telecommunication management; Integration Reference Point (IRP) Information Service (IS) Unified Modelling Language (UML) repertoire | S5 | Yes | 2004-12-16 | yes |
| TS | 32.171 | Telecommunication management; Subscription Management (SuM) Network Resource Model (NRM) Integration Reference Point (IRP): Requirements | S5 | Yes | 2004-12-16 | yes |
| TS | 32.172 | Telecommunication management; Subscription Management (SuM) Network Resource Model (NRM) Integration Reference Point (IRP): Information Service (IS) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.175 | Telecommunication management; Subscription Management (SuM) Network Resource Model (NRM) Integration Reference Point (IRP): eXtensible Markup Language (XML) definition | S5 | Yes | 2004-12-16 | yes |
| TS | 32.240 | Telecommunication management; Charging management; Charging architecture and principles | S5 | Yes | 2004-12-16 | yes |
| TS | 32.250 | Telecommunication management; Charging management; Circuit Switched (CS) domain charging | S5 | Yes | 2004-12-16 | yes |
| TS | 32.251 | Telecommunication management; Charging management; Packet Switched (PS) domain charging | S5 | No | 2004-12-16 | yes |
| TS | 32.252 | Telecommunication management; Charging management; Wireless Local Area Network (WLAN) charging | S5 | Yes | 2004-12-16 | yes |

| Type | Number | Title | WG prime | For pub-lication? | freeze date | frozen |
|---|---|---|---|---|---|---|
| TS | 32.260 | Telecommunication management; Charging management; IP Multimedia Subsystem (IMS) charging | S5 | Yes | 2004-12-16 | yes |
| TS | 32.270 | Telecommunication management; Charging management; Multimedia Messaging Service (MMS) charging | S5 | Yes | 2004-12-16 | yes |
| TS | 32.271 | Telecommunication management; Charging management; Location Services (LCS) charging | S5 | Yes | 2004-12-16 | yes |
| TS | 32.272 | Telecommunication management; Charging management; Push-to-talk over Cellular (PoC) charging | S5 | Yes | 2004-12-16 | yes |
| TS | 32.273 | Telecommunication management; Charging management; Multimedia Broadcast and Multicast Service (MBMS) charging | S5 | Yes | 2004-12-16 | yes |
| TS | 32.295 | Telecommunication management; Charging management; Charging Data Record (CDR) transfer | S5 | Yes | 2004-12-16 | yes |
| TS | 32.296 | Telecommunication management; Charging management; Online Charging System (OCS): Applications and interfaces | S5 | Yes | 2004-12-16 | yes |
| TS | 32.297 | Telecommunication management; Charging management; Charging Data Record (CDR) file format and transfer | S5 | Yes | 2004-12-16 | yes |
| TS | 32.298 | Telecommunication management; Charging management; Charging Data Record (CDR) parameter description | S5 | Yes | 2004-12-16 | yes |
| TS | 32.299 | Telecommunication management; Charging management; Diameter charging applications | S5 | Yes | 2004-12-16 | yes |
| TS | 32.300 | Telecommunication management; Configuration Management (CM); Name convention for Managed Objects | S5 | Yes | 2004-12-16 | yes |
| TS | 32.301 | Telecommunication management; Configuration Management (CM); Notification Integration Reference Point (IRP): Requirements | S5 | Yes | 2004-12-16 | yes |
| TS | 32.302 | Telecommunication management; Configuration Management (CM); Notification Integration Reference Point (IRP): Information Service (IS) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.303 | Telecommunication management; Configuration Management (CM); Notification Integration Reference Point (IRP): Common Object Request Broker Architecture (CORBA) Solution Set (SS) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.304 | Telecommunication management; Configuration Management (CM); Notification Integration Reference Point (IRP): Common Management Information Protocol (CMIP) Solution Set (SS) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.305 | Telecommunication management; Configuration Management (CM); Notification Integration Reference Point (IRP): eXtensible Markup Language (XML) definition | S5 | Yes | 2005-06-08 | yes |
| TS | 32.311 | Telecommunication management; Generic Integration Reference Point (IRP) management; Requirements | S5 | Yes | 2004-12-16 | yes |
| TS | 32.312 | Telecommunication management; Generic Integration Reference Point (IRP) management; Information Service (IS) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.313 | Telecommunication management; Generic Integration Reference Point (IRP) management; Common Object Request Broker Architecture (CORBA) Solution Set (SS) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.314 | Telecommunication management; Generic Integration Reference Point (IRP) management; Common Management Information Protocol (CMIP) Solution Set (SS) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.321 | Telecommunication management; Test management Integration Reference Point (IRP): Requirements | S5 | Yes | 2004-12-16 | yes |
| TS | 32.322 | Telecommunication management; Test management Integration Reference Point (IRP): Information Service (IS) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.323 | Telecommunication management; Test management Integration Reference Point (IRP): Common Object Request Broker Architecture (CORBA) Solution Set (SS) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.324 | Telecommunication management; Test management Integration Reference Point (IRP): Common Management Information Protocol (CMIP) Solution Set (SS) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.331 | Telecommunication management; Notification Log (NL) | S5 | Yes | 2004-12-16 | yes |

| Type | Number | Title | WG prime | For pub-lication? | freeze date | frozen |
|---|---|---|---|---|---|---|
| | | Integration Reference Point (IRP): Requirements | | | | |
| TS | 32.332 | Telecommunication management; Notification Log (NL) Integration Reference Point (IRP): Information Service (IS) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.333 | Telecommunication management; Notification Log (NL) Integration Reference Point (IRP): Common Object Request Broker Architecture (CORBA) Solution Set (SS) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.334 | Telecommunication management; Notification Log (NL) Integration Reference Point (IRP): Common Management Information Protocol (CMIP) Solution Set (SS) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.335 | Telecommunication management; Notification Log (NL) Integration Reference Point (IRP): eXtensible Markup Language (XML) solution definitions | S5 | Yes | 2004-12-16 | yes |
| TS | 32.341 | Telecommunication management; File Transfer (FT) Integration Reference Point (IRP): Requirements | S5 | Yes | 2004-12-16 | yes |
| TS | 32.342 | Telecommunication management; File Transfer (FT) Integration Reference Point (IRP): Information Service (IS) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.343 | Telecommunication management; File Transfer (FT) Integration Reference Point (IRP): Common Object Request Broker Architecture (CORBA) Solution Set (SS) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.344 | Telecommunication management; File Transfer (FT) Integration Reference Point (IRP): Common Management Information Protocol (CMIP) Solution Set (SS) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.351 | Telecommunication management; Communication Surveillance (CS) Integration Reference Point (IRP): Requirements | S5 | Yes | 2004-12-16 | yes |
| TS | 32.352 | Telecommunication management; Communication Surveillance (CS) Integration Reference Point (IRP): Information Service (IS) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.353 | Telecommunication management; Communication Surveillance (CS) Integration Reference Point (IRP): Common Object Request Broker Architecture (CORBA) Solution Set (SS) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.354 | Telecommunication management; Communication Surveillance (CS) Integration Reference Point (IRP): Common Management Information Protocol (CMIP) Solution Set (SS) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.361 | Telecommunication management; Entry Point (EP) Integration Reference Point (IRP): Requirements | S5 | Yes | 2004-12-16 | yes |
| TS | 32.362 | Telecommunication management; Entry Point (EP) Integration Reference Point (IRP): Information Service (IS) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.363 | Telecommunication management; Entry Point (EP) Integration Reference Point (IRP): Common Object Request Broker Architecture (CORBA) Solution Set (SS) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.364 | Telecommunication Management; Entry Point (EP) Integration Reference Point (IRP): Common Management Information Protocol (CMIP) Solution Set (SS) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.371 | Telecommunication management; Security Management concept and requirements | S5 | Yes | 2004-12-16 | yes |
| TS | 32.372 | Telecommunication management; Security Management Integration Reference Point (IRP): Information Service (IS) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.373 | Telecommunication management; Security Management Integration Reference Point (IRP): Common Object Request Broker Architecture (CORBA) Solution Set (SS) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.374 | Telecommunication management; Security Management Integration Reference Point (IRP): Common Management Information Protocol (CMIP) Solution Set (SS) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.401 | Telecommunication management; Performance Management (PM); Concept and requirements | S5 | Yes | 2004-12-16 | yes |
| TS | 32.403 | Telecommunication management; Performance Management (PM); Performance measurements - UMTS and combined UMTS/GSM | S5 | Yes | 2004-12-16 | yes |
| TS | 32.411 | Telecommunication management; Performance Management | S5 | Yes | 2004-12-16 | yes |

| Type | Number | Title | WG prime | For pub-lication? | freeze date | frozen |
|---|---|---|---|---|---|---|
| | | (PM) Integration Reference Point (IRP): Requirements | | | | |
| TS | 32.412 | Telecommunication management; Performance Management (PM) Integration Reference Point (IRP): Information Service (IS) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.413 | Telecommunication management; Performance Management (PM) Integration Reference Point (IRP): Common Object Request Broker Architecture (CORBA) Solution Set (SS) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.414 | Telecommunication management; Performance Management (PM) Integration Reference Point (IRP): Common Management Information Protocol (CMIP) Solution Set (SS) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.421 | Telecommunication management; Subscriber and equipment trace; Trace concepts and requirements | S5 | Yes | 2004-12-16 | yes |
| TS | 32.422 | Telecommunication management; Subscriber and equipment trace; Trace control and configuration management | S5 | Yes | 2004-12-16 | yes |
| TS | 32.423 | Telecommunication management; Subscriber and equipment trace; Trace data definition and management | S5 | Yes | 2004-12-16 | yes |
| TS | 32.432 | Telecommunication management; Performance measurement: File format definition | S5 | Yes | 2004-12-16 | yes |
| TS | 32.435 | Telecommunication management; Performance measurement: eXtensible Markup Language (XML) file format definition | S5 | Yes | 2004-12-16 | yes |
| TS | 32.436 | Telecommunication management; Performance measurement: Abstract Syntax Notation 1 (ASN.1) file format definition | S5 | Yes | 2004-12-16 | yes |
| TS | 32.600 | Telecommunication management; Configuration Management (CM); Concept and high-level requirements | S5 | Yes | 2004-12-16 | yes |
| TS | 32.601 | Telecommunication management; Configuration Management (CM); Basic CM Integration Reference Point (IRP); Requirements | S5 | Yes | 2004-12-16 | yes |
| TS | 32.602 | Telecommunication management; Configuration Management (CM); Basic CM Integration Reference Point (IRP): Information Service (SS) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.603 | Telecommunication management; Configuration Management (CM); Basic CM Integration Reference Point (IRP): Common Object Request Broker Architecture (CORBA) Solution Set (SS) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.604 | Telecommunication management; Configuration Management (CM); Basic CM Integration Reference Point (IRP) Common Management Information Protocol (CMIP) Solution Set (SS) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.611 | Telecommunication management; Configuration Management (CM); Bulk CM Integration Reference Point (IRP): Requirements | S5 | Yes | 2004-12-16 | yes |
| TS | 32.612 | Telecommunication management; Configuration Management (CM); Bulk CM Integration Reference Point (IRP): Information Service (IS) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.613 | Telecommunication management; Configuration Management (CM); Bulk CM Integration Reference Point (IRP): Common Object Request Broker Architecture (CORBA) Solution Set (SS) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.614 | Telecommunication management; Configuration Management (CM); Bulk CM Integration Reference Point (IRP): Common Management Information Protocol (CMIP) Solution Set (SS) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.615 | Telecommunication management; Configuration Management (CM); Bulk CM Integration Reference Point (IRP): eXtensible Markup Language (XML) file format definition | S5 | Yes | 2004-12-16 | yes |
| TS | 32.621 | Telecommunication management; Configuration Management (CM); Generic network resources Integration Reference Point (IRP); Requirements | S5 | Yes | 2004-12-16 | yes |
| TS | 32.622 | Telecommunication management; Configuration Management (CM); Generic network resources Integration Reference Point (IRP): Network Resource Model (NRM) | S5 | Yes | 2004-12-16 | yes |

| Type | Number | Title | WG prime | For pub-lication? | freeze date | frozen |
|---|---|---|---|---|---|---|
| TS | 32.623 | Telecommunication management; Configuration Management (CM); Generic network resources Integration Reference Point (IRP): Common Object Request Broker Architecture (CORBA) Solution Set (SS) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.624 | Telecommunication management; Configuration Management (CM); Generic network resources: Integration Reference Point (IRP): Common Management Information Protocol (CMIP) Solution Set (SS) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.625 | Telecommunication management; Configuration Management (CM); Generic network resources Integration Reference Point (IRP): Bulk CM eXtensible Markup Language (XML) file format definition | S5 | Yes | 2004-12-16 | yes |
| TS | 32.631 | Telecommunication management; Configuration Management (CM); Core network resources Integration Reference Point (IRP): Requirements | S5 | Yes | 2004-12-16 | yes |
| TS | 32.632 | Telecommunication management; Configuration Management (CM); Core Network Resources Integration Reference Point (IRP): Network Resource Model (NRM) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.633 | Telecommunication management; Configuration Management (CM); Core network resources Integration Reference Point (IRP): Common Object Request Broker Architecture (CORBA) Solution Set (SS) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.634 | Telecommunication management; Configuration Management (CM); Core network resources Integration Reference Point (IRP): Common Management Information Protocol (CMIP) Solution Set (SS) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.635 | Telecommunication management; Configuration Management (CM); Core network resources Integration Reference Point (IRP): Bulk CM eXtensible Markup Language (XML) file format definition | S5 | Yes | 2004-12-16 | yes |
| TS | 32.641 | Telecommunication management; Configuration Management (CM); UTRAN network resources Integration Reference Point (IRP); Requirements | S5 | Yes | 2004-12-16 | yes |
| TS | 32.642 | Telecommunication management; Configuration Management (CM); UTRAN network resources Integration Reference Point (IRP): Network Resource Model (NRM) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.643 | Telecommunication management; Configuration Management (CM); UTRAN network resources Integration Reference Point (IRP): Common Object Request Broker Architecture (CORBA) Solution Set (SS) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.644 | Telecommunication management; Configuration Management (CM); UTRAN network resources Integration Reference Point (IRP): Common Management Information Protocol (CMIP) Solution Set (SS) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.645 | Telecommunication management; Configuration Management (CM); UTRAN network resources Integration Reference Point (IRP): Bulk CM eXtensible Markup Language (XML) file format definition | S5 | Yes | 2004-12-16 | yes |
| TS | 32.655 | Telecommunication management; Configuration Management (CM); GERAN network resources Integration Reference Point (IRP): Bulk CM eXtensible Markup Language (XML) file format definition | S5 | Yes | 2004-12-16 | yes |
| TS | 32.661 | Telecommunication management; Configuration Management (CM); Kernel CM; Requirements | S5 | Yes | 2004-12-16 | yes |
| TS | 32.662 | Telecommunication management; Configuration Management (CM); Kernel CM; Information service (IS) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.663 | Telecommunication management; Configuration Management (CM); Kernel CM Integration Reference Point (IRP): Common Object Request Broker Architecture (CORBA) Solution Set (SS) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.664 | Telecommunication management; Configuration Management | S5 | Yes | 2004-12-16 | yes |

| Type | Number | Title | WG prime | For pub-lication? | freeze date | frozen |
|---|---|---|---|---|---|---|
| | | (CM); Kernel CM Integration Reference Point (IRP): Common Management Information Protocol (CMIP) Solution Set (SS) | | | | |
| TS | 32.671 | Telecommunication management; Configuration Management (CM); State Management Integration Reference Point (IRP): Requirements | S5 | Yes | 2004-12-16 | yes |
| TS | 32.672 | Telecommunication management; Configuration Management (CM); State Management Integration Reference Point (IRP): Information Service (IS) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.673 | Telecommunication management; Configuration Management (CM); State Management Integration Reference Point (IRP): Common Object Request Broker Architecture (CORBA) Solution Set (SS) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.674 | Telecommunication management; Configuration Management (CM); State Management Integration Reference Point (IRP): Common Management Information Protocol (CMIP) Solution Set (SS) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.675 | Telecommunication management; Configuration Management (CM); State Management Integration Reference Point (IRP): Bulk CM eXtensible Markup Language (XML) file format definition | S5 | Yes | 2004-12-16 | yes |
| TS | 32.690 | Telecommunication management; Inventory Management (IM): Requirements | S5 | Yes | 2004-12-16 | yes |
| TS | 32.691 | Telecommunication management; Inventory Management (IM) network resources Integration Reference Point (IRP): Requirements | S5 | Yes | 2004-12-16 | yes |
| TS | 32.692 | Telecommunication management; Inventory Management (IM) network resources Integration Reference Point (IRP): Network Resource Model (NRM) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.695 | Telecommunication management; Inventory Management (IM) network resources Integration Reference Point (IRP): Bulk Configuration Management (CM) eXtensible Markup Language (XML) file format definition | S5 | Yes | 2004-12-16 | yes |
| TS | 32.711 | Telecommunication management; Configuration Management (CM); Transport Network (TN) Network Resource Model (NRM) Integration Reference Point (IRP): Requirements | S5 | Yes | 2004-12-16 | yes |
| TS | 32.712 | Telecommunication management; Configuration Management (CM); Transport Network (TN) Network Resource Model (NRM) Integration Reference Point (IRP): Information Service (IS) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.713 | Telecommunication management; Configuration Management (CM); Transport Network (TN) Network Resource Model (NRM) Integration Reference Point (IRP): Common Object Request Broker Architecture (CORBA) Solution Set (SS) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.714 | Telecommunication management; Configuration Management (CM); Transport Network (TN) Network Resource Model (NRM) Integration Reference Point (IRP): Common Management Information Protocol (CMIP) Solution Set (SS) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.715 | Telecommunication management; Configuration Management (CM) Transport Network (TN) Network Resource Model (NRM) Integration Reference Point (IRP): Bulk CM eXtensible Markup Language (XML) file format definition | S5 | Yes | 2004-12-16 | yes |
| TS | 32.741 | Telecommunication management; Configuration Management (CM); Signalling Transport Network (STN) interface Network Resource Model (NRM) Integration Reference Point (IRP): Requirements | S5 | Yes | 2004-12-16 | yes |
| TS | 32.742 | Telecommunication management; Configuration Management (CM); Signalling Transport Network (STN) interface Network Resource Model (NRM) Integration Reference Point (IRP): Information Service (IS) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.743 | Telecommunication management; Configuration Management (CM); Signalling Transport Network (STN) interface Network Resource Model (NRM) Integration Reference Point (IRP): | S5 | Yes | 2004-12-16 | yes |

| Type | Number | Title | WG prime | For pub-lication? | freeze date | frozen |
|---|---|---|---|---|---|---|
| | | Common Object Request Broker Architecture (CORBA) Solution Set (SS) | | | | |
| TS | 32.744 | Telecommunication management; Configuration Management (CM); Signalling Transport Network (STN) interface Network Resource Model (NRM) Integration Reference Point (IRP): Common Management Information Protocol (CMIP) Solution Set (SS) | S5 | Yes | 2004-12-16 | yes |
| TS | 32.745 | Telecommunication management; Configuration Management (CM); Signalling Transport Network (STN) interface Network Resource Model (NRM) Integration Reference Point (IRP): Bulk CM eXtensible Markup Language (XML) file format definition | S5 | Yes | 2004-12-16 | yes |
| TR | 32.803 | Telecommunication management; Process guide; Use cases in Unified Modelling Language (UML) | S5 | No | 2004-12-16 | yes |
| TR | 32.804 | Telecommunication management; Control of Remote Electrical Tilting (RET) antennas; Requirements | S5 | No | 2004-12-16 | yes |
| TR | 32.815 | Telecommunication management; Charging management; Online Charging System (OCS) architecture study | S5 | No | 2004-12-16 | yes |
| TS | 33.102 | 3G security; Security architecture | S3 | Yes | 2004-12-16 | yes |
| TS | 33.105 | Cryptographic algorithm requirements | S3 | Yes | 2004-12-16 | yes |
| TS | 33.106 | Lawful interception requirements | S3 | Yes | 2004-12-16 | yes |
| TS | 33.107 | 3G security; Lawful interception architecture and functions | S3 | Yes | 2004-12-16 | yes |
| TS | 33.108 | 3G security; Handover interface for Lawful Interception (LI) | S3 | Yes | 2004-12-16 | yes |
| TS | 33.141 | Presence service; Security | S3 | Yes | 2004-12-16 | yes |
| TS | 33.200 | 3G Security; Network Domain Security (NDS); Mobile Application Part (MAP) application layer security | S3 | Yes | 2004-12-16 | yes |
| TS | 33.201 | Access domain security | S3 | Yes | | |
| TS | 33.203 | 3G security; Access security for IP-based services | S3 | Yes | 2004-12-16 | yes |
| TS | 33.210 | 3G security; Network Domain Security (NDS); IP network layer security | S3 | Yes | 2004-12-16 | yes |
| TS | 33.220 | Generic Authentication Architecture (GAA); Generic bootstrapping architecture | S3 | Yes | 2004-12-16 | yes |
| TS | 33.221 | Generic Authentication Architecture (GAA); Support for subscriber certificates | S3 | Yes | 2004-12-16 | yes |
| TS | 33.222 | Generic Authentication Architecture (GAA); Access to network application functions using Hypertext Transfer Protocol over Transport Layer Security (HTTPS) | S3 | Yes | 2004-12-16 | yes |
| TS | 33.234 | 3G security; Wireless Local Area Network (WLAN) interworking security | S3 | Yes | 2004-12-16 | yes |
| TS | 33.246 | 3G Security; Security of Multimedia Broadcast/Multicast Service (MBMS) | S3 | Yes | 2004-12-16 | yes |
| TS | 33.310 | Network domain security; Authentication framework (NDS/AF) | S3 | Yes | 2004-12-16 | yes |
| TR | 33.810 | 3G Security; Network Domain Security / Authentication Framework (NDS/AF); Feasibility Study to support NDS/IP evolution | S3 | No | 2004-12-16 | yes |
| TR | 33.817 | Feasibility study on (Universal) Subscriber Interface Module (U)SIM security reuse by peripheral devices on local interfaces | S3 | No | 2004-12-16 | yes |
| TR | 33.919 | Generic Authentication Architecture (GAA); System description | S3 | Yes | 2004-12-16 | yes |
| TR | 33.941 | Presence service; Security | S3 | Yes | 2004-12-16 | yes |
| TR | 33.978 | Security aspects of early IP Multimedia Subsystem (IMS) | S3 | Yes | 2004-12-16 | yes |
| TS | 34.108 | Common test environments for User Equipment (UE) conformance testing | R5 | Yes | | |
| TS | 34.109 | Terminal logical test interface; Special conformance testing functions | R2 | Yes | 2004-12-10 | yes |
| TS | 34.121 | Terminal Conformance Specification, Radio Transmission and Reception (FDD) | R5 | Yes | 2005-03-11 | yes |
| TS | 34.122 | Terminal conformance specification, Radio transmission and reception (TDD) | R5 | Yes | 2004-12-10 | yes |

| Type | Number | Title | WG prime | For pub-lication? | freeze date | frozen |
|---|---|---|---|---|---|---|
| TS | 34.123-1 | User Equipment (UE) conformance specification; Part 1: Protocol conformance specification | R5 | Yes | | |
| TS | 34.123-2 | User Equipment (UE) conformance specification; Part 2: Implementation conformance statement (ICS) specification | R5 | Yes | | |
| TS | 34.123-3 | User Equipment (UE) conformance specification; Part 3: Abstract test suites (ATSs) | R5 | Yes | | |
| TS | 34.124 | Electromagnetic compatibility (EMC) requirements for Mobile terminals and ancillary equipment | R4 | Yes | 2004-12-10 | yes |
| TS | 34.131 | Test Specification for C-language binding to (Universal) Subscriber Interface Module ((U)SIM) Application Programming Interface (API) | C6 | Yes | 2004-12-10 | yes |
| TS | 34.171 | Terminal conformance specification; Assisted Global Positioning System (A-GPS); Frequency Division Duplex (FDD) | R5 | Yes | 2004-12-10 | yes |
| TR | 34.902 | Derivation of test tolerances for multi-cell Radio Resource Model (RRM) conformance tests | R5 | Yes | 2004-12-10 | yes |
| TR | 34.926 | Electromagnetic compatibility (EMC); Table of international requirements for mobile terminals and ancillary equipment | R4 | Yes | 2004-12-10 | yes |
| TS | 35.201 | Specification of the 3GPP confidentiality and integrity algorithms; Document 1: f8 and f9 specifications | S3 | Yes | 2004-12-16 | yes |
| TS | 35.202 | Specification of the 3GPP confidentiality and integrity algorithms; Document 2: Kasumi algorithm specification | S3 | Yes | 2004-12-16 | yes |
| TS | 35.203 | Specification of the 3GPP confidentiality and integrity algorithms; Document 3: Implementors' test data | S3 | Yes | 2004-12-16 | yes |
| TS | 35.204 | Specification of the 3GPP confidentiality and integrity algorithms; Document 4: Design conformance test data | S3 | Yes | 2004-12-16 | yes |
| TS | 35.205 | 3G Security; Specification of the MILENAGE Algorithm Set: An example algorithm set for the 3GPP authentication and key generation functions f1, f1*, f2, f3, f4, f5 and f5*; Document 1: General | S3 | Yes | 2004-12-16 | yes |
| TS | 35.206 | 3G Security; Specification of the MILENAGE algorithm set: An example algorithm Set for the 3GPP Authentication and Key Generation functions f1, f1*, f2, f3, f4, f5 and f5*; Document 2: Algorithm specification | S3 | Yes | 2004-12-16 | yes |
| TS | 35.207 | 3G Security; Specification of the MILENAGE algorithm set: An example algorithm Set for the 3GPP Authentication and Key Generation functions f1, f1*, f2, f3, f4, f5 and f5*; Document 3: Implementors" test data | S3 | Yes | 2004-12-16 | yes |
| TS | 35.208 | 3G Security; Specification of the MILENAGE algorithm set: An example algorithm Set for the 3GPP Authentication and Key Generation functions f1, f1*, f2, f3, f4, f5 and f5*; Document 4: Design conformance test data | S3 | Yes | 2004-12-16 | yes |
| TR | 35.909 | 3G Security; Specification of the MILENAGE algorithm set: an example algorithm set for the 3GPP authentication and key generation functions f1, f1*, f2, f3, f4, f5 and f5*; Document 5: Summary and results of design and evaluation | S3 | Yes | 2004-12-16 | yes |

# Annex A (informative): Change history

| Change history | | | | | |
|---|---|---|---|---|---|
| **TSG SA#** | **Version** | **CR** | **Tdoc SA** | **New Version** | **Subject/Comment** |
| SP-12 | 3GPP TS 21.103 version 0.0.0 | - | SP-010275 | 3GPP TS 21.103 version 0.1.0 | First draft |
| | 0.1.0 | | SP-010382 | 1.0.0 | table of specs revised |
| SP-13 | 1.0.0 | | SP-010418 | 1.1.0 | table of specs revised |
| SP-15 | 1.1.0 | | SP-020095 | 1.2.0 | table of specs revised; columns to show freeze status added |
| SP-15 | 1.2.0 | | SP-020202 | 2.0.0 | table of specs revised |
| SP-16 | 2.0.0 | | SP-020271 | 2.1.0 | table of specs revised |
| | 2.1.0 | | SP-020398 | 2.2.0 | table of specs revised |
| | 2.2.0 | | SP-020410 | | table of specs revised; unknown freeze target dates blanked |
| | | | | 5.0.0 | approved |
| SP-17 | 5.0.0 | 001 r1 | SP-020628 | 5.1.0 | updates lists of specs, editorial corrections to titles of specs |
| SP-18 | 5.1.0 | 002 r1 | SP-020831 | 5.2.0 | Correction to list of specs, editorial corrections to titles of specs |
| SP-19 | 5.2.0 | 003 r1 | SP-030077 | 5.3.0 | Correction to list of specs, editorial corrections to titles of specs |
| SP-20 | 3GPP TS 21.103 version 5.3.0 | 004 | SP-030229 | 3GPP TS 21.101 version 5.4.0 | Correction to list of specs |
| | | | SP-030235 | | Renumber from 21.103 to 21.101 |
| SP-22 | 5.4.0 | 017 | SP-030574 | 5.5.0 | Correction to list of specs, editorial corrections to spec titles |
| SP-23 | 5.5.0 | 020 r2 | SP-040221 | 5.6.0 | Corrections to list of specifications |
| SP-24 | 5.6.0 | 021 r1 | SP-040358 | 5.7.0 | Corrections to list of specifications |
| SP-26 | 5.7.0 | 025 r1 | SP-040880 | 6.0.0 | Corrections to list of specifications |
| SP-27 | 6.0.0 | 029 | SP-050126 | 6.1.0 | Corrections to list of specifications |
| SP-28 | 6.1.0 | 031 r1 | SP-050356 | 6.2.0 | Corrections to list of specifications |

# History

| Document history | | |
|---|---|---|
| V6.0.0 | December 2004 | Publication |
| V6.1.0 | March 2005 | Publication |
| V6.2.0 | June 2005 | Publication |
| | | |
| | | |