assignment-10

April 10, 2024

1 Import libraries

```
[1]: import pandas as pd
import numpy as np
import matplotlib.pyplot as plt
import seaborn as sns
import plotly.express as px
from sklearn.datasets import load_iris
import warnings
warnings.filterwarnings("ignore")
```

2 Load and preprocess data

```
[2]: data = load_iris()
 [7]: df = pd.DataFrame()
      df[data['feature_names']] = data['data']
      df['label'] = data['target']
 [9]: df.head()
 [9]:
         sepal length (cm)
                             sepal width (cm) petal length (cm) petal width (cm)
      0
                        5.1
                                           3.5
                                                               1.4
                                                                                  0.2
                        4.9
      1
                                           3.0
                                                               1.4
                                                                                  0.2
      2
                        4.7
                                           3.2
                                                               1.3
                                                                                  0.2
      3
                        4.6
                                           3.1
                                                               1.5
                                                                                  0.2
      4
                        5.0
                                           3.6
                                                                                  0.2
                                                               1.4
         label
      0
             0
             0
      1
      2
             0
      3
             0
      4
             0
[10]: df.shape
```

```
[10]: (150, 5)
```

[11]: df.info()

<class 'pandas.core.frame.DataFrame'>
RangeIndex: 150 entries, 0 to 149
Data columns (total 5 columns):

#	Column	Non-Null Count	Dtype
0	sepal length (cm)	150 non-null	float64
1	sepal width (cm)	150 non-null	float64
2	petal length (cm)	150 non-null	float64
3	petal width (cm)	150 non-null	float64
4	label	150 non-null	int32

dtypes: float64(4), int32(1)

memory usage: 5.4 KB

[12]: df.describe()


[12]:	sepal length (cm)	sepal width (cm)	petal length (cm)
count	150.000000	150.000000	150.000000
mean	5.843333	3.057333	3.758000
std	0.828066	0.435866	1.765298
min	4.300000	2.000000	1.000000
25%	5.100000	2.800000	1.600000
50%	5.800000	3.000000	4.350000
75%	6.400000	3.300000	5.100000
max	7.900000	4.400000	6.900000

\


	petal	width (cm)	label
count		150.000000	150.000000
mean		1.199333	1.000000
std		0.762238	0.819232
min		0.100000	0.000000
25%		0.300000	0.000000
50%		1.300000	1.000000
75%		1.800000	2.000000
max		2.500000	2.000000

3 Visualization


```
[14]: sns.heatmap(df.corr(), annot=True)
plt.show()
```




[30]: sns.histplot(df["sepal length (cm)"], kde=True) plt.show()




```
[19]: sns.histplot(df["sepal width (cm)"], kde=True) plt.show()
```




```
[21]: sns.histplot(df["petal length (cm)"], kde=True)
plt.show()
```




```
[22]: sns.histplot(df["petal width (cm)"], kde=True)
plt.show()
```




```
[40]: sns.boxplot(x=df['label'], y=df["sepal length (cm)"]) plt.show()
```



```
[41]: sns.boxplot(x=df['label'] ,y=df["sepal width (cm)"]) plt.show()
```



```
[42]: sns.boxplot(x=df["label"] ,y=df["petal length (cm)"]) plt.show()
```



```
[43]: sns.boxplot(x=df['label'] ,y=df["petal width (cm)"]) plt.show()
```

