

Design and Analysis of Software Systems

Assignment - 3

IMS Design

Abhiram Tilak - 2022113011
Moida Praneeth Jain - 2022101093

March 26, 2024

1 Software Used

We have used StarUML to design the class and state diagrams, and \LaTeX for report. This assignment was authored by Abhiram (2022113011) and Praneeth (2022101093).

The figure 1 and is a high resolution image of the class diagram and the state diagram. But if the image is not clear you can follow the below link to get pdf, jpeg and staruml (mdj) files for the corresponding assignment.

Drive Link: [TODO](#)

2 Class Diagram




Figure 1: Class Diagram for IMS

User	Class State: Is a basic unit of a user of IMS, containing a unique username(email) and password. <ul style="list-style-type: none"> • User Credentials

Group	Class State: Group is a basic categorization of Users to have special access and privileges <ul style="list-style-type: none"> • Access Level

UserCredentials	Class State: Contents of form input after the person enters details. <ul style="list-style-type: none"> • Is_Valid_User • Is_Logged_In
	<ul style="list-style-type: none"> • get_credentials(): Takes form input and converts it into credentials to be passed to CAS. • send_credentials_to_cas(): Sends credentials to external CAS in json format.

CAS	Class State: Central Authentication system, used to validate IIIT credentials. <ul style="list-style-type: none"> • Is_Valid_User • Is_Logged_In
	<ul style="list-style-type: none"> • Validate User Credentials(): Used to validate user credentials given as input • Get User Credentials(): Used to get the from from the submission page. • Categorize User(): After authentication tries to classify user and give sufficient Access.

Page	Class State: Contains basic skeleton of each page of the website or the portal <ul style="list-style-type: none"> • Page Path • Navigation Header • Footer • Body

Footer	Class State: Footer located at the bottom of the webpage <ul style="list-style-type: none"> • Copyright • External Links

Header	Class State: Header at the top of the page used for navigation <ul style="list-style-type: none"> • Dropdown of pages • IIIT Logo

Navigation	Class State: Handles backend navigation and routing between pages visited <ul style="list-style-type: none"> • Current Page
	Class Behavior <ul style="list-style-type: none"> • <code>change_route()</code>: Used to handle changing the path of the page and redirect to the next one • <code>get_current_page()</code>: Get the path of the current page, used for displaying and redirection • <code>check_access_to_page()</code>: Get the access levels of each page and show a trespassing alert otherwise

Dashboard	Class State: The main and the opening page of the portal which has most features common but some items can be not displayed or displayed based on Access. <ul style="list-style-type: none"> • News • Page
	Class Behavior <ul style="list-style-type: none"> • <code>switch_between_news_and_settings()</code>: By default only one of News or settings page is shown to view.

SearchBar	Class State: Template search bar. <ul style="list-style-type: none"> • List of stored values
	Class Behavior <ul style="list-style-type: none"> • <code>search_algorithm()</code>: This defines the algorithm used to prioritize search results, leniency in matching results, etc. • <code>perform_search()</code>: Handles search when text input is specified and displays results.

Page List	Class State: List of clickable icons used for user friendly navigation. <ul style="list-style-type: none"> • Map of icons and page
	Class Behavior <ul style="list-style-type: none"> • <code>page_re-directors()</code>: Used to handle redirection to respective pages when icons are clicked on

Settings Page	Class State: Sample Settings page containing different types of settings with different level of access <ul style="list-style-type: none"> • Categories of settings • Access for each Page
	Class Behavior <ul style="list-style-type: none"> • <code>expand_dropdown_on_hover()</code>: Each settings page contains various settings which will be divided into various categories.

Examination Page	Class State: Page used by Exam Cell for changing settings related examination, dates, policies etc. <ul style="list-style-type: none"> • Access • Examination Dates • Student Policy Editor • Faculty Policy Editor • Performance Chart Editor • Transcript field editor

Language and Locations	Class State: Page with settings related to language and location settings, accessible to all users. <ul style="list-style-type: none"> • Access • Country • Currency • Time Zones • Locale

Admin Settings Page	Class State: Contains Administrator Settings related to the whole IMS portal like SMS settings. Also contains settings related to graduation and admission. <ul style="list-style-type: none"> • Access • Batch Settings • Graduation Settings • Admission Form Settings • SMS Settings • SMS Notification Settings • Group Permissions Settings • Almanac / Calendar Settings
	Class Behavior <ul style="list-style-type: none"> • Generate Time Table(): Handles generate time tables from the current Settings and configuration

Course and Electives Page	Class State: Settings page usually used by faculty to change things like grading, and also set classes and tutorials. <ul style="list-style-type: none"> • Access • Grading Algorithm • Grading Option • Course List Setting • Timings for Classes • Timings for Tutorials
	Class Behavior <ul style="list-style-type: none"> • evaluate_grade(): Use the grading algorithm to find the grades. • calculate_gpa(): Used to calculate GPA from grades • calculate_cce(): Used to calculate CCE from grades • calculate_cwa(): Used to calculate CWA from grades • update_transcript(): Updates the transcript from the grades calculated from each course.

News	Class State: This is the default body of the dashboard page. contains news articles which has a separate management class to change the content. <ul style="list-style-type: none"> • Introduction to IIITH • Meta Data of News • Search News • Archived News • "View all" button • Dedicated Comment Section
------	--

Continued on next page

Table 0: (Continued)

	Class Behavior <ul style="list-style-type: none"> • <code>fetch_news_updates()</code>: Used to fetch news updates from the editable news update management panel • <code>show_all_news()</code>: When the "View All" buttons is pressed, it expands to show all news up for display • <code>take_comment_input()</code>: Handle posting comments in the comment section if there is access.
--	---

News Management	Class State: Management component used for generating content and moderating the comments of the News articles. This can be accessed by News Moderators. <ul style="list-style-type: none"> • News Editor • Comment Section Settings
	Class Behavior <ul style="list-style-type: none"> • <code>feed_news_articles()</code>: Used to feed the dashboard page with latest news whenever fetched for updates. • <code>delete_news_articles()</code>: Used to delete older news articles • <code>add_news_articles()</code>: Used to add new articles from the Rich text editor • <code>moderate_comments()</code>: Use the delete, flag, report comments by administrator.

	Class State: Page visible to every user dedicated to showing user details and also supports finding other users, students, alumni and find their level of access to IMS. <ul style="list-style-type: none"> • Public Student List • Student Search Bar • Search Filters • Current Student in Display • Access List for students • <code>is_your_account</code> • Public Alumni List
--	---

Profile Page

Continued on next page

Table 0: (Continued)

	<p>Class Behavior</p> <ul style="list-style-type: none"> • <code>search_other_students()</code>: Use the search bar to search other students and alumni and display the results • <code>change_current_user_in_display()</code>: Used to handle the current user details that are shown in the placeholder. • <code>edit_user_details_and_creds()</code>: Gives the ability to edit some of the profile details depending on if the signed-in user is trying to edit his own account. • <code>assign_roles_to_students()</code>: Users with enough privileges can assign roles to users. This roles have no purpose in IMS and are different groups. • <code>convert_graduated_students_to_alumni()</code>: Automated function that converts graduated students to alumni
--	---

Student Details	<p>Class State: This is a structure containing all student details at the present State.</p> <ul style="list-style-type: none"> • Name • Roll No • Batch • Date of Birth • Branch • CGPA • email • current_roles • is_graduated

Admission Form Page	<p>Class State: Admission form which is available if the user is not recognized as a IIITian</p> <ul style="list-style-type: none"> • Name • CIN • Guardian Name • Guardian Contact Number • Emergency Contact Number • Photo • Education Details • Restrictions for each form field
---------------------	---

Continued on next page

Table 0: (Continued)

	<p>Class Behavior:</p> <ul style="list-style-type: none"> • <code>check_fields_validity()</code>: Checks if all fields are entered properly with constraints • <code>handle_form_submissions()</code>: Record all the form details and convert into JSON format • <code>check_if_user_is_not_IITian()</code>: This check is to control page visibility
--	--

Human Resource Panel	<p>Class State: Privileged page for Human Resource Employees used to perform various actions.</p> <ul style="list-style-type: none"> • Admission form editor • Employee Settings • Designation List • Employee List • Admission List • Leave Application List • Employee Search Bar • Payroll
	<p>Class Behavior:</p> <ul style="list-style-type: none"> • edit_form_details(): Used to edit forms like Leave application, Admission form. • payslip_generator(): Have the ability to examine employee details and generate a payslip. • send_payslip_for_approval(): Send payslip for approval to the finance department • generate_payroll_statistics(): Use payroll data to generate a chart • generate_employee_working_hour_chart(): Take in data about employees and their working hours, and generate performance charts. • generate_salary_productivity_data(): Use the tasks completed by employees and performance data to get the per capita productivity chart. • Upload attendance: Upload the recorded attendance for the day and upload it. Shows up in the attendance page.

Message Page	<p>Class State: A page dedicated to have messaging services among users of IMS</p> <ul style="list-style-type: none"> • Contact List • Theme • Chat Box • Recent Chat List • Message Requests Panel • Block List
	<p>Class Behavior:</p> <ul style="list-style-type: none"> • send_message_request(): Used to send a curated request to the other IMS user contact, asking permissions to send messages • accept_message_requests: Used to accept message requests from a contact • block_contact(): Used to block a contact and send it to Block list, messages from this user will not be displayed.

Contact	Class State: This is an abstraction of a user of IMS, contains information that other user can see <ul style="list-style-type: none"> • Name • Email • Phone No • Messaging History

Fee Payment Form	Class State: This is the form that students fill to perform online fee payment through IMS. <ul style="list-style-type: none"> • Roll No • Hostel Fees • Mess Fees • Tuition Fees • Account No • Name of the Bank • Branch Address • IFSC Code • [Loan or NEFT] (Enum) • Semester
	Class Behavior: <ul style="list-style-type: none"> • <code>validate_fields()</code>: Used to ensure if all the fields are filled accordingly, and the form is valid • <code>submit_form_details()</code>: Used to submit form details, to be process by finance department

	<p>Class State: Privileged page for finance departments, contains tools (AI driven), Settings, Databases, Form editors, Access to edit critical components like Fee Structure</p> <ul style="list-style-type: none"> • Fee Classifier • AI Driven Date/Deadline predictor • Student Payment Details • college expenditure records • college revenue source records • investment records • AI Driven Expenditure Classifier • AI Driven chart making tools • IIITH Financial bank accounts • automated transaction handler • payroll • IIITH asset liability list • donation form handler • fee structure editor • current fee strucutre
Finance Panel	<p>Class Behavior:</p> <ul style="list-style-type: none"> • <code>payslip_approval()</code>: Take payslip from HR team and approve it after manual inspection. • <code>generate_dates_and_deadlines()</code>: Use the AI tools and manual intervention to generate deadlines for fee submission and other financial processes. • <code>get_defaulters()</code>: Use the deadline/dates info and the student fee details to find out fee payment defaulters • <code>generate_fees_from_structure()</code>: Use the current implementation of fee structure as input to calculate fees required to pay for each student • <code>process_form_input()</code>: Take the form input and make readable fields accepted by automatic transactor • <code>perform_automatic_transaction()</code>: Take fee information and perform automatic online bank transfers • <code>calculate_roi()</code>: Use the revenue, and investment and donations to calculate ROI of college • <code>generate_expenditure_chart()</code>: Use the expenditure records to generate a classification chart with detailed breakdown • <code>generate_asset_management_chart()</code>: Use the asset records to generate charts on current status on assets and their value.


Student Panel	Class State: This panel is accessible to students of IIIT and contain various subpages dedicated to them <ul style="list-style-type: none"> • Profile Details • Sub Header
	Class Behavior: <ul style="list-style-type: none"> • <code>switch_between_pages()</code>: Used to switch between subpages in the student panel

Grades Page	Class State: A page for information of grades and marks of each course, also contains transcript <ul style="list-style-type: none"> • Transcript • Course Marks • Course Total Calculator
	Class Behavior: <ul style="list-style-type: none"> • <code>get_course_total()</code>: Used to get course total of the subject depending on the course and marks breakdown and the grading scheme defined in the course settings.


Attendance	Class State: Page dedicated to display attendance information of the student <ul style="list-style-type: none"> • course list • daily attendance response • attendance per course
	Class Behavior: <ul style="list-style-type: none"> • <code>calculate_percentage()</code>: Used to calculate percentage attendance of a particular course • <code>alert_on_low_attendance()</code>: automated system that uses sms alerts on low attendance • <code>fetch_todays_attendance()</code>: automated system that fetches attendance updates every once in a while • <code>get_attendance_by_date()</code>: used to make detailed table with attendance breakdown by date • <code>get_attendance_by_course()</code>: used to make table with attendance per course.

Time Table	Class State: A dedicated time table for students, with support for custom entries <ul style="list-style-type: none"> • course class timetable • course tutorial timetable • custom timetable • custom table editor • table settings
	Class Behavior: <ul style="list-style-type: none"> • <code>fetch_classtable_from_class_list()</code>: automated fetching function for information and times of classes from course page • <code>fetch_tutstable_from_tuts_list()</code>: automated fetching function for information and times of tutorials from course page • <code>send_email_remainders()</code>: Automated system that sends email remainders, as configured • <code>send_sms_remainders()</code>: Automated system that sends sms remainders, as configured • <code>drag_drop_tableslots()</code>: Customizable editor to drag and drop events, supports Name and Time of the event • <code>check_for_subject_limits()</code>: Used to check for clashes in the timetable and alerts


3 State Diagram




News




Finance



Examination



Admission



- 4 Design Outline and Features
- 5 Reflection on our Design