Roll No	ARRECTRUSCOS SOUTS	;	Question Booklet Number
,	•	 ٠.	
O. M. R. Serial No.			376606
	-		

B. C. A. (Second Semester) EXAMINATION, 2022-23

OBJECT ORIENTED PROGRAMMING USING C++

Paper Code							
	В	C	A	2	0	0	1

Time : 1:30 Hours]

Questions Booklet Series

R

[Maximum Marks: 75

Instructions to the Examinee:

- Do not open the booklet unless you are asked to do so.
- The booklet contains 100 questions.
 Examinee is required to answer 75 questions in the OMR Answer-Sheet provided and not in the question booklet.
 All questions carry equal marks.
- Examine the Booklet and the OMR Answer-Sheet very carefully before you proceed.
 Faulty question booklet due to missing or duplicate pages/questions or having any other discrepancy should be got immediately replaced.

परीक्षार्थियों के लिए निर्देश:

- प्रश्न-पुस्तिका को तब तक न खोलें जब तक आपसे कहा न जाए।
- 2. प्रश्न-पुस्तिका में 100 प्रश्न हैं। परीक्षार्थी को 75 प्रश्नों को केवल दी गई OMR आन्सर-शीट पर ही हल करना है, प्रश्न-पुस्तिका पर नहीं। सभी प्रश्नों के अंक समान हैं।
- उ. प्रश्नों के उत्तर अंकित करने से पूर्व प्रश्न-पुस्तिका तथा OMR आन्सर-शीट को साक्यानीपूर्वक देख लें। दोषपूर्ण प्रश्न-पुस्तिका जिसमें कुछ भाग छपने से छूट गए हाँ या प्रश्न एक से अधिक बार छप गए हों या उसमें किसी अन्य प्रकार की कमी हों, तो उसे तुरन्त बदल लें।

(शेष निर्देश अन्तिम पृष्ठ पर)

(Remaining instructions on the last page)

(Only for Rough Work)

1. The size of basic datatypes can be	5	. For which type, the format specifier "%i"
changed according to 32 or 64-bi	t	is used ?
operating systems.		(A) int
(A) True		(B) float
(B) False		(C) array
2. Which of the following is the correct	t	(D) char
format specifier for long double-type	6	. Which of the following is not a correct
values in C++?		qualifier in C++?
(A) %f		(A) Size qualifier
(B) %ld	•	(B) Type qualifier
(C) %lf		(C) Sign qualifier
(D) %ldf		(D) None of the above
3. Is C++ language supports both signer	. 7	How many byte(s) does a short type take
and unsigned literals?		in C++ ?
(A) True		(A) 1
(B) False		(B) 2
		(C) 3
4. Which of the following is not the basi	C	(D) 4
type in C++?	8	The operator '+' is:
(A) int		(A) Unary Operator
(B) float	,	(B) Binary Operator
(C) array		(C) Both Unary and Binary Operator
(D) char		(D) None of the above
BCA-2001	(3)	Set-B

9.	The operator '%' is known as:	. The sizeof() is a:
	(A) Division Operator	(A) Unary Operator
•	(B) Modulus Operator	(B) Binary Operator
	(C) Percentage Operator	(C) Ternary Operator
٠	(D) None of the above	(D) None of the above
10.	Which of the following operators is a 14.	Which of the following operators is used
	ternary operator?	to return the address of a variable?
	(A) +=	(A) *
	(B) !=	(B) →
	(C) ::	(C) &
	(D) ?:	(D) None of the above
11,	Which of the following operators is 15.	Which of the following is known as the
•	known as Scope Resolution Operator?	"value of" operator?
	(A) ::	(A) *
	(B) ?:	(B) →
	(C) ->	(C) &
	(D) .	(D) None of the above
12.	Which of the following operators is 16.	Which of the following is known as the
	known as Referential Operator?	"NOT" operator ?
	(A) !=	(A) ~
	(B) ?:	(B) !
	(C) ->	(C) NOT
	(D) sizeof	(D) None of the above

(4)

BCA-2001

17.	Which	n of the following is not an	20.	Whic	h of the following is/are a decision-
	arithm	netic operator?	•	makiı	ng statement?
•	(A)	%		(1)	IF statement
	(B)	I_{+}	•	(2)	Switch statement
;	(C)	1		(3)	Conditional operators
	(D)	•		(4)	None of the above
18.	W/bio	h of the following statements is		Optio	ons:
10.		ct about the global variable?		(A)	1 and 2
	• .	A variable defined inside the		(B)	1 and 3
	(A)	function or block is known as a	•	(C)	Only 4
		global variable.		(D)	1, 2 and 3
	(B)	A variable defined outside the	21.	Whi	ch of the following statements can
	(2)	function or block is known as a	•	repla	ace the if-else statement?
		global variable.		(A)	while loop
	(C)	Global variables can only declare		(B)	dowhile loop
		inside the ".h" file.		(C)	for loop
. *	(D)	None of the above		(D)	conditional operator
19.	Whi	ch of the following is the default	22.	Wh	ich of the following is an exit control
	stora	age class in C++?		loop	?
r.	(A)	auto		(A)	While loop
	(B)	extern		(B)	Do-while loop
	(C)	register	•	(C)	For loop
	(D)	static		(D)	None of the above
•	-				

- 23. Which of the following loops is normally used for a menu-driven program?
 - (A) Do---while loop
 - (B) For loop
 - (C) While loop
 - (D) None of the above
- 24. Which of the following loops is the best option when the number of iterations is known?
 - (A) While loop
 - (B) For loop
 - (C) Do---while loop
 - (D) All loops require that the iterations be known
- 25. Execution of C++ program starts from:
 - (A) void function
 - (B) class
 - (C) main function
 - (D) user-defined function
- 26. Which of the following is a more effective way to call a function with arguments?
 - (A) Call by value
 - (B) Call by reference
 - (C) Call by address
 - (D) None of the above

- 27. How many minimum numbers of functions are required to execute a C++ program?
 - (A) 1
 - **(B)** 2
 - (C) 3
 - (D) 4
- 28. What is the lifetime of a static variable declared in a user-defined function?
 - (A) Within the function only
 - (B) Within the main function only
 - (C) Whole program
 - (D) None of the above
- 29. Which of the following statements is correct about inline function?
 - (A) A function that is substituted at the place of call.
 - (B) A function that is called at compile time
 - (C) A function that contains only looping statements
 - (D) None of the above

•			
.30.	Default values for a function are	3	4. Can we create an array of objects
•	defined:		in C++ ?
	(A) In function declaration		(A) Yes
	(B) In function definition		(B) No
•	(C) During function call	3	5. An array occupies memory space in:
-			(A) Contiguous manner
	(D) None of the above		(B) Fragmented manner
31.	Index of an array starts from:		(C) Linked list
	(A) 1		(D) None of the above
	(B) 2	. 3	66. How many dimensions are an array
	(C) 0		in C++ ?
	(D) -1		(A) 1D array
- 22	To Cit is the amount areas deposits a		(B) 2D array (C) 3D array
32.	In C++, the array name denotes:		(D) No limit
	(A) The base address of the array	2	7. When we pass an array to the function,
	(B) The first value of the array	3	then the function call will be:
	(C) Last value of the array		(A) Call by value
- 1	(D) None of the above		(B) Call by reference
33.	If we create an array "Arr", which is the	·	(C) Both (A) and (B)
	correct way to access the first element of		(D) None of the above
	the array ?	3	88. Which of the following operators is
	(A) Arr[0]	•	known as the indirection operator?
			(A) →
	(B) 0[Aπ]		(B) &
	(C) *(Arr+0)		(C) *
	(D) All of the above		(D) None of the above
BCA	-2001	(7)	Set-B
-		•	
, :			
		-	

39.	Wh	ich of the following is the incorrec	rt 43	W _b	ich of the following can point to any
	way	y to declare a pointer?			e of variable ?
	(A)	int *ptr;		(A)	Far pointer
	(B)	int* ptr;		(B)	Null pointer
	(C)	int &ptr		(C)	Void pointer
	(D)	int *ptr=0;		(D)	Dangling pointer
40.	A po	ointer can be initialized with:	44.	Whi	ch type of memory is allocated using
	(A)	Address of variable of the same		dyna	nmic memory allocation ?
		type		(A)	Stack
	(B)	NULL		(B)	Неар
	(C)	0		(C)	Static
	(D)	All of the above		(D)	Program code
41.	Whic	ch of the following is the correct way	45.	Whic	ch of the following is/are used for
	to ge	t value from pointer "ptr"?		dyna	mic memory allocation?
	(A)	ptr		(1)	malloc
	(B)	&ptr		(2)	calloc
	(C)	*ptr		(3)	new
	(D)	All of the above		(4)	free
42.	What	is the size of a pointer?		Optio	ons:
	(A)	4 bytes		(A)	l and 2
	(B)	8 bytes		(B)	1, 2 and 4
	(C)	16 bytes	,	(C)	2 and 3
	(D)	Vary from processor to processor		(D)	All 1, 2, 3 and 4
BÇA-	2001		(8)		Set-B

46.	Can we allocate memory for an object	-
	dynamically?	
:		

- (A) Yes
- (B) No
- 47. Which of the following operators is used to release dynamically allocated memory space?
 - (A) new
 - (B) remove
 - (C) release
 - (D) delete
- 48. The "delete" is an operator in C++.
 - (A) Yes
 - (B) No
- 49. Which of the following is a valid way to allocate dynamic memory for an integer variable?
 - (A) int *ptr = new int(111);
 - (B) int *ptr = NULL;ptr = new int; *ptr=111;
 - (C) int *ptr;ptr = new int; *ptr=1 11;
 - (D) All of the above

- 50. Which of the following statements is correct about class in C++?
 - (A) Class is an instance that contains data member and member functions.
 - (B) Class is fundamental that contains data member and member functions.
 - (C) Class is a blueprint for a data type
 that encapsulates data member and
 member functions.
 - (D) None of the above
- 51. By default, members of a class are:
 - (A) Public
 - (B) Private
 - (C) Protected
 - (D) None of the above
- 52. What is the size of an empty class in C++?
 - (A) 1 byte
 - (B) 0 byte
 - (C) 2 byte
 - (D) 4 byte

53,	Can we create multiple objects of a class	6	57.	Wh	ich of the following statements is
	in C++ ?				rect about constructors in C++?
	(A) Yes			(A)	A constructor is used to destroy an
	(B) No			•	object.
•				(B)	Constructor is used to initializing
54.	Which of the following operators is used				data members when an object gets
,	to access the members using the object of				created.
	a class?			(C)	Constructor is used to call the
•	(A) .		•		private function from outside the
	(B) ->			(D)	class.
	(C) :			(D)	None of the above
*			58.	How	many parameters can be accepted
	(D) None of the above			by a	default constructor?
55.	Which of the following operators is used			(A)	1
	to access the members using the pointer			(B)	2
	to the object of a class?			(C)	0
	(A) .	•		(D)	Infinite
	(B) ->		59 .	What	t is the return type of a constructor?
	(C) :			(A)	void
				(B)	mt
	(D) None of the above			(C)	float
56.	How many types of specifiers can be			(D)	None of the above
	used in class in C++?		60.	Whic	h of the following is an incorrect
	(A) 1			type (of constructor in C++?
•				(A)	Copy constructor
				(B)	Move constructor
	(C) 3			(C)	Default constructor
	(D) 4			(D)	Parameterized constructor
BCA-	2001 (10)			Set-B

	•		
61.	If we did not create any constructor in	65.	To overcome the ambiguity occurred due
	the class, then which of the following		to multipath inheritance, C++ provides
	constructors is automatically added to the		the keyword
	class?		(A) virtual
21.1	(A) Copy constructor		(B) friend
	(B) Default constructor		(C) default
	(C) Parameterized constructor		(D) None of the above
, **	(D) None of the above	66.	The procedure of creating a new class
62.	Constructor and Destructor have the		from one or more existing classes is
٠	same name but destructor is preceded		termed as
	by:		(A) Inheritance
	(A) ~		(B) Polymorphism
	(B) !		(C) Encapsulation
	(C) \$		(D) None of the above
	(D) #		m
63.	Which of the following constructors is	67.	
	used to create an object by initializing		inheritance
	data members using an existing object?		(A) Single
	(A) Default constructor		(B) Hybrid
	(B) Dynamic constructor		(C) Multilevel
	(C) Copy constructor		(D) None of the above
	(D) None of the above	68.	Which of the following is the other name
64.	When does a destructor gets called?		of compile-time polymorphism?
	(A) When an object gets created	•	(A) Static polymorphism
-	(B) When an object gets destroyed	٠.	(B) Executing polymorphism
	(C) After calling constructor	÷	(C) Dynamic polymorphism
	(D) None of the above		(D) Non-executing polymorphism

69.	A file stream refers to the flow of data	73. Which function return the current
	between a	position of the get or put pointer in
	(A) Program and stream	bytes ?
•	(B) Program and object	(A) tellg()
	(C) Program and file	(B) tellp() (C) tell()
	(D) None of the above	(D) Both (A) and (B)
70 .	When an exception is thrown, it needs to	74. A pure virtual function is a virtual
	be	function that
	(A) Executed	(A) has nobody
	(B) Handled appropriately	(B) returns nothing(C) is used in the base class
	(C) Resolved	(D) Both (A) and (C)
· .	(D) None of the above	75 means that the code associated
71.	C++ exception handling mechanism	with a given procedure call is not known
	mainly uses how many keywords?	until the time of the call at runtime.
	(A) Four	(A) Dynamic binding
	(B) Three	(B) Runtime binding (C) Early binding
	(C) Two	(D) Static binding
	(D) None of the above	76. Through, we can eliminate
72.	In C++ operator is used for	redundant code and extend the use of
	dynamic memory allocation.	existing classes.
	(A) Scope resolution	(A) Encapsulation
	(B) Conditional	(B) Polymorphism
	(C) New	(C) Inheritance
	(D) Membership access	(D) Overloading

BCA-2001

77. C++ language was developed by	81. C++ follows
(A) Dennis Rechard	(A) Top-down Design Approach
(B) Dennis M. Ritchie	(B) Bottom-up Design Approach
(C) Bjarne Stroustrup	(C) Both of the above
(D) Anders Hejlsberg	(D) None of the above.
78. In which year, the name of the language	82. C++ is a
was changed from "C with Classes" to	(A) High-level language
C++ ?	(B) Medium level language
(A) 1979 (B) 1972	(C) Low-level language
(C) 1983	(D) None of the above
(D) 1986	83. How many keywords are there in C++?
79. C++ language is a successor to which	(A) 32
language ?	(B) 48
(A) B	(C) 99
(B) C	(D) 95
(C) Java (D) VB	84. Which of the following is not a valid
	keyword in C++ language?
80. C++ language is a	(A) while
(A) Object Oriented Language (B) Procedural Oriented Language	(B) for
(C) Structural Oriented Language	(C) switch
(D) None of the above	(D) dowhile
BCA-2001	(13) Set-B

- 85. Which of the following statements is correct about identifiers in C++?
 - (A) Identifiers are the combination of alphanumeric characters that can be used for function and variable names.
 - (B) Identifiers are a combination of alphanumeric characters that can be used for looping statements.
 - (C) Both of the above
 - (D) None of the above
- 86. Which of the following languages translators is used in C++?
 - (A) Assembler
 - (B) Interpreter
 - (C) Compiler
 - (D) Both Interpreter and Compiler
- 87. Which of the following whitespace characters can be used in C++?
 - (1) Horizontal tab
 - (2) Vertical tab
 - (3) Form feed
 - (4) New line

Options:

- (A) 1 and 2
- (B) 3 and 4
- (C) 1, 3 and 4
- (D) All 1, 2, 3, 4

- 88. Which of the following is the correct extension of the C++ source code file?
 - (A) .cpp
 - (B) .c++
 - (C) Both of the above
 - (D) None of the above
- C++ is a pure object-oriented language.
 - (A) True
 - (B) False
- 90. Which of the following OOPs concepts are supported in C++?
 - (1) Inheritance
 - (2) Encapsulation
 - (3) Abstraction
 - (4) Polymorphism

Options:

- (A) 1 and 2
- (B) 1, 2 and 3
- (C) 1, 2 and 4
- (D) All 1, 2, 3, 4
- 91. OOPs stands for:
 - (A) Object Oriented Process System
 - (B) Object Oriented Programming
 System
 - (C) Object Oriented Programming
 Service
 - (D) Object Orientation Programming
 System

92.	Is it true, C++ is a superset of C 97.	Which of the following is an insertion operator in C++?
•	language?	(A) <<
-	(A) True	(B) >>
	(B) False	(C) ->
93.	C++ is a more secure programming	(D) <<<
	language compared to C language. 98	. Which of the following is an extraction
		operator in C++?
	(A) True	(A) >>>
	(B) False	(B) >>
94.	Which of the following header file is	(C) ->
	used to define cin cout?	(D) <<<
• ,	(A) <iomanip.h> 99</iomanip.h>	9. The endl is a
	(B) <iostream.h></iostream.h>	(A) macro
•		(B) object
	(C) <fstream.h></fstream.h>	(C) pointers
	(D) None of the above	(D) function
95.	The cin, cout are 1	00. Which of the following are types of data
	(A) library functions	types in C++?
	(B) structures	(1) Basic Data type
		(2) Derived Data type
	(C) pointers	(3) Enumeration Data type
	(D) objects	(4) User Defined Data type
96	. The stdout stands for	Options:
7 0		(A) 1 and 2
	(A) State Output	(B) 1, 2 and 4
	(B) Standard Output	(C) 1, 2 and 3
	(C) Stand Output	(D) All 1, 2, 3, 4
	(D) Stream Output	The state of the s

4. Four alternative answers are mentioned for each question as—A, B, C & D in the booklet.

The candidate has to choose the correct answer and mark the same in the OMR Answer-Sheet as per the direction:

Example:

Question:

Q.1 (A) (C) (D)

Q.2 (A) (B) (D)

2.3 (A) (C) (D

Illegible answers with cutting and over-writing or half filled circle will be cancelled.

- Each question carries equal marks. Marks will be awarded according to the number of correct answers you have.
- 6. All answers are to be given on OMR Answer sheet only. Answers given anywhere other than the place specified in the answer sheet will not be considered valid.
- Before writing anything on the OMR Answer Sheet, all the instructions given in it should be read carefully.
- i. After the completion of the examination candidates should leave the examination hall only after providing their OMR Answer Sheet to the invigilator. Candidate can carry their Question Booklet.
- 9. There will be no negative marking.
- Rough work, if any, should be done on the blank pages provided for the purpose in the booklet.
- To bring and use of log-book, calculator, pager and cellular phone in examination hall is prohibited.
- 12. In case of any difference found in English and Hindi version of the question, the English version of the question will be held authentic.

impt.: On opening the question booklet, first check that all the pages of the question booklet are printed properly. If there is ny discrepancy in the question Booklet, then after showing it to the invigilator, get another question Booklet of the same series.

4. प्रश्न-पुस्तिका में प्रत्येक प्रश्न के चार सम्मावित उत्तर— A, B, C एवं D हैं। परीक्षार्थी को उन चारों विकल्पों में से सही उत्तर छाँटना है। उत्तर को OMR आन्सर-शीट में सम्बन्धित प्रश्न संख्या में निम्न प्रकार भरना है:

संदाहरन :

प्रश्न :

प्रस्त 1 (A) ● (C) (D) प्रस्त 2 (A) (B) ● (D)

अपठनीय उत्तर या ऐसे उत्तर जिन्हें काटा या बदला गया है, या गोले में आधा भरकर दिया गया, उन्हें निरस्त कर दिया जाएगा।

- प्रत्येक प्रश्न के अंक समान हैं। आपके जितने उत्तर सही होंगे, उन्हीं के अनुसार अंक प्रदान किये जायेंगे।
- सभी उत्तर केवल ओ. एम. आर. उत्तर-पत्रक (OMR Answer Sheet) पर ही दिये जाने हैं। उत्तर-पत्रक में निर्धारित स्थान के अलावा अन्यत्र कहीं पर दिया गया उत्तर मान्य नहीं होगा।
- ओ. एम. आर. उत्तर-पत्रक (OMR Answer Sheet) पर कुछ भी लिखने से पूर्व उसमें दिये गर्य सभी अनुदेशों को साक्धानीपूर्वक पढ़ लिया जाये।
- परीक्षा समाप्ति के उपरान्त परीक्षार्थी कक्ष निरीक्षक को अपनी OMR Answer Sheet उपलब्ध कराने के बाद ही परीक्षा कक्ष से प्रस्थान करें। परीक्षार्थी अपने साथ प्रश्न-पुस्तिका ले जा सकते हैं।
- 9. निगेटिव मार्किंग नहीं है।
- 10. कोई भी एफ कार्य, प्रश्न-पुस्तिका के अन्त में, एफ-कार्य के लिए दिए खाली पेज पर ही किया जाना चाहिए।
- 11. परीक्षा-कक्ष में लॉग-बुक, कैलकुलेटर, पेज़र तथा सेल्युलर फोन ले जाना तथा उसका उपयोग करना वर्जित है।
- 12. प्रश्न के हिन्दी एवं अंग्रेजी रूपान्तरण में मिन्नता होने की दशा में प्रश्न का अंग्रेजी रूपान्तरण ही मान्य होगा।

महत्वपूर्ण: प्रश्नपुस्तिका खोलने पर प्रथमतः जाँच कर देख लें कि प्रश्न-पुस्तिका के सभी पृष्ठ भलीमाँति छपे हुए हैं। यदि प्रश्नपुस्तिका में कोई कमी हो, तो कक्षनिरीक्षक को दिखाकर उसी सिरीज की दूसरी प्रश्न-पुस्तिका प्राप्त कर लें।