

Answer 1) → Minimum Spanning Tree :- A minimum spanning tree (MST) is a minimum weight spanning tree is a subset of the edges of a connected edge-weighted undirected graph that connects all the vertices together, without any cycles and with the minimum possible total edge weight.

Applications :-

- 1.) Consider n stations are to be linked using a communication network and laying of communication link between any two station involves a cost. The ideal solution would be to extract a subgraph termed as minimum cost spanning tree.
- 2.) Suppose you want to construct highways or railroads spanning several cities then we can use the concept of minimum spanning tree.
- 3.) Design LAN.
- 4.) Laying pipelines connecting offshore drilling sites, refineries and consume markets.

Answer 2) → Time complexity of Prim's algorithm $O((V+E)\log V)$.

Space complexity of Prim's algorithm $O(V)$

Time complexity of Kruskal's Algo. - $O(E \log V)$


Space complexity of Kruskal's Algo. - $O(V)$.

Time complexity of Dijkstra's Algo. - $O(V^2)$


Space complexity of Dijkstra's Algo. - $O(V^2)$

Time complexity of Floydmanford - $O(V^3)$
 Space complexity of Bellmanford - $O(E)$

Answer 3) →




D	V	W	
6	7	1	✓
5	6	2	✓
2	8	2	✓
0	1	4	✓
2	5	4	✓
6	8	6	X
2	3	7	✓
7	8	7	X
0	4	8	✓
1	2	8	X
4	3	9	✓
4	5	10	X
1	7	11	X
3	5	14	X



$$\text{weight} = 1 + 2 + 2 + 2 + 4 + 4 + 7 + 8 + 9 = 37$$

Prim's Algorithm:




weight:-

0	1	2	3	4	5	6	7	8
0	∞	∞	∞	∞	∞	∞	∞	∞
	4						8	
		8				1		7
	11		7		4	1		2
			7		2			6
	4	14	1	10				
		7						
				9				

Parent:-

0	1	2	3	4	5	6	7	8
-1	x	x	-1	-1	1	x	x	-1
	0	1				1	1	



$$\text{weight} = 4 + 8 + 1 + 2 + 4 + 2 + 7 + 9 = 37 \quad \underline{\text{Ans.}}$$


Answer 4) →

(1) The shortest path may change. The reason is there may be different number of edges in different paths from 's' to 't'.

For example - let shortest path be of weight 15 and has edge 5. let there be another path with 2 edge and local weight 25. The weight of the shortest path is increased by 5"10 and becomes 15+50. weight of the other path is increased by 2"10 and becomes 25+20. So the shortest path changes to the other path with weight as 45.

(2) If we multiply all edges weight by 10, the shortest path don't change. The reason is simple. weight of all path from 's' to 't'. It will be multiplied by same amount. The no. of edges on a path don't matter. It is like changing limits of weight.

Answer 5) → Dijkstra Algorithm:



Node	Shortest distance from source Node.
u	8
x	5
v	9
y	7

Bellman ford algorithm:

1st → $\begin{matrix} 0 & 10 & \infty & 5 & \infty \\ \textcircled{S} & \textcircled{u} & \textcircled{v} & \textcircled{x} & \textcircled{y} \end{matrix}$ → Graph does NOT have cycle.

2nd → $\begin{matrix} 0 & 10 & 11 \neq 1 & 5 & \infty \\ \textcircled{S} & \textcircled{u} & \textcircled{v} & \textcircled{x} & \textcircled{y} \end{matrix}$

3rd → $\begin{matrix} 0 & 8 & 9 & 5 & 7 \\ \textcircled{S} & \textcircled{u} & \textcircled{v} & \textcircled{x} & \textcircled{y} \end{matrix}$

4th → $\begin{matrix} 0 & 8 & 9 & 5 & 7 \\ \textcircled{S} & \textcircled{u} & \textcircled{v} & \textcircled{x} & \textcircled{y} \end{matrix}$

