

Rajalakshmi Engineering College

Name: PRASANNA NADRAJAN R
Email: 241801207@rajalakshmi.edu.in
Roll no: 2116241801207
Phone: 8667687296
Branch: REC
Department: I AI & DS FC
Batch: 2028
Degree: B.E - AI & DS

Scan to verify results



NeoColab_REC_CS23221_Python Programming

REC_Python_Week 3_CY

Attempt : 1
Total Mark : 30
Marks Obtained : 30

Section 1 : Coding

1. Problem Statement

Sarah is a technical writer who is responsible for formatting two important documents. Both documents contain a certain placeholder character that needs to be replaced with another character before they can be finalized. To ensure consistency in formatting, Sarah wants you to help her write a program that processes both documents by replacing the placeholder character with the new one.

Sarah also prefers a neat and structured output, so she wants you to ensure that both modified documents are printed in a single line, separated by a space, using the format() function.

Example

Input:

Hello
World

o
a

Output:

Hella World

Explanation:

Here the character 'o' is replaced with 'a' in the concatenated string.

Input Format

The first line contains string1, the first document.

The second line contains string2, the second document.

The third line contains char1, the placeholder character that needs to be replaced.

The fourth line contains char2, the new character that will replace the placeholder.

Output Format

The output displays a single line containing the modified string1 and string2, separated by a space.

Refer to the sample output for the formatting specifications.

Sample Test Case

Input: Hello
World

o
a

Output: Hella World

Answer

```
# You are using Python
st1=input()
st2=input()
b=input()
a=input()
st1=st1.replace(b,a)
st2=st2.replace(b,a)
print(st1+" "+st2)
```

Status : Correct

Marks : 10/10

2. Problem Statement

A company is creating email accounts for its new employees. They want to use a naming convention for email addresses that consists of the first letter of the employee's first name, followed by their last name, followed by @company.com.

The company also has a separate email domain for administrative employees.

Write a program that prompts the user for their first name, last name, role, and company and then generates their email address using the appropriate naming convention based on their role. This is demonstrated in the below examples.

Note:

The generated email address should consist of the first letter of the first name, the last name in lowercase, and a suffix based on the role and company, all in lowercase.

Input Format

The first line of input consists of the first name of an employee as a string.

The second line consists of the last name of an employee as a string.

The third line consists of the role of the employee as a string.

The last line consists of the company name as a string.

Output Format

The output consists of a single line containing the generated email address for the employee, following the specified naming convention.

Refer to the sample output for the formatting specifications.

Sample Test Case

Input: John

Smith

admin

iamNeo

Output: jsmith@admin.iamneo.com

Answer

```
# You are using Python
```

```
f_name=input()
```

```
l_name=input()
```

```
dep=input()
```

```
company=input()
```

```
if dep.lower()=="admin":
```

```
    print(f"{f_name[0].lower()}{l_name.lower()}@{dep.lower()}.
```

```
{company.lower()}.com")
```

```
else:
```

```
    print(f"{f_name[0].lower()}{l_name.lower()}@{company.lower()}.com")
```

Status : Correct

Marks : 10/10

3. Problem Statement

You have two strings str1 and str2, both of equal length.

Write a Python program to concatenate the two strings such that the first character of str1 is followed by the first character of str2, the second character of str1 is followed by the second character of str2, and so on.

For example, if str1 is "abc" and str2 is "def", the output should be "adbecf".

Input Format

The input consists of two strings in each line.

Output Format

The output displays the concatenated string in the mentioned format.

Refer to the sample output for formatting specifications.

Sample Test Case

Input: abc

def

Output: adbecf

Answer

You are using Python

```
str1=input()
```

```
str2=input()
```

```
res=""
```

```
for i in range(min(len(str1),len(str2))):
```

```
    res+=str1[i]
```

```
    res+=str2[i]
```

```
if len(str1)>len(str2):
```

```
    l=str1
```

```
    s=str2
```

```
else:
```

```
    l=str2
```

```
    s=str1
```

```
for i in range(len(s),len(l)):
```

```
    res+=l[i]
```

```
print(res)
```

Status : Correct

Marks : 10/10