

**Subject: AAD**

**Name:- Prathamsinh**

**Branch:- CS**

**NO:-22162171004**

### **Practical 06**

Given a sequence of matrices, we want to find the most efficient way to multiply these matrices together to obtain the minimum number of multiplications. The problem is not actually to perform the multiplication of the matrices but to obtain the minimum number of multiplications. We have many options because matrix multiplication is an associative operation, meaning that the order in which we multiply does not matter. The optimal order depends only on the dimensions of the matrices. The brute-force algorithm is to consider all possible orders and take the minimum. This is a very inefficient method. Implement the minimum multiplication algorithm using dynamic programming and determine where to place parentheses to minimize the number of multiplications. Find an optimal parenthesization of a matrix chain product whose sequence of dimensions are (5,10, 3, 12, 5, 50, 6).

#### **App.py**

```
from flask import Flask, render_template, request  
  
app = Flask(__name__)
```

```

def matrix_chain_order(p):
    n = len(p) - 1
    m = [[0] * n for _ in range(n)]
    s = [[0] * n for _ in range(n)]

    for l in range(2, n + 1):
        for i in range(n - l + 1):
            j = i + l - 1
            m[i][j] = float('inf')
            for k in range(i, j):
                q = m[i][k] + m[k + 1][j] + p[i] * p[k + 1] * p[j + 1]
                if q < m[i][j]:
                    m[i][j] = q
                    s[i][j] = k

    optimal_parens = construct_optimal_solution(s, 0, n - 1)
    return m, optimal_parens

def construct_optimal_solution(s, i, j):
    if i == j:
        return f"A{i+1}"
    else:
        return f"({construct_optimal_solution(s, i, s[i][j])} x {construct_optimal_solution(s, s[i][j] + 1, j)})"

@app.route('/', methods=['GET', 'POST'])
def index():
    result = None

    if request.method == 'POST':
        dimensions = request.form['dimensions']
        p = list(map(int, dimensions.split(',')))
        m, optimal_parens = matrix_chain_order(p)
        min_multiplications = m[0][-1]

        result = {
            'm': m,
            'optimal_parens': optimal_parens,
            'min_multiplications': min_multiplications,
            'dimensions': p
        }
    return render_template('index.html', result=result)

if __name__ == '__main__':

```

```
app.run(debug=True)
```

## index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Matrix Chain Multiplication</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      margin: 20px;
      background-color: #e0e0e0;
      color: #333;
    }
    h1 {
      color: #003366;
      text-align: center;
    }
    form {
      max-width: 600px;
      margin: 0 auto 20px auto;
      padding: 20px;
      background-color: #ffffff;
      border-radius: 8px;
      box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
    }
    label {
      display: block;
      margin-bottom: 10px;
      font-size: 16px;
      font-weight: bold;
      color: #003366;
    }
    input[type="text"] {
      width: calc(100% - 22px);
      padding: 12px;
      border: 1px solid #ccc;
      border-radius: 4px;
      font-size: 16px;
    }
    button {
```

```

padding: 12px 24px;
border: none;
border-radius: 4px;
background-color: #003366;
color: #ffffff;
font-size: 16px;
cursor: pointer;
margin-top: 10px;
display: block;
width: 100%;
}
button:hover {
background-color: #002244;
}
table {
width: 100%;
border-collapse: collapse;
margin: 20px 0;
}
th, td {
padding: 12px;
border: 1px solid #ddd;
text-align: center;
font-size: 16px;
}
th {
background-color: #003366;
color: #ffffff;
}
tr:nth-child(even) {
background-color: #f4f4f4;
}
footer {
margin-top: 40px;
font-size: 14px;
color: #666;
text-align: center;
}
</style>
</head>
<body>
<h1>Matrix Chain Multiplication</h1>
<form method="POST">
<label for="dimensions">Enter the dimensions of matrices:</label>

```

```

        <input type="text" name="dimensions" placeholder="5,10,3,12,5,50,6"
required>
        <button type="submit">Calculate</button>
    </form>

    {% if result %}
        <h3>Optimal Parenthesization: {{ result.optimal_parens }}</h3>
        <h3>Minimum Multiplications: {{ result.min_multiplications }}</h3>
        <h3>Matrix Multiplication Table:</h3>
        <table>
            <thead>
                <tr>
                    <th></th>
                    {% for j in range(result.dimensions|length - 1) %}
                        <th>A{{ j + 1 }}</th>
                    {% endfor %}
                </tr>
            </thead>
            <tbody>
                {% for i in range(result.dimensions|length - 1) %}
                    <tr>
                        <th>A{{ i + 1 }}</th>
                        {% for j in range(result.dimensions|length - 1) %}
                            <td>{{ result.m[i][j] if i < j else 'x' }}</td>
                        {% endfor %}
                    </tr>
                {% endfor %}
            </tbody>
        </table>
    {% endif %}

</body>
</html>

```

**Output:-**

Matrix Chain Multiplication

Enter the dimensions of matrices:

8 10 2 12 8 50 8

Calculate

Optimal Parenthesization: ((A1 x A2) x ((A3 x A4) x (A5 x A6)))  
Minimum Multiplications: 2910

Matrix Multiplication Table:

	A1	A2	A3	A4	A5	A6
A1	8	160	384	416	1616	2016
A2	8	8	360	336	1440	1650
A3	8	8	8	160	900	1770
A4	8	8	8	8	3200	3000
A5	8	8	8	8	8	1500
A6	8	8	8	8	8	8