

# Cucumber Report

17 Dec 2023, 14:53:46

Start : Dec 17, 2:52:41.117 pm

End : Dec 17, 2:53:44.406 pm

Duration : 1 m 3.289 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 1  
FAILED - 3  
SKIPPED - 0

PASSED - 18  
FAILED - 3  
SKIPPED - 1




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Login feature</u>	1 m 3.289 s	4	1	3	0	22	18	3	1

#	Feature Name	Scenario Name
1	<u>Login feature</u>	<u>VerifyTheErrorMessageWithInvalidCredentials</u>
2		<u>verifyThatUserShouldLogInSuccessfullyWithValidCredentials.</u>
3		<u>VerifyThatUserShouldLogoutSuccessfully</u>





#	Feature Name	T	P	F	S	Duration
1	Login feature	4	1	3	0	1 m 3.289 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Login feature</u>	<u>User should navigate to login page successfully</u>	3	3	0	0	5.929 s
2		<u>VerifyTheErrorMessageWithInvalidCredentials</u>	6	5	1	0	6.138 s
3		<u>verifyThatUserShouldLogInSuccessfullyWithValidCredentials.</u>	6	5	1	0	25.894 s
4		<u>VerifyThatUserShouldLogOutSuccessfully</u>	7	5	1	1	25.236 s

## Login feature



<div>FAILED</div>	<div>DURATION - 1 m 3.289 s</div>	<div>Scenarios</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 3</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 22</div> <div>Pass - 18</div> <div>Fail - 3</div> <div>Skip - 1</div>	<div></div>
<div>/ 2:52:41.117 pm // 2:53:44.406 pm /</div>					

### User should navigate to login page successfully

<div>PASSED</div> <div>DURATION - 5.929 s</div>	<div></div>	Steps	<div></div>
/ 2:52:41.122 pm // 2:52:47.051 pm /		Total - 3	
Login feature		Pass - 3	
		Fail - 0	
		Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	1.047 s
2	When User clicks on login link	PASSED	0.395 s
3	Then User should navigate to login page successfully	PASSED	0.064 s

### VerifyTheErrorMessageWithInvalidCredentials

<div>FAILED</div> <div>DURATION - 6.138 s</div>		<div></div>	<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 2:52:47.080 pm // 2:52:53.218 pm /</div>				
<div>Login feature</div>				


#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	1.048 s
2	When User clicks on login link	PASSED	0.350 s
3	And User enters email "ltester@gmail.com"	PASSED	0.143 s
4	And User enters password "abcd123"	PASSED	0.135 s
5	And User login button	PASSED	0.434 s
6	Then User should see errorMessage"Login was unsuccessful. Please correct the errors and try again.\nNo customer account found"	FAILED	0.100 s
	<pre> java.lang.AssertionError: The error message is not display expected [Login was unsuccessful. Please correct the errors and try again.\nNo customer account found] but found [Login was unsuccessful. Please correct the errors and try again. No customer account found]     at org.testng.Assert.fail(Assert.java:111)     at org.testng.Assert.failNotEquals(Assert.java:1578)     at org.testng.Assert.assertEqualsImpl(Assert.java:150)     at org.testng.Assert.assertEquals(Assert.java:132)     at org.testng.Assert.assertEquals(Assert.java:656)     at com.nopcommerce.demo.steps.LoginStepDefination.userShouldSeeErrorMessage(LoginStepDefination.java:56)     at ?.User should see errorMessage"Login was unsuccessful. Please correct the errors and try again.\nNo customer account found"(file:///C:/Users/prexa/IdeaProjects/nop-commerce-demo-cucumber/src/test/resources/features/login.feature:15)     * Not displayable characters are replaced by '?'. </pre>		
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.738 s
	VerifyTheErrorMessageWithInvalidCredentials		

### verifyThatUserShouldLoginSuccessfullyWithValidCredentials.



FAILED	DURATION - 25.894 s	<table border="1"><thead><tr><th>Step</th><th>Count</th></tr></thead><tbody><tr><td>1</td><td>1</td></tr><tr><td>2</td><td>0.5</td></tr><tr><td>3</td><td>0.5</td></tr><tr><td>4</td><td>0.5</td></tr><tr><td>5</td><td>0.5</td></tr><tr><td>6</td><td>20</td></tr></tbody></table>	Step	Count	1	1	2	0.5	3	0.5	4	0.5	5	0.5	6	20	<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div>6</div>
Step	Count																	
1	1																	
2	0.5																	
3	0.5																	
4	0.5																	
5	0.5																	
6	20																	
/ 2:52:53.254 pm // 2:53:19.148 pm /																		
Login feature																		

#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	1.092 s
2	When User clicks on login link	PASSED	0.367 s
3	And User enters valid email "ltester66@gmail.com"	PASSED	0.165 s
4	And User enters valid password "abcd123"	PASSED	0.132 s
5	And User clicks on login button	PASSED	0.375 s
6	Then User should see Logout link "Log out"	FAILED	20.071 s
<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text() = 'Log out']"} (Session info: chrome=120.0.6099.72) For documentation on this error, please visit: <a href="https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception">https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception</a> Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1d8a28fcc4d078cca60c21f5eaaa41f3, findElement {using=xpath, value=//a[text() = 'Log out']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\prexa\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57338}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se.cdp: ws://localhost:57338/devtoo..., se.cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 1d8a28fcc4d078cca60c21f5eaaa41f3</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)  at jdk.proxy2/jdk.proxy2.\$Proxy29.getText(Unknown Source)  at com.nopcommerce.demo.utility.Utility.getTextFromElement(Utility.java:63)  at com.nopcommerce.demo.pages.HomePage.verifyThatLogoutLinksDisplay(HomePage.java:37)  at com.nopcommerce.demo.steps.LoginStepDefination.userShouldSeeLogoutLink(LoginStepDefination.java:76)</p>			




#	Step / Hook Details	Status	Duration
	<p>at ?.User should see Logout link "Log out"(file:///C:/Users/prexa/IdeaProjects/nop-commerce-demo-cucumber/src/test/resources/features/login.feature:23)</p> <p>* Not displayable characters are replaced by '?'.  </p>		
	<p>AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>verifyThatUserShouldLogInSuccessfullyWithValidCredentials.</p> 	PASSED	0.479 s

### VerifyThatUserShouldLogoutSuccessfully

<p><b>FAILED</b></p> <p>DURATION - 25.236 s</p> <p>/ 2:53:19.170 pm // 2:53:44.406 pm /</p> <p>Login feature</p>		<p>Steps</p> <p>Total - 7</p> <p>Pass - 5</p> <p>Fail - 1</p> <p>Skip - 1</p> 
--	--	---

#	Step / Hook Details	Status	Duration
1	Given User is on homepage	PASSED	0.758 s
2	When User clicks on login link	PASSED	0.418 s
3	And User enters correct email"ltester66@gmail.com"	PASSED	0.144 s
4	And User enters Correct password"abcd123"	PASSED	0.087 s
5	And User press the login button	PASSED	0.334 s
6	<p>And User clicks on logout link</p> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//a[text() = 'Log out']"} (Session info: chrome=120.0.6099.72) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a8bddb1fea76fcec191833b3e2599f53, findElement {using=xpath, value=//a[text() = 'Log out']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.72, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617..., userDataDir: C:\Users\prexa\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57376}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57376/devtoo..., se:cdpVersion: 120.0.6099.72, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},</p>	FAILED	20.054 s

#	Step / Hook Details	Status	Duration
	<p>unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: a8bddb1fea76fcec191833b3e2599f53</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)  at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)  at jdk.proxy2/jdk.proxy2.\$Proxy29.click(Unknown Source)  at com.nopcommerce.demo.utility.Utility.clickOnElement(Utility.java:52)  at com.nopcommerce.demo.pages.HomePage.clickOnLogOutLink(HomePage.java:41)  at com.nopcommerce.demo.steps.LoginStepDefination.userClicksOnLogoutLink(LoginStepDefination.java:96)  at ?.User clicks on logout link(file:///C:/Users/prexa/IdeaProjects/nop-commerce-demo-cucumber/src/test/resources/features/login.feature:31)</p> <p>* Not displayable characters are replaced by '?'. </p>		
7	Then User should see login Link"Log in"	SKIPPED	0.000 s
	<p>AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>VerifyThatUserShouldLogOutSuccessfully</p> 	PASSED	0.438 s