

Cucumber Report

Aug 15, 2023, 5:15:09 PM

Start : Aug 15, 5:14:53.541 PM

End : Aug 15, 5:15:08.728 PM

Duration : 15.187 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 1

PASSED - 19



FAILED - 2

SKIPPED - 2

PASSED - 63

FAILED - 2


SKIPPED - 4




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Program Feature</u>	13.122 s	17	15	2	0	51	49	2	0
<u>Batch features</u>	2.029 s	6	4	0	2	18	14	0	4

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@PostRequest_CreateProgram	2	2	0	0	2	0	1	1
@PostRequest_existingValues	1	1	0	0	1	0	1	0
@PutRequest_updateProgramByValidID	1	1	0	0	1	0	1	0
@PutRequest_updateProgrambyValidProgramName	1	1	0	0	1	0	1	0
@GetRequest_ValidProgramID	1	1	0	0	1	0	1	0
@DeleteRequest_DeleteProgramWithValidProgramID	2	2	0	0	2	0	1	1
@DeleteRequest_DeleteProgramWithInvalidProgramID	1	1	0	0	1	0	1	0
@PutRequest_updateProgramwithInvalidProgramID	1	1	0	0	1	0	1	0
@PutRequest_updateProgramwithInvalidProgramName	1	1	0	0	1	0	1	0
@DeleteProgramwithInvalidProgramName	1	1	0	0	1	0	1	0
@PostRequest_missingMandatoryFields	1	1	0	0	1	0	1	0
@PostRequest_missingMandatoryALLFields	1	1	0	0	1	0	1	0
@PostRequest_CreateProgram_2	1	1	0	0	1	0	1	0
@PutRequest_updateByProgrambyID_withMissingMandatoryFields	1	0	1	0	1	0	1	0
@PutRequest_updateProgramByProgramName_withMissingMandatoryFields	1	0	1	0	1	0	1	0
@DeleteProgramwithvalidProgramName	1	1	0	0	1	0	1	0


Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@GetRequest_GetwithinvalidProgramID	1	1	0	0	1	0	1	0
@PostRequest_CreateBatch	1	1	0	0	1	0	0	1
@PostRequest_CreateBatch_2	1	0	0	1	1	0	0	1
@PostRequest_CreateExistingBatch	1	0	0	1	1	0	0	1
@DeleteRequest_DeleteBatch	1	1	0	0	1	0	0	1




#	Feature Name	T	P	F	S	Duration
1	<u>Program Feature</u>	17	15	2	0	13.122 s
2	<u>Batch features</u>	6	4	0	2	2.029 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Program Feature</u>	<u>User creates request for a new program with the LMS API endpoint</u>	3	3	0	0	6.094 s
2	<u>Program Feature</u>	<u>User create program with valid endpoint and existing Program name.</u>	3	3	0	0	0.325 s
3	<u>Program Feature</u>	<u>Users are able to update a program with valid programID and mandatory request body</u>	3	3	0	0	0.544 s
4	<u>Program Feature</u>	<u>User able to update a program with valid programName and mandatory request body</u>	3	3	0	0	0.526 s
5	<u>Program Feature</u>	<u>User able to retrieve a program with valid programID and LMS API</u>	3	3	0	0	0.306 s
6	<u>Program Feature</u>	<u>User able to delete a program with valid programId and mandatory request body</u>	3	3	0	0	0.311 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
7	<u>Program Feature</u>	<u>User able to delete a program with invalid programId and mandatory request body</u>	3	3	0	0	0.318 s
8	<u>Program Feature</u>	<u>User tries to update a program with invalid programID and mandatory request body</u>	3	3	0	0	0.473 s
9	<u>Program Feature</u>	<u>User tries to update a program with invalid programName and mandatory request body</u>	3	3	0	0	0.430 s
10	<u>Program Feature</u>	<u>User able to delete a program with invalid programName and mandatory request body</u>	3	3	0	0	0.312 s
11	<u>Program Feature</u>	<u>User create program with missing mandatory fields.</u>	3	3	0	0	0.536 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
12	<u>Program Feature</u>	<u>User create program with missing All mandatory fields.</u>	3	3	0	0	0.455 s
13	<u>Program Feature</u>	<u>User creates request for a new program two with the LMS API endpoint</u>	3	3	0	0	0.532 s
14	<u>Program Feature</u>	<u>User tries to update a program with missing mandatory request body</u>	3	2	1	0	0.449 s
15	<u>Program Feature</u>	<u>User tries to update a program with valid Program name and missing mandatory request body</u>	3	2	1	0	0.425 s
16	<u>Program Feature</u>	<u>User able to delete a program with valid programName and mandatory request body</u>	3	3	0	0	0.324 s
17	<u>Program Feature</u>	<u>User tries to retrieve a program with invalid programID and LMS API</u>	3	3	0	0	0.304 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
18	<u>Batch features</u>	<u>User creates request for a new program with the LMS API endpoint</u>	3	3	0	0	0.530 s
19	<u>Batch features</u>	<u>User creates request for a new batch for existing program with the LMS API endpoint</u>	3	3	0	0	0.741 s
20	<u>Batch features</u>	<u>User creates request for a new batch for existing program and batch with the LMS API endpoint</u>	3	1	0	2	0.014 s
21	<u>Batch features</u>	<u>User creates request for a new batch for existing program with the LMS API endpoint</u>	3	1	0	2	0.013 s
22	<u>Batch features</u>	<u>User creates request for a deleting batch for existing program with the LMS API endpoint</u>	3	3	0	0	0.300 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
23	<u>Batch features</u>	<u>User able to delete a program with valid programId and mandatory request body</u>	3	3	0	0	0.297 s

Program Feature



FAILED	DURATION - 13.122 s	Scenarios Total - 17 Pass - 15 Fail - 2 Skip - 0		Steps Total - 51 Pass - 49 Fail - 2 Skip - 0	
/ 5:14:53.541 PM // 5:15:06.663 PM /					

User creates request for a new program with the LMS API endpoint

<div>PASSED</div> <div>DURATION - 6.094 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 5:14:53.547 PM // 5:14:59.641 PM /</div>			
<div>Program Feature</div>			
<div>@PostRequest_CreateProgram</div>			



#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	1.286 s
2	When User sends HTTPS Request and request Body for new Program with mandatory ,additional fields	PASSED	4.217 s
3	Then User receives 201 Created Status with response body for program	PASSED	0.369 s

User create program with valid endpoint and existing Program name.

<div>PASSED</div> <div>DURATION - 0.325 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 5:14:59.766 PM // 5:15:00.091 PM /</div>			
<div>Program Feature</div>			
<div>@PostRequest_existingValues</div>			



#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.004 s
2	When User sends HTTPS Request and request Body for Program with existing values in program name.	PASSED	0.300 s
3	Then User receives 400 Bad Request Status with message for existing values in program name.	PASSED	0.003 s

Users are able to update a program with valid programID and mandatory request body

PASSED	DURATION - 0.544 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 5:15:00.115 PM // 5:15:00.659 PM /				
Program Feature				
@PutRequest_updateProgramByValidID				



#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.011 s
2	When User sends HTTPS Request with mandatory and additional fields to update a Program with valid program ID	PASSED	0.514 s
3	Then User receives 200 ok Status code with response body for update	PASSED	0.005 s

User able to update a program with valid programName and mandatory request body

PASSED	DURATION - 0.526 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 5:15:00.683 PM // 5:15:01.209 PM /				
Program Feature				
@PutRequest_updateProgrambyValidProgramName				



#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.006 s
2	When User sends HTTPS Request with mandatory and additional fields for Program with valid program name	PASSED	0.505 s
3	Then User receives 200 ok Status code with response body for update	PASSED	0.005 s

User able to retrieve a program with valid programID and LMS API

<div>PASSED</div> <div>DURATION - 0.306 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 5:15:01.230 PM // 5:15:01.536 PM /</div>			
<div>Program Feature</div>			
<div>@GetRequest_ValidProgramID</div>			



#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.005 s
2	When User sends HTTPS Request to view Program with valid program ID	PASSED	0.289 s
3	Then User receives 200 OK Status with response body to view Program with valid program ID	PASSED	0.003 s

User able to delete a program with valid programId and mandatory request body

<div>PASSED</div>	<div>DURATION - 0.311 s</div>	<div></div>	<div><div>Steps</div><div>Total - 3</div><div>Pass - 3</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
<div>/ 5:15:01.553 PM // 5:15:01.864 PM /</div>				
<div>Program Feature</div>				
<div>@DeleteRequest_DeleteProgramWithValidProgramID</div>				



#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS Request to delete a Program with valid program ID	PASSED	0.297 s
3	Then User receive 200 Status with response body for delete a program with valid Id	PASSED	0.004 s

User able to delete a program with invalid programId and mandatory request body

<div>PASSED</div>	<div>DURATION - 0.318 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 5:15:01.885 PM // 5:15:02.203 PM /</div>				
<div>Program Feature</div>				
<div>@DeleteRequest_DeleteProgramWithInvalidProgramID</div>				

#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.007 s
2	When User sends HTTPS Request to delete Program with invalid program ID	PASSED	0.297 s
3	Then User get 404 Status with response body for delete Program with invalid program ID	PASSED	0.005 s

User tries to update a program with invalid programID and mandatory request body

<div>PASSED</div>	<div>DURATION - 0.473 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 5:15:02.223 PM // 5:15:02.696 PM /</div>				
<div>Program Feature</div>				
<div>@PutRequest_updateProgramwithInvalidProgramID</div>				

#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.004 s
2	When User sends HTTPS Request with mandatory and additional fields to update Program with invalid program ID	PASSED	0.458 s
3	Then User receives 404 Status code with response body to update Program with invalid program ID	PASSED	0.003 s

User tries to update a program with invalid programName and mandatory request body

PASSED	DURATION - 0.430 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 5:15:02.716 PM // 5:15:03.146 PM /				
Program Feature				
@PutRequest_updateProgramwithinvalidProgramName				


#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.003 s
2	When User sends HTTPS Request with mandatory and additional fields to update Program with invalid program Name	PASSED	0.412 s
3	Then User receives 404 Status code with response body to update Program with invalid program Name	PASSED	0.005 s

User able to delete a program with invalid programName and mandatory request body

PASSED	DURATION - 0.312 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 5:15:03.165 PM // 5:15:03.477 PM /				
Program Feature				
@DeleteProgramwithinvalidProgramName				


#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.004 s
2	When User sends HTTPS Request to delete Program with invalid program name	PASSED	0.295 s
3	Then User receives 404 Status code with response body to delete Program with invalid program name	PASSED	0.005 s

User create program with missing mandatory fields.





#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.004 s
2	When User sends HTTPS Request and request Body to create program with missing mandatory fields.	PASSED	0.517 s
3	Then User receives 400 Bad Request Status with message to create Program with missing mandatory fields	PASSED	0.005 s

User create program with missing All mandatory fields.





#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.003 s
2	When User sends HTTPS Request and request Body to create program with missing ALL mandatory fields.	PASSED	0.440 s
3	Then User receives 400 Bad Request Status with message to create Program with missing ALL mandatory fields	PASSED	0.004 s

User creates request for a new program two with the LMS API endpoint

<div>PASSED</div> <div>DURATION - 0.532 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 5:15:04.531 PM // 5:15:05.063 PM /</div>			
<div>Program Feature</div>			
<div>@PostRequest_CreateProgram_2</div>			

#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS Request and request Body for new Program with mandatory ,additional fields	PASSED	0.512 s
3	Then User receives 201 Created Status with response body for program	PASSED	0.012 s

User tries to update a program with missing mandatory request body

<div>FAILED</div> <div>DURATION - 0.449 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 5:15:05.079 PM // 5:15:05.528 PM /</div>				
<div>Program Feature</div>				
<div>@PutRequest_updateByProgrambyID_withMissingMandatoryFields</div>				

#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS Request to update Program with missing mandatory fields	PASSED	0.396 s
3	Then User receives 400 Bad Request Status with message to update Program with missing mandatory fields <pre>java.lang.AssertionError: 1 expectation failed. Expected status code <404> but was <500>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)</pre>	FAILED	0.044 s

#	Step / Hook Details	Status	Duration
	<pre> at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validate(ResponseSpecificationImpl.groovy:101) at io.restassured.internal.ValidatableResponseOptionsImpl.spec(ValidatableResponseOptionsImpl.java:288) at api.StepDefinitions.programSD. user_receives_Bad_Request_Status_with_message_to_update_Program_with_missing_mandatory_fields(programSD.java:174) at ?.User receives 400 Bad Request Status with message to update Program with missing mandatory fields(file:///D:/Git%20Repo%20downlo ad%20Folder%20Aug%202023/LMS-Rest-Assured-API-Testing/src/test/resources/Features/01program.feature:96) * Not displayable characters are replaced by '?'. </pre>		



User tries to update a program with valid Program name and missing mandatory request body

FAILED		DURATION - 0.425 s		<table border="1"><thead><tr><th>Step</th><th>Duration (s)</th><th>Status</th></tr></thead><tbody><tr><td>1</td><td>0.004</td><td>Pass</td></tr><tr><td>2</td><td>0.411</td><td>Pass</td></tr><tr><td>3</td><td>0.004</td><td>Fail</td></tr></tbody></table>	Step	Duration (s)	Status	1	0.004	Pass	2	0.411	Pass	3	0.004	Fail	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>
Step	Duration (s)	Status															
1	0.004	Pass															
2	0.411	Pass															
3	0.004	Fail															
/ 5:15:05.568 PM // 5:15:05.993 PM /																	
Program Feature																	
@PutRequest_updateProgramByProgramName_withMissingMandatoryFields																	

#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.004 s
2	When User sends HTTPS Request for Program with valid Program name and missing mandatory fields	PASSED	0.411 s
3	Then User receives 404 Bad Request Status with message to update Program with missing mandatory fields <pre> java.lang.AssertionError: 1 expectation failed. Expected status code <404> but was <500>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validate(ResponseSpecificationImpl.groovy:101) at io.restassured.internal.ValidatableResponseOptionsImpl.spec(ValidatableResponseOptionsImpl.java:288) at api.StepDefinitions.programSD. user_receives_Bad_Request_Status_with_message_to_update_Program_with_missing_mandatory_fields(programSD.java:174) at ?.User receives 404 Bad Request Status with message to update Program with missing mandatory fields(file:///D:/Git%20Repo%20downlo </pre>	FAILED	0.004 s



#	Step / Hook Details	Status	Duration
	ad%20Folder%20Aug%202023/LMS-Rest-Assured-API-Testing/src/test/resources/Features/01program.feature:102) * Not displayable characters are replaced by '?'.		

User able to delete a program with valid programName and mandatory request body

PASSED	DURATION - 0.324 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 5:15:06.016 PM // 5:15:06.340 PM /				
Program Feature				
@DeleteProgramwithvalidProgramName				



#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS Request to delete Program with valid program name	PASSED	0.312 s
3	Then User receive 200 Status with response body for delete Program with valid program name	PASSED	0.003 s

User tries to retrieve a program with invalid programID and LMS API



PASSED	DURATION - 0.304 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 5:15:06.359 PM // 5:15:06.663 PM /				
Program Feature				
@GetRequest_GetwithinvalidProgramID				

#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.003 s
2	When User sends HTTPS Request for Program with invalid program ID	PASSED	0.291 s
3	Then User receives 404 Status code with response body for Program with invalid program ID	PASSED	0.004 s

Batch features



SKIPPED	DURATION - 2.029 s	Scenarios Total - 6 Pass - 4 Fail - 0 Skip - 2		Steps Total - 18 Pass - 14 Fail - 0 Skip - 4	
/ 5:15:06.699 PM // 5:15:08.728 PM /					

User creates request for a new program with the LMS API endpoint

PASSED	DURATION - 0.530 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 5:15:06.700 PM // 5:15:07.230 PM /				
Batch features				
@PostRequest_CreateProgram				

#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS Request and request Body for new Program with mandatory ,additional fields	PASSED	0.490 s
3	Then User receives 201 Created Status with response body for program	PASSED	0.013 s



User creates request for a new batch for existing program with the LMS API endpoint

PASSED	DURATION - 0.741 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 5:15:07.247 PM // 5:15:07.988 PM /				
Batch features				
@PostRequest_CreateBatch				

#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request and request Body to create new Batch with mandatory ,additional fields	PASSED	0.544 s



#	Step / Hook Details	Status	Duration
3	Then User receives 201 Created Status with response body for newly created batch	PASSED	0.188 s

User creates request for a new batch for existing program and batch with the LMS API endpoint

SKIPPED	DURATION - 0.014 s		Steps Total - 3 Pass - 1 Fail - 0 Skip - 2	
/ 5:15:08.050 PM // 5:15:08.064 PM /				
Batch features				
@PostRequest_CreateBatch_2				

#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request and request Body to create new Batch with mandatory ,additional fields and previous batch id	SKIPPED	0.004 s
	Step undefined		
3	Then User receives 201 Created Status with response body for newly created batch with new batch id	SKIPPED	0.002 s
	Step undefined		



User creates request for a new batch for existing program with the LMS API endpoint

SKIPPED	DURATION - 0.013 s		Steps Total - 3 Pass - 1 Fail - 0 Skip - 2	
/ 5:15:08.088 PM // 5:15:08.101 PM /				
Batch features				
@PostRequest_CreateExistingBatch				

#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS Request and request Body to create new Batch with existing batch name	SKIPPED	0.002 s
	Step undefined		



#	Step / Hook Details	Status	Duration
3	Then User receives 400 Status with response body for existing batch	SKIPPED	0.003 s
	Step undefined		

User creates request for a deleting batch for existing program with the LMS API endpoint

PASSED	DURATION - 0.300 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 5:15:08.117 PM // 5:15:08.417 PM /				
Batch features				
@DeleteRequest_DeleteBatch				

#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS Request to delete Batch by batchId	PASSED	0.288 s
3	Then User receives 200 Status ok with response to delete batch by Id	PASSED	0.003 s

User able to delete a program with valid programId and mandatory request body

PASSED	DURATION - 0.297 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 5:15:08.431 PM // 5:15:08.728 PM /				
Batch features				
@DeleteRequest_DeleteProgramWithValidProgramID				

#	Step / Hook Details	Status	Duration
1	Given User creates request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS Request to delete a Program with valid program ID	PASSED	0.285 s
3	Then User receive 200 Status with response body for delete a program with valid Id	PASSED	0.003 s