

# Cucumber Report

Jul 26, 2023, 9:36:26 AM

Start : Jul 26, 9:36:14.524 AM

End : Jul 26, 9:36:26.342 AM

Duration : 11.818 s

Features



Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 20  
FAILED - 1  
SKIPPED - 0


PASSED - 62  
FAILED - 1  
SKIPPED - 0




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Assignment Scenario</u>	11.818 s	21	20	1	0	63	62	1	0

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@GetAllAssignments	1	1	0	0	1	0	1	0
@CreateProgram	1	1	0	0	1	0	1	0
@CreateBatch	1	1	0	0	1	0	1	0
@createUser	1	1	0	0	1	0	1	0
@createAssignmentwithmissingmandatoryfield	1	1	0	0	1	0	1	0
@createAssignment1	1	1	0	0	1	0	1	0
@PutByAssignmentId	1	1	0	0	1	0	1	0
@PutRequestMissingfield	1	1	0	0	1	0	1	0
@CreateAssignmentwithExistingValues	1	0	1	0	1	0	1	0
@GetByAssignmentId	1	1	0	0	1	0	1	0
@GetByBatchId	1	1	0	0	1	0	1	0
@DeleteAssignment	2	2	0	0	1	0	1	0
@DeleteAssignmentByInvalidId	1	1	0	0	1	0	1	0
@createAssignment2	1	1	0	0	1	0	1	0
@DeleteUser	1	1	0	0	1	0	1	0
@DeleteBatch	1	1	0	0	1	0	1	0
@DeleteProgram	1	1	0	0	1	0	1	0


<b>Tag</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>	<b>T</b>	<b>P</b>	<b>F</b>	<b>S</b>
@GetRequestByInvalidBatchId	1	1	0	0	1	0	1	0
@GetByInvalidAssignmentId	1	1	0	0	1	0	1	0
@GetByBatchIdwithNoAssignment	1	1	0	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Assignment Scenario</u>	21	20	1	0	11.818 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Assignment Scenario</u>	<u>Check if user able to retrieve a record with valid LMS API</u>	3	3	0	0	2.377 s
2	<u>Assignment Scenario</u>	<u>Create a new Program</u>	3	3	0	0	1.574 s
3	<u>Assignment Scenario</u>	<u>Create a new Batch</u>	3	3	0	0	0.508 s
4	<u>Assignment Scenario</u>	<u>Create a new User</u>	3	3	0	0	0.397 s
5	<u>Assignment Scenario</u>	<u>Check if user is able to add a record missing mandatory field</u>	3	3	0	0	0.571 s
6	<u>Assignment Scenario</u>	<u>Check if user able to add a record with valid endpoint and request body(non existing values)</u>	3	3	0	0	0.566 s
7	<u>Assignment Scenario</u>	<u>Check if user able to update a record with valid AssignmentID and mandatory request body</u>	3	3	0	0	0.366 s
8	<u>Assignment Scenario</u>	<u>Check if user able to update a record with missing field</u>	3	3	0	0	0.385 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
9	<u>Assignment Scenario</u>	<u>Check if user able to add a record with valid endpoint and request body(existing value)</u>	3	2	1	0	0.566 s
10	<u>Assignment Scenario</u>	<u>Check if user able to retrieve record with valid assignment ID</u>	3	3	0	0	0.348 s
11	<u>Assignment Scenario</u>	<u>Check if user able to retrieve record with valid Batch ID</u>	3	3	0	0	0.358 s
12	<u>Assignment Scenario</u>	<u>Check if user is able to delete arecord with valid assignment ID</u>	3	3	0	0	0.345 s
13	<u>Assignment Scenario</u>	<u>Check if user is able to delete arecord with invalid assignment ID</u>	3	3	0	0	0.317 s
14	<u>Assignment Scenario</u>	<u>Check if user able to add a record with valid endpoint and request body(non existing values)</u>	3	3	0	0	0.476 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
15	<u>Assignment Scenario</u>	<u>Check if user is able to delete arecord with valid assignment ID</u>	3	3	0	0	0.320 s
16	<u>Assignment Scenario</u>	<u>Delete User</u>	3	3	0	0	0.330 s
17	<u>Assignment Scenario</u>	<u>Delete Batch</u>	3	3	0	0	0.318 s
18	<u>Assignment Scenario</u>	<u>Delete Program</u>	3	3	0	0	0.334 s
19	<u>Assignment Scenario</u>	<u>Check if user able to retrieve record with invalid Batch ID</u>	3	3	0	0	0.346 s
20	<u>Assignment Scenario</u>	<u>Check if user able to retrieve record with invalid assignment ID</u>	3	3	0	0	0.320 s
21	<u>Assignment Scenario</u>	<u>Check if user able to retrieve record with valid Batch ID No Assignment</u>	3	3	0	0	0.359 s



## Assignment Scenario



FAILED	DURATION - 11.818 s	Scenarios		Steps	
/ 9:36:14.524 AM // 9:36:26.342 AM /		Total - 21		Total - 63	
		Pass - 20		Pass - 62	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

### Check if user able to retrieve a record with valid LMS API

<div>PASSED</div> <div>DURATION - 2.377 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:36:14.527 AM // 9:36:16.904 AM /</div>			
<div>Assignment Scenario</div>			
<div>@GetAllAssignments</div>			



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.633 s
2	When User sends HTTP request	PASSED	1.244 s
3	Then Validate response code 200 OK	PASSED	0.376 s

### Create a new Program

<div>PASSED</div> <div>DURATION - 1.574 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:36:16.966 AM // 9:36:18.540 AM /</div>			
<div>Assignment Scenario</div>			
<div>@CreateProgram</div>			



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request and request Body for Program with mandatory ,additional fields	PASSED	1.567 s
3	Then Validate response code 201	PASSED	0.002 s

### Create a new Batch

PASSED	DURATION - 0.508 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:36:18.549 AM // 9:36:19.057 AM /				
Assignment Scenario				
@CreateBatch				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request and request Body for Batch with mandatory ,additional fields	PASSED	0.500 s
3	Then Validate response code 201	PASSED	0.003 s

### Create a new User

PASSED	DURATION - 0.397 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:36:19.071 AM // 9:36:19.468 AM /				
Assignment Scenario				
@createUser				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request and request Body for User with mandatory ,additional fields	PASSED	0.389 s
3	Then Validate response code 201	PASSED	0.003 s

### Check if user is able to add a record missing mandatory field

<div>PASSED</div>	<div>DURATION - 0.571 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:36:19.477 AM // 9:36:20.048 AM /</div>				
<div>Assignment Scenario</div>				
<div>@createAssignmentwithmissingmandatoryfield</div>				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request and request Body for Assignment with missing mandatory field ,additional fields	PASSED	0.558 s
3	Then User receives 400 bad request with message and boolean success details	PASSED	0.005 s

### Check if user able to add a record with valid endpoint and request body(non existing values)

<div>PASSED</div> <div>DURATION - 0.566 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:36:20.066 AM // 9:36:20.632 AM /</div>			
<div>Assignment Scenario</div>			
<div>@createAssignment1</div>			



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request and request Body for Assignment with mandatory ,additional fields	PASSED	0.551 s
3	Then Validate response code 201	PASSED	0.006 s

### Check if user able to update a record with valid AssignmentID and mandatory request body

<b>PASSED</b>	DURATION - 0.366 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:36:20.643 AM // 9:36:21.009 AM /				
Assignment Scenario				
@PutByAssignmentId				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.003 s
2	When User sends HTTP Request for Put with valid Assignment ID	PASSED	0.349 s
3	Then Validate response code 200	PASSED	0.007 s

### Check if user able to update a record with missing field

<b>PASSED</b>	DURATION - 0.385 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:36:21.025 AM // 9:36:21.410 AM /				
Assignment Scenario				
@PutRequestMissingfield				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTP Request for Put with valid Assignment ID with missing field	PASSED	0.369 s
3	Then User receives 400 bad request with message and boolean success details	PASSED	0.006 s



### Check if user able to add a record with valid endpoint and request body(existing value)

<div>FAILED</div> <div>DURATION - 0.566 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:36:21.427 AM // 9:36:21.993 AM /</div>				
<div>Assignment Scenario</div>				
<div>@CreateAssignmentwithExistingValues</div>				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.003 s
2	When User sends HTTPS Request and request Body for Assignment with existing mandatory ,additional fields	PASSED	0.510 s
3	Then User receives 400 bad request with message and boolean success details <pre> java.lang.AssertionError: 1 expectation failed. Expected status code &lt;400&gt; but was &lt;201&gt;.   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)   at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)   at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)   at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57)   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263)   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)   at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)   at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)   at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)   at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy)   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)   at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)   at java.base/java.lang.reflect.Method.invoke(Method.java:568)   at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)   at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)   at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)   at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)   at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135)   at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source)   at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) </pre>	FAILED	0.041 s



#	Step / Hook Details	Status	Duration
	at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at api.StepDefinitions.AssignmentStepDef.user_receives_bad_request_with_message_and_boolean_success_details(AssignmentStepDef.java:175) at ?.User receives 400 bad request with message and boolean success details(file:///C:/Users/Ashrith/eclipse-workspace/Team09_APIValidators_RestAssured-phase2/src/test/resources/Features/Assignment.feature:57) * Not displayable characters are replaced by '?'.		

### Check if user able to retrieve record with valid assignment ID

<div>PASSED</div> <div>DURATION - 0.348 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 9:36:22.012 AM // 9:36:22.360 AM /</div>			
<div>Assignment Scenario</div>			
<div>@GetByAssignmentId</div>			

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTP Request with Assignment ID	PASSED	0.339 s
3	Then Validate response code 200	PASSED	0.005 s



### Check if user able to retrieve record with valid Batch ID

<div>PASSED</div> <div>DURATION - 0.358 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:36:22.378 AM // 9:36:22.736 AM /</div>			
<div>Assignment Scenario</div>			
<div>@GetByBatchId</div>			

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTP Request with Batch ID	PASSED	0.343 s



#	Step / Hook Details	Status	Duration
3	Then Validate response code 200	PASSED	0.006 s

### Check if user is able to delete arecord with valid assignment ID

PASSED	DURATION - 0.345 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:36:22.753 AM // 9:36:23.098 AM /				
Assignment Scenario				
@DeleteAssignment				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS delete Request for assignment	PASSED	0.327 s
3	Then Validate response code 200	PASSED	0.005 s

### Check if user is able to delete arecord with invalid assignment ID

PASSED	DURATION - 0.317 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 9:36:23.115 AM // 9:36:23.432 AM /				
Assignment Scenario				
@DeleteAssignmentByInvalidId				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS delete Request for assignment	PASSED	0.308 s
3	Then User receives 404 not found with message and boolean success details	PASSED	0.001 s

### Check if user able to add a record with valid endpoint and request body(non existing values)

<b>PASSED</b>	<b>DURATION - 0.476 s</b>		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:36:23.437 AM // 9:36:23.913 AM /				
<b>Assignment Scenario</b>				
@createAssignment2				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.000 s
2	When User sends HTTPS Request and request Body for Assignment2 with mandatory ,additional fields	PASSED	0.470 s
3	Then Validate response code 201	PASSED	0.003 s



### Check if user is able to delete arecord with valid assignment ID

<b>PASSED</b>	<b>DURATION - 0.320 s</b>		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:36:23.923 AM // 9:36:24.243 AM /				
<b>Assignment Scenario</b>				
@DeleteAssignment				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS delete Request for assignment2	PASSED	0.308 s
3	Then Validate response code 200	PASSED	0.004 s



### Delete User



<b>PASSED</b>	DURATION - 0.330 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:36:24.263 AM // 9:36:24.593 AM /				
Assignment Scenario				
@DeleteUser				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS delete Request for User	PASSED	0.315 s
3	Then Validate response code 200	PASSED	0.006 s

### Delete Batch

<b>PASSED</b>	DURATION - 0.318 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:36:24.605 AM // 9:36:24.923 AM /				
Assignment Scenario				
@DeleteBatch				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS delete Request for Batch	PASSED	0.309 s
3	Then Validate response code 200	PASSED	0.006 s

### Delete Program

<b>PASSED</b>	DURATION - 0.334 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:36:24.941 AM // 9:36:25.275 AM /				
Assignment Scenario				
@DeleteProgram				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS delete Request for Program	PASSED	0.319 s
3	Then Validate response code 200	PASSED	0.004 s

### Check if user able to retrieve record with invalid Batch ID

<b>PASSED</b>	DURATION - 0.346 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 9:36:25.292 AM // 9:36:25.638 AM /				
Assignment Scenario				
@GetRequestByInvalidBatchId				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.003 s
2	When User sends HTTP Request with Batch ID	PASSED	0.327 s
3	Then User receives 404 not found with message and boolean success details	PASSED	0.004 s

### Check if user able to retrieve record with invalid assignment ID

PASSED		DURATION - 0.320 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 9:36:25.648 AM // 9:36:25.968 AM /						
Assignment Scenario						
@GetByInvalidAssignmentId						

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTP Request with Assignment ID	PASSED	0.309 s
3	Then User receives 404 not found with message and boolean success details	PASSED	0.005 s

### Check if user able to retrieve record with valid Batch ID No Assignment

<div>PASSED</div>	<div>DURATION - 0.359 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 9:36:25.983 AM // 9:36:26.342 AM /</div>				
<div>Assignment Scenario</div>				
<div>@GetByBatchIdwithNoAssignment</div>				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.003 s
2	When User sends HTTP Request with valid Batch ID no assignment	PASSED	0.345 s
3	Then User receives 404 not found with message and boolean success details	PASSED	0.001 s