

# Cucumber Report

Jul 26, 2023, 12:32:25 PM

**Start : Jul 26, 12:32:13.946 PM**

**End : Jul 26, 12:32:25.588 PM**

**Duration : 11.642 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 20**



**FAILED - 1**

**SKIPPED - 0**

**PASSED - 62**

**FAILED - 1**


**SKIPPED - 0**




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Assignment Scenario</u>	11.642 s	21	20	1	0	63	62	1	0

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@CreateProgram	1	1	0	0	1	0	1	0
@CreateBatch	1	1	0	0	1	0	1	0
@createUser	1	1	0	0	1	0	1	0
@createAssignmentwithmissingmandatoryfield	1	1	0	0	1	0	1	0
@createAssignment1	1	1	0	0	1	0	1	0
@PutByAssignmentId	1	0	1	0	1	0	1	0
@PutRequestMandatoryMissingfield	1	1	0	0	1	0	1	0
@CreateAssignmentwithExistingValues	1	1	0	0	1	0	1	0
@GetByAssignmentId	1	1	0	0	1	0	1	0
@GetByBatchId	1	1	0	0	1	0	1	0
@DeleteAssignment	2	2	0	0	1	0	1	0
@DeleteAssignmentByInvalidId	1	1	0	0	1	0	1	0
@createAssignment2	1	1	0	0	1	0	1	0
@DeleteUser	1	1	0	0	1	0	1	0
@DeleteBatch	1	1	0	0	1	0	1	0
@DeleteProgram	1	1	0	0	1	0	1	0
@GetRequestByInvalidBatchId	1	1	0	0	1	0	1	0


<b>Tag</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>
@GetByInvalidAssignmentId	1	1	0	0	1	0	1	0
@GetByBatchIdwithNoAssignment	1	1	0	0	1	0	1	0
@PutByInvalidAssignmentId	1	1	0	0	1	0	1	0




#	Feature Name	T	P	F	S	Duration
1	<u>Assignment Scenario</u>	21	20	1	0	11.642 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Assignment Scenario</u>	<u>Create a new Program</u>	3	3	0	0	3.270 s
2	<u>Assignment Scenario</u>	<u>Create a new Batch</u>	3	3	0	0	0.568 s
3	<u>Assignment Scenario</u>	<u>Create a new User</u>	3	3	0	0	0.339 s
4	<u>Assignment Scenario</u>	<u>Check if user is able to add a record missing mandatory field</u>	3	3	0	0	0.550 s
5	<u>Assignment Scenario</u>	<u>Check if user able to add a record with valid endpoint and request body(non existing values)</u>	3	3	0	0	0.609 s
6	<u>Assignment Scenario</u>	<u>Check if user able to update a record with valid AssignmentID and mandatory request body</u>	3	2	1	0	0.451 s
7	<u>Assignment Scenario</u>	<u>Check if user able to update a record with missing field</u>	3	3	0	0	0.284 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
8	<u>Assignment Scenario</u>	<u>Check if user able to add a record with valid endpoint and request body(existing value)</u>	3	3	0	0	0.431 s
9	<u>Assignment Scenario</u>	<u>Check if user able to retrieve record with valid assignment ID</u>	3	3	0	0	0.362 s
10	<u>Assignment Scenario</u>	<u>Check if user able to retrieve record with valid Batch ID</u>	3	3	0	0	0.323 s
11	<u>Assignment Scenario</u>	<u>Check if user is able to delete arecord with valid assignment ID</u>	3	3	0	0	0.286 s
12	<u>Assignment Scenario</u>	<u>Check if user is able to delete arecord with invalid assignment ID</u>	3	3	0	0	0.289 s
13	<u>Assignment Scenario</u>	<u>Check if user able to add a record with valid endpoint and request body(non existing values)</u>	3	3	0	0	0.518 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
14	<u>Assignment Scenario</u>	<u>Check if user is able to delete arecord with valid assignment ID</u>	3	3	0	0	0.281 s
15	<u>Assignment Scenario</u>	<u>Delete User</u>	3	3	0	0	0.483 s
16	<u>Assignment Scenario</u>	<u>Delete Batch</u>	3	3	0	0	0.380 s
17	<u>Assignment Scenario</u>	<u>Delete Program</u>	3	3	0	0	0.375 s
18	<u>Assignment Scenario</u>	<u>Check if user able to retrieve record with invalid Batch ID</u>	3	3	0	0	0.365 s
19	<u>Assignment Scenario</u>	<u>Check if user able to retrieve record with invalid assignment ID</u>	3	3	0	0	0.342 s
20	<u>Assignment Scenario</u>	<u>Check if user able to retrieve record with valid Batch ID No Assignment</u>	3	3	0	0	0.296 s
21	<u>Assignment Scenario</u>	<u>Check if user able to update a record with invalid AssignmentID and mandatory request body</u>	3	3	0	0	0.465 s



## Assignment Scenario



<b>FAILED</b>	DURATION - 11.642 s	Scenarios Total - 21 Pass - 20 Fail - 1 Skip - 0		Steps Total - 63 Pass - 62 Fail - 1 Skip - 0	
/ 12:32:13.946 PM // 12:32:25.588 PM /					

## Create a new Program

<b>PASSED</b>	DURATION - 3.270 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:32:13.949 PM // 12:32:17.219 PM /				
Assignment Scenario				
@CreateProgram				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.615 s
2	When User sends HTTPS Request and request Body for Program with mandatory ,additional fields	PASSED	2.512 s
3	Then Validate response code 201	PASSED	0.023 s

## Create a new Batch

<b>PASSED</b>	DURATION - 0.568 s		Steps Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:32:17.281 PM // 12:32:17.849 PM /				
Assignment Scenario				
@CreateBatch				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS Request and request Body for Batch with mandatory ,additional fields	PASSED	0.557 s
3	Then Validate response code 201	PASSED	0.004 s

### Create a new User

PASSED	DURATION - 0.339 s		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 12:32:17.864 PM // 12:32:18.203 PM /				
Assignment Scenario				
@createUser				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS Request and request Body for User with mandatory ,additional fields	PASSED	0.327 s
3	Then Validate response code 201	PASSED	0.005 s

### Check if user is able to add a record missing mandatory field

PASSED	DURATION - 0.550 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:32:18.212 PM // 12:32:18.762 PM /				
Assignment Scenario				
@createAssignmentwithmissingmandatoryfield				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.003 s
2	When User sends HTTPS Request and request Body for Assignment with missing mandatory field ,additional fields	PASSED	0.536 s
3	Then User receives 400 bad request with message and boolean success details	PASSED	0.003 s

### Check if user able to add a record with valid endpoint and request body(non existing values)

<div>PASSED</div>	<div>DURATION - 0.609 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:32:18.781 PM // 12:32:19.390 PM /</div>				
<div>Assignment Scenario</div>				
<div>@createAssignment1</div>				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS Request and request Body for Assignment with mandatory ,additional fields	PASSED	0.597 s
3	Then Validate response code 201	PASSED	0.003 s



### Check if user able to update a record with valid AssignmentID and mandatory request body

<div>FAILED</div> <div>DURATION - 0.451 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 12:32:19.396 PM // 12:32:19.847 PM /				
Assignment Scenario				
@PutByAssignmentId				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTP Request for Put with valid Assignment ID	PASSED	0.434 s
3	Then User receives 200 ok with updated value in response body  io.cucumber.core.exception.CucumberException: Step [User receives 200 ok with updated value in response body] is defined with 1 parameters at 'api.StepDefinitions.AssignmentStepDef.User_receives_OK_with_updated_value_in_response_body(java.lang.Integer)'. However, the gherkin step has 0 arguments. Step text: User receives 200 ok with updated value in response body at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:135) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:64) at io.cucumber.core.runner.TestStep.run(TestStep.java:49)	FAILED	0.010 s



#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:46) at io.cucumber.core.runner.TestCase.run(TestCase.java:51) at io.cucumber.core.runner.Runner.runPickle(Runner.java:66) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:149) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:83) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:24) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:185) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:83) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.junit.Cucumber\$RunCucumber.evaluate(Cucumber.java:219) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.eclipse.jdt.internal.junit4.runner.JUnit4TestReference.run(JUnit4TestReference.java:93) at org.eclipse.jdt.internal.junit.runner.TestExecution.run(TestExecution.java:40) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:529) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.runTests(RemoteTestRunner.java:756) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.run(RemoteTestRunner.java:452) at org.eclipse.jdt.internal.junit.runner.RemoteTestRunner.main(RemoteTestRunner.java:210)		

### Check if user able to update a record with missing field

<div>PASSED</div>	<div>DURATION - 0.284 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 12:32:19.886 PM // 12:32:20.170 PM /				
Assignment Scenario				
@PutRequestMandatoryMissingfield				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTP Request for Put with valid Assignment ID with missing field	PASSED	0.274 s
3	Then User receives 400 bad request with message and boolean success details	PASSED	0.002 s

### Check if user able to add a record with valid endpoint and request body(existing value)

PASSED		DURATION - 0.431 s			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>		
/ 12:32:20.175 PM // 12:32:20.606 PM /							
Assignment Scenario							
@CreateAssignmentwithExistingValues							



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request and request Body for Assignment with existing mandatory ,additional fields	PASSED	0.417 s
3	Then User receives 400 bad request with message and boolean success details	PASSED	0.008 s

### Check if user able to retrieve record with valid assignment ID

PASSED	DURATION - 0.362 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:32:20.625 PM // 12:32:20.987 PM /				
Assignment Scenario				
@GetByAssignmentId				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTP Request with Assignment ID	PASSED	0.344 s
3	Then User receives 200 ok with response body	PASSED	0.007 s

**Check if user able to retrieve record with valid Batch ID**

<div>PASSED</div> <div>DURATION - 0.323 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 12:32:21.005 PM // 12:32:21.328 PM /</div>			
<div>Assignment Scenario</div>			
<div>@GetByBatchId</div>			

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTP Request with Batch ID	PASSED	0.301 s
3	Then User receives 200 ok with response body	PASSED	0.009 s

**Check if user is able to delete arecord with valid assignment ID**

<div>PASSED</div>	<div>DURATION - 0.286 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 12:32:21.347 PM // 12:32:21.633 PM /				
Assignment Scenario				
@DeleteAssignment				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS delete Request for assignment	PASSED	0.271 s
3	Then User receives 200 ok with response body	PASSED	0.007 s

**Check if user is able to delete arecord with invalid assignment ID**

<b>PASSED</b>	DURATION - 0.289 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:32:21.652 PM // 12:32:21.941 PM /				
Assignment Scenario				
@DeleteAssignmentByInvalidId				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS delete Request for assignment	PASSED	0.277 s
3	Then User receives 404 not found with message and boolean success details	PASSED	0.003 s

### Check if user able to add a record with valid endpoint and request body(non existing values)

<b>PASSED</b>	DURATION - 0.518 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:32:21.949 PM // 12:32:22.467 PM /				
Assignment Scenario				
@createAssignment2				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS Request and request Body for Assignment2 with mandatory ,additional fields	PASSED	0.500 s
3	Then Validate response code 201	PASSED	0.003 s

### Check if user is able to delete arecord with valid assignment ID

<b>PASSED</b>	DURATION - 0.281 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:32:22.478 PM // 12:32:22.759 PM /				
Assignment Scenario				
@DeleteAssignment				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTPS delete Request for assignment2	PASSED	0.269 s
3	Then User receives 200 ok with response body	PASSED	0.004 s



### Delete User

<b>PASSED</b>	DURATION - 0.483 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:32:22.776 PM // 12:32:23.259 PM /				
Assignment Scenario				
@DeleteUser				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS delete Request for User	PASSED	0.462 s
3	Then Validate response code 200	PASSED	0.010 s



### Delete Batch



<b>PASSED</b>	DURATION - 0.380 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:32:23.276 PM // 12:32:23.656 PM /				
Assignment Scenario				
@DeleteBatch				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.003 s
2	When User sends HTTPS delete Request for Batch	PASSED	0.364 s
3	Then Validate response code 200	PASSED	0.006 s

### Delete Program

<b>PASSED</b>	DURATION - 0.375 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:32:23.686 PM // 12:32:24.061 PM /				
Assignment Scenario				
@DeleteProgram				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTPS delete Request for Program	PASSED	0.366 s
3	Then Validate response code 200	PASSED	0.005 s

### Check if user able to retrieve record with invalid Batch ID

<b>PASSED</b>	DURATION - 0.365 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:32:24.069 PM // 12:32:24.434 PM /				
Assignment Scenario				
@GetRequestByInvalidBatchId				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.001 s
2	When User sends HTTP Request with Batch ID	PASSED	0.355 s
3	Then User receives 404 not found with message and boolean success details	PASSED	0.004 s

### Check if user able to retrieve record with invalid assignment ID

<b>PASSED</b>	DURATION - 0.342 s		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:32:24.450 PM // 12:32:24.792 PM /				
Assignment Scenario				
@GetByInvalidAssignmentId				



#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.003 s
2	When User sends HTTP Request with Assignment ID	PASSED	0.324 s
3	Then User receives 404 not found with message and boolean success details	PASSED	0.004 s

### Check if user able to retrieve record with valid Batch ID No Assignment

<div>PASSED</div> <div>DURATION - 0.296 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 12:32:24.810 PM // 12:32:25.106 PM /				
Assignment Scenario				
@GetByBatchIdwithNoAssignment				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.005 s
2	When User sends HTTP Request with valid Batch ID no assignment	PASSED	0.277 s
3	Then User receives 404 not found with message and boolean success details	PASSED	0.005 s

### Check if user able to update a record with invalid AssignmentID and mandatory request body

<div>PASSED</div>	<div>DURATION - 0.465 s</div>	<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 3</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:32:25.123 PM // 12:32:25.588 PM /</div>				
<div>Assignment Scenario</div>				
<div>@PutByInvalidAssignmentId</div>				

#	Step / Hook Details	Status	Duration
1	Given User creates Request for the LMS API endpoint	PASSED	0.002 s
2	When User sends HTTP Request for Put with valid Assignment ID	PASSED	0.458 s
3	Then User receives 404 not found with message and boolean success details	PASSED	0.001 s