

# Rajalakshmi Engineering College

Name: Prince Rohith  
Email: 240701399@rajalakshmi.edu.in  
Roll no: 240701399  
Phone: 6369941431  
Branch: REC  
Department: CSE - Section 5  
Batch: 2028  
Degree: B.E - CSE

Scan to verify results



## 2024\_28\_III\_OOPS Using Java Lab

### 2028\_REC\_OOPS using Java\_Week 1\_CY

Attempt : 1  
Total Mark : 40  
Marks Obtained : 40

#### Section 1 : Coding

##### 1. Problem Statement:

Tom is tasked with writing a program that determines whether a given integer is the square of another integer. A perfect square is a number that can be expressed as the square of an integer. The program should take an integer as input and determine if it is a perfect square or not.

The task is to implement the logic to check if the provided integer is the square of an integer and return the result.

##### ***Input Format***

The first line of the input contains an integer, "input", where |input| represents the absolute value of the integer.

##### ***Output Format***

The output should display a boolean value, "result," which should be set to true if the input is a perfect square (the square of an integer), and false if it is not.

Refer to the sample output for formatting specifications.

### **Sample Test Case**

Input: 16

Output: Is the integer a perfect square? true

### **Answer**

```
import java.io.*;
import java.util.Scanner;

class Main {
    public static void main(String args[]) {
        Scanner sc = new Scanner(System.in);
        int a = sc.nextInt();
        int b = (int) Math.sqrt(a);
        boolean r = b*b == a;
        System.out.println("Is the integer a perfect square? " + r);
        sc.close();
    }
}
```

**Status :** Correct

**Marks :** 10/10

## **2. Problem Statement**

In a logistics company, each delivery pack contains a specific number of items, and the priority customer receives double the amount. Write a program to determine the total number of delivery packs required for the operation, considering the number of items per pack and the number of customers given as input by the user.

### **Example**

Input:

Number of items per pack = 96

Number of customers = 8

Output:

10

Explanation:

Given the number of items per pack = 96 and the number of customers = 8, the calculations are as follows:

Total number of items needed = number of items per pack \* number of customers =  $96 * 8 = 768$ . Priority customer's share = double the amount of items per pack =  $2 * 96 = 192$ . Total items with the priority customer = total items needed + priority share =  $768 + 192 = 960$ . Number of packs needed =  $(960 + 96 - 1) / 96 = 10.98$ . Since we cannot have a fraction of a pack, the output is 10.

### ***Input Format***

The input consists of two space-separated integers N and C, representing the number of items per pack and the number of customers.

### ***Output Format***

The output displays an integer, representing the total number of delivery packs required for the operation.

Refer to the sample output for formatting specifications.

### ***Sample Test Case***

Input: 1 1

Output: 3

### ***Answer***

```
import java.io.*;
import java.util.Scanner;

class Main {
    public static void main(String args[]) {
```

```
Scanner sc = new Scanner(System.in);
int nip = sc.nextInt();
int nc = sc.nextInt();
int tin = nip * nc;
int pc = 2 * nip;
int tipc = tin + pc;
int pn = (tipc + nip - 1)/nip;
System.out.println(pn);
sc.close();
}
}
```

**Status :** Correct

**Marks :** 10/10

### 3. Problem Statement:

Gilbert is tasked with writing a program that checks whether a given integer is an odd number. An odd number is one that cannot be exactly divided by 2. The program should take an integer as input and determine if it is an odd number or not. The task is to implement the logic to check if the provided integer is odd and return the result.

#### ***Input Format***

The first line of the input contains an integer, "input".

#### ***Output Format***

The output should display a boolean value, "result," which should be set to true if the input integer is an odd number and false if it is even.

Refer to the sample output for formatting specifications.

#### ***Sample Test Case***

Input: 0

Output: Is the integer odd? false

#### ***Answer***

```
import java.io.*;
```

```
import java.util.Scanner;

class Main {
    public static void main(String args[]) {
        Scanner sc = new Scanner(System.in);
        int n = sc.nextInt();
        boolean r = n%2 != 0;
        System.out.println("Is the integer odd? " + r);
        sc.close();
    }
}
```

**Status :** Correct

**Marks :** 10/10

#### 4. Problem Statement:

"Write a program that helps identify the type of a triangle based on the lengths of its three sides. The program prompts the user to input the lengths of sides 'a,' 'b,' and 'c,' and then it classifies the triangle as 'Equilateral' if all sides are equal, 'Isosceles' if two sides are equal, or 'Scalene' if all sides are different. Can you provide the Java code for this task?"

#### **Input Format**

The first line of the input is an integer 'a' representing the length of side 'a.'

The second line of the input is an integer 'b' representing the length of side 'b.'

The third line of the input is an integer 'c' representing the length of side 'c.'

#### **Output Format**

The program outputs a single line that specifies the type of the triangle: "Equilateral," "Isosceles," or "Scalene."

#### **Sample Test Case**

Input: 3

4

5

Output: The triangle is Scalene

**Answer**

```
import java.io.*;
import java.util.Scanner;

class Main {
    public static void main(String args[]) {
        Scanner sc = new Scanner(System.in);
        int a = sc.nextInt();
        int b = sc.nextInt();
        int c = sc.nextInt();
        String s = (a == b) && (b == c) && (a == c) ? "Equilateral" : "Isosceles";
        s = (a != b) && (b != c) && (a != c) ? "Scalene" : s;
        System.out.println("The triangle is " + s);
        sc.close();
    }
}
```

**Status :** Correct

**Marks :** 10/10