

Date: 04.11.2024 Ex.no:12

WORKING WITH CURSOR,PROCEDURES AND FUNCTION**Program 1**

FACTORIAL OF A NUMBER USING FUNCTION

CREATE OR REPLACE FUNCTION itfact (a NUMBER) RETURN NUMBER

IS fact NUMBER := 1; b NUMBER;

BEGIN

b := a;

WHILE b > 0 LOOP

fact :=

fact * b; b := b -

1;

END LOOP;

RETURN fact;

END;

/

Function created.

DECLARE result NUMBER;

BEGIN

result := itfact(7); -- Call the function with 7 as input

DBMS_OUTPUT.PUT_LINE('The factorial of 7 is ' || result);

END;

/

The factorial of 7 is 5040

Statement processed.

Program 2

Write a PL/SQL program using Procedures IN,INOUT,OUT parameters to retrieve the corresponding book information in library

-- Create a simple table for the library books

```
CREATE TABLE      library ( book_id
  INT PRIMARY KEY, book_name
  VARCHAR2(100),
  author_name
  VARCHAR2(100)
);
```

-- Sample data insertion

```
INSERT INTO library VALUES (1, 'Introduction to PL/SQL', 'John Doe'); INSERT
INTO library VALUES (2, 'Advanced SQL', 'Jane Smith');
```

-- Procedure to retrieve book information

```
CREATE OR REPLACE PROCEDURE get_book_info (
  p_book_id IN INT, p_book_name IN OUT
  VARCHAR2, p_author_name OUT VARCHAR2
) IS
```

BEGIN

-- Retrieve book information based on the book_id

```
SELECT book_name, author_name
INTO p_book_name, p_author_name
FROM library
WHERE book_id = p_book_id;
```

-- Modify book_name if needed (optional, based on INOUT)

```
p_book_name := p_book_name || ' - Updated'; END;
/
```

-- Test the procedure

```
DECLARE v_book_name
  VARCHAR2(100); v_author_name
  VARCHAR2(100);
```

BEGIN

v_book_name := 'Sample Book'; -- Initial value

get_book_info(1, v_book_name, v_author_name); -- Fetch book info for ID 1

```
DBMS_OUTPUT.PUT_LINE('Book Name: ' || v_book_name); -- Output modified book
name
```

```
DBMS_OUTPUT.PUT_LINE('Author Name: ' || v_author_name); -- Output author  
name END;
```

/

Book Name: Introduction to PL/SQL - Updated
Author Name: John Doe

Statement processed.