# Rajalakshmi Engineering College

Name: Priyan S

Email: 240701402@rajalakshmi.edu.in

Roll no: 240701402 Phone: 9150170939

Branch: REC

Department: I CSE FD

Batch: 2028

Degree: B.E - CSE



### NeoColab\_REC\_CS23231\_DATA STRUCTURES

REC\_DS using C\_Week 2\_COD\_Question 4

Attempt : 1 Total Mark : 10 Marks Obtained : 10

Section 1: Coding

#### 1. Problem Statement

Ravi is developing a student registration system for a college. To efficiently store and manage the student IDs, he decides to implement a doubly linked list where each node represents a student's ID.

In this system, each student's ID is stored sequentially, and the system needs to display all registered student IDs in the order they were entered.

Implement a program that creates a doubly linked list, inserts student IDs, and displays them in the same order.

#### **Input Format**

The first line contains an integer N the number of student IDs.

The second line contains N space-separated integers representing the student IDs.

## Output Format

The output should display the single line containing N space-separated integers representing the student IDs stored in the doubly linked list.

Refer to the sample output for formatting specifications.

#### Sample Test Case

```
Input: 5
   10 20 30 40 50
Output: 10 20 30 40 50
   Answer
   // You are using GCC
   #include<stdio.h>
   #include<stdlib.h>
   struct node{
     int id;
     struct node *prev;
      struct node *next;
   struct node *head=NULL;
struct node *tail=NULL;
   void insert(int id){
     struct node *newnode=(struct node*)malloc(sizeof(node));
     newnode->id=id:
      newnode->next=NULL;
     if(head==NULL){
        newnode->prev=NULL;
        head=newnode;
        tail=newnode:
      else{
        tail->next=newnode;
        newnode->prev=tail;
```

```
tail=newnode;
                                                                             240101402
                                                    240707402
                          240707402
     void display(){
       struct node *temp=head;
       while(temp!=NULL){
         printf("%d ",temp->id);
         temp=temp->next;
       }
       printf("\n");
                          240/01402
     int main()
       int n,id;
       scanf("%d",&n);
       for(int i=0;i< n;i++){
         scanf("%d",&id);
         insert(id);
       }
       display();
       return 0;
```

Status : Correct

240101402

0,401014,01

Marks : 10/10