

```
import
java.sql.Conn
ection;
```

```
import java.sql.DriverManager;
```

```
import java.sql.ResultSet;
```

```
import java.sql.Statement;
```

```
import java.text.SimpleDateFormat;
```

```
import java.util.Date;
```

```
/*
```

```
 * To change this license header, choose License Headers in Project
Properties.
```

```
 * To change this template file, choose Tools | Templates
```

```
 * and open the template in the editor.
```

```
*/
```

```
/**
```

```
 *
```

```
 * @author MY LAP1
```

```
*/
```

```
public class UserDesh extends javax.swing.JFrame {
```

```
 /**
```

```
 * Creates new form UserDesh
```

```

*/

public UserDesh(int uid) {

    initComponents();

    try{

        Class.forName("com.mysql.jdbc.Driver").newInstance();

        Connection
cn=DriverManager.getConnection("jdbc:mysql://localhost:3306/bank","root","");

        SimpleDateFormat formatter = new SimpleDateFormat("dd/MM/yyyy
HH:mm:ss");

        Date date = new Date();

        jLabel4.setText(formatter.format(date));

        Statement smt=cn.createStatement();

        ResultSet rs=smt.executeQuery("select * from user where
uid='"+uid+"'");


        if(rs.next()){

            jLabel12.setText(rs.getString(2));

            jLabel13.setText(rs.getString(3));

        }else{

        }

    }catch(Exception e){}

}

```

```

        private UserDesh() {

            throw new UnsupportedOperationException("Not supported yet.");
//To change body of generated methods, choose Tools | Templates.

        }

        /**
         * This method is called from within the constructor to initialize the
         form.
         * WARNING: Do NOT modify this code. The content of this method is
         always
         * regenerated by the Form Editor.
         */

        @SuppressWarnings("unchecked")
        // <editor-fold defaultstate="collapsed" desc="Generated Code">//GEN-
        BEGIN:initComponents

        private void initComponents() {

            jPanel1 = new javax.swing.JPanel();
            jLabel1 = new javax.swing.JLabel();
            jButton1 = new javax.swing.JButton();
            jLabel2 = new javax.swing.JLabel();
            jLabel3 = new javax.swing.JLabel();
            jButton2 = new javax.swing.JButton();
            jButton3 = new javax.swing.JButton();
            jLabel4 = new javax.swing.JLabel();
            jButton4 = new javax.swing.JButton();
            jButton7 = new javax.swing.JButton();
            jButton8 = new javax.swing.JButton();

```

```

jButton9 = new javax.swing.JButton();
jButton10 = new javax.swing.JButton();
jButton11 = new javax.swing.JButton();
jButton12 = new javax.swing.JButton();

setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);

jPanel1.setBackground(new java.awt.Color(204, 255, 204));

jLabel1.setFont(new java.awt.Font("Arial Unicode MS", 0, 24)); //
NOI18N
jLabel1.setText("WelCome To STAR BANK");

javax.swing.GroupLayout jPanel1Layout = new
javax.swing.GroupLayout(jPanel1);
jPanel1.setLayout(jPanel1Layout);
jPanel1Layout.setHorizontalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
G)

        .addGroup(jPanel1Layout.createSequentialGroup()

            .addGap(72, 72, 72)

            .addComponent(jLabel1)

            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))

        );
jPanel1Layout.setVerticalGroup(

```

```

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel1Layout.createSequentialGroup()

        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)

        .addComponent(jLabel1)

        .addContainerGap())

    );

    jButton1.setText("LogOut");
    jButton1.addActionListener(new java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent evt) {
            jButton1ActionPerformed(evt);
        }
    });

    jLabel2.setFont(new java.awt.Font("Arial Unicode MS", 0, 16)); //
NOI18N

    jLabel3.setFont(new java.awt.Font("Arial Unicode MS", 0, 16)); //
NOI18N

    jButton2.setText("My Account");
    jButton2.addActionListener(new java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent evt) {
            jButton2ActionPerformed(evt);
        }
    });

```

```
jButton3.setText("Transition History");

jLabel4.setFont(new java.awt.Font("Arial Unicode MS", 0, 16)); //
NOI18N

jButton4.setText("Transfer");

jButton7.setText("Requests");
jButton7.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton7ActionPerformed(evt);
    }
});

jButton8.setText("Services");

jButton9.setText("Quick Transfer");

jButton10.setText("Top Up & Recharge");
jButton10.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton10ActionPerformed(evt);
    }
});

jButton11.setText(" Bill Payments");
```

```

jButton12.setText("Debit cardService");

    javax.swing.GroupLayout layout = new
javax.swing.GroupLayout(getContentPane());

    getContentPane().setLayout(layout);

    layout.setHorizontalGroup(

layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

        .addComponent(jPanel1,
javax.swing.GroupLayout.Alignment.TRAILING,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)

        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
layout.createSequentialGroup()

            .add(ContainerGap())

            .addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

                .addGroup(layout.createSequentialGroup()

                    .addGroup(layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)

                        .addGroup(javax.swing.GroupLayout.Alignment.TR
AILING, layout.createSequentialGroup()

                            .addGroup(layout.createParallelGroup(javax
.swing.GroupLayout.Alignment.LEADING)

                                .addComponent(jButton2,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)

                                .addComponent(jButton10,
javax.swing.GroupLayout.DEFAULT_SIZE, 146, Short.MAX_VALUE))

                            .addGap(10, 10, 10)

                            .addGroup(layout.createParallelGroup(javax
.swing.GroupLayout.Alignment.LEADING, false)

```

```

        .addGroup(layout.createSequentialGroup
()

        .addComponent(jButton4,
javax.swing.GroupLayout.PREFERRED_SIZE, 147,
javax.swing.GroupLayout.PREFERRED_SIZE)

        .addPreferredGap(javax.swing.Layou
tStyle.ComponentPlacement.RELATED)

        .addComponent(jButton3,
javax.swing.GroupLayout.PREFERRED_SIZE, 152,
javax.swing.GroupLayout.PREFERRED_SIZE))

        .addGroup(layout.createSequentialGroup
()

        .addComponent(jButton11,
javax.swing.GroupLayout.PREFERRED_SIZE, 147,
javax.swing.GroupLayout.PREFERRED_SIZE)

        .addPreferredGap(javax.swing.Layou
tStyle.ComponentPlacement.RELATED, javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)

        .addComponent(jButton12,
javax.swing.GroupLayout.PREFERRED_SIZE, 152,
javax.swing.GroupLayout.PREFERRED_SIZE))))

        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING, layout.createSequentialGroup()

        .addComponent(jButton7,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)

        .addGap(10, 10, 10)

        .addComponent(jButton8,
javax.swing.GroupLayout.PREFERRED_SIZE, 147,
javax.swing.GroupLayout.PREFERRED_SIZE)

        .addPreferredGap(javax.swing.LayoutStyle.C
omponentPlacement.RELATED)

        .addComponent(jButton9,
javax.swing.GroupLayout.PREFERRED_SIZE, 152,
javax.swing.GroupLayout.PREFERRED_SIZE)))

```



```

        .addContainerGap())

        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
layout.createSequentialGroup())

        .addGap(0, 0, Short.MAX_VALUE)

        .addGroup(layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)

        .addGroup(javax.swing.GroupLayout.Alignment.TR
AILING, layout.createSequentialGroup())

        .addComponent(jLabel4,
javax.swing.GroupLayout.PREFERRED_SIZE, 207,
javax.swing.GroupLayout.PREFERRED_SIZE)

        .addGap(23, 23, 23))

        .addGroup(javax.swing.GroupLayout.Alignment.TR
AILING, layout.createSequentialGroup())

        .addComponent(jLabel3,
javax.swing.GroupLayout.PREFERRED_SIZE, 154,
javax.swing.GroupLayout.PREFERRED_SIZE)

        .addGap(18, 18, 18)

        .addComponent(jLabel2,
javax.swing.GroupLayout.PREFERRED_SIZE, 153,
javax.swing.GroupLayout.PREFERRED_SIZE)

        .addGap(22, 22, 22)

        .addComponent(jButton1)

        .addContainerGap()))))

    );

    layout.setVerticalGroup(

layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

        .addGroup(layout.createSequentialGroup())

        .addComponent(jPanel1,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)

```

```
.addGap(12, 12, 12)

.addComponent(jLabel4,
javax.swing.GroupLayout.PREFERRED_SIZE, 21,
javax.swing.GroupLayout.PREFERRED_SIZE)

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)

.addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.TRAILING)

.addComponent(jLabel2,
javax.swing.GroupLayout.PREFERRED_SIZE, 23,
javax.swing.GroupLayout.PREFERRED_SIZE)

.addComponent(jButton1)

.addComponent(jLabel3,
javax.swing.GroupLayout.PREFERRED_SIZE, 23,
javax.swing.GroupLayout.PREFERRED_SIZE))

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED, 39, Short.MAX_VALUE)

.addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)

.addComponent(jButton2,
javax.swing.GroupLayout.PREFERRED_SIZE, 82,
javax.swing.GroupLayout.PREFERRED_SIZE)

.addComponent(jButton4,
javax.swing.GroupLayout.PREFERRED_SIZE, 82,
javax.swing.GroupLayout.PREFERRED_SIZE)

.addComponent(jButton3,
javax.swing.GroupLayout.PREFERRED_SIZE, 82,
javax.swing.GroupLayout.PREFERRED_SIZE))

.addGap(18, 18, 18)

.addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)

.addComponent(jButton11,
javax.swing.GroupLayout.PREFERRED_SIZE, 82,
javax.swing.GroupLayout.PREFERRED_SIZE)
```

```

        .addComponent(jButton12,
javax.swing.GroupLayout.PREFERRED_SIZE, 82,
javax.swing.GroupLayout.PREFERRED_SIZE)

        .addComponent(jButton10,
javax.swing.GroupLayout.PREFERRED_SIZE, 82,
javax.swing.GroupLayout.PREFERRED_SIZE))

        .addGap(18, 18, 18)

        .addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)

        .addComponent(jButton9,
javax.swing.GroupLayout.PREFERRED_SIZE, 82,
javax.swing.GroupLayout.PREFERRED_SIZE)

        .addComponent(jButton8,
javax.swing.GroupLayout.PREFERRED_SIZE, 82,
javax.swing.GroupLayout.PREFERRED_SIZE)

        .addComponent(jButton7,
javax.swing.GroupLayout.PREFERRED_SIZE, 82,
javax.swing.GroupLayout.PREFERRED_SIZE))

        .addGap(18, 18, 18))

    );

    pack();

} // </editor-fold> // GEN-END: initComponents

private void jButton1ActionPerformed(java.awt.event.ActionEvent evt)
{ // GEN-FIRST:event_jButton1ActionPerformed

    System.exit(0);

} // GEN-LAST:event_jButton1ActionPerformed

private void jButton2ActionPerformed(java.awt.event.ActionEvent evt)
{ // GEN-FIRST:event_jButton2ActionPerformed

    // TODO add your handling code here:

```

```

} //GEN-LAST:event_jButton2ActionPerformed

private void jButton7ActionPerformed(java.awt.event.ActionEvent evt)
{//GEN-FIRST:event_jButton7ActionPerformed

    // TODO add your handling code here:

} //GEN-LAST:event_jButton7ActionPerformed


private void jButton10ActionPerformed(java.awt.event.ActionEvent evt)
{//GEN-FIRST:event_jButton10ActionPerformed

    // TODO add your handling code here:

} //GEN-LAST:event_jButton10ActionPerformed


/**
 * @param args the command line arguments
 */
public static void main(String args[]) {

    /* Set the Nimbus look and feel */

    //<editor-fold defaultstate="collapsed" desc=" Look and feel
setting code (optional) ">

    /* If Nimbus (introduced in Java SE 6) is not available, stay with
the default look and feel.

    * For details see
http://download.oracle.com/javase/tutorial/uiswing/lookandfeel/plaf.html

    */

    try {

        for (javax.swing.UIManager.LookAndFeelInfo info :
javax.swing.UIManager.getInstalledLookAndFeels()) {

            if ("Nimbus".equals(info.getName())) {

                javax.swing.UIManager.setLookAndFeel(info.getClassName());

```

```

        break;
    }
}

} catch (ClassNotFoundException ex) {

java.util.logging.Logger.getLogger(UserDesh.class.getName()).log(java.util
.logging.Level.SEVERE, null, ex);

} catch (InstantiationException ex) {

java.util.logging.Logger.getLogger(UserDesh.class.getName()).log(java.util
.logging.Level.SEVERE, null, ex);

} catch (IllegalAccessException ex) {

java.util.logging.Logger.getLogger(UserDesh.class.getName()).log(java.util
.logging.Level.SEVERE, null, ex);

} catch (javax.swing.UnsupportedLookAndFeelException ex) {

java.util.logging.Logger.getLogger(UserDesh.class.getName()).log(java.util
.logging.Level.SEVERE, null, ex);

}

//</editor-fold>

/* Create and display the form */

java.awt.EventQueue.invokeLater(new Runnable() {

    public void run() {

        new UserDesh().setVisible(true);

    }

});

```

```
}

// Variables declaration - do not modify//GEN-BEGIN:variables
private javax.swing.JButton jButton1;
private javax.swing.JButton jButton10;
private javax.swing.JButton jButton11;
private javax.swing.JButton jButton12;
private javax.swing.JButton jButton2;
private javax.swing.JButton jButton3;
private javax.swing.JButton jButton4;
private javax.swing.JButton jButton7;
private javax.swing.JButton jButton8;
private javax.swing.JButton jButton9;
private javax.swing.JLabel jLabel1;
private javax.swing.JLabel jLabel2;
private javax.swing.JLabel jLabel3;
private javax.swing.JLabel jLabel4;
private javax.swing.JPanel jPanel1;

// End of variables declaration//GEN-END:variables
}
```