

Training problems for the final exam

1. Let $u, v : \mathbb{C} \rightarrow \mathbb{R}$ be given by

$$u(x + iy) = x^3 - 3xy^2, \quad (x, y) \in \mathbb{R}^2,$$

$$v(x + iy) = 3x^2y - y^3, \quad (x, y) \in \mathbb{R}^2,$$

and let $f : \mathbb{C} \rightarrow \mathbb{C}$ be given by $f = u + iv$. Prove that f is holomorphic on \mathbb{C} and compute the derivative of f .

2. Let $u, v : \mathbb{C} \rightarrow \mathbb{R}$ be given by

$$u(x + iy) = ax^2 + e^{-y} \cos x, \quad (x, y) \in \mathbb{R}^2,$$

$$v(x + iy) = e^{-y} \sin x, \quad (x, y) \in \mathbb{R}^2,$$

where $a \in \mathbb{R}$, and let $f : \mathbb{C} \rightarrow \mathbb{C}$ be given by $f = u + iv$.

a) Find $a \in \mathbb{R}$ such that u is harmonic.

b) For the value found for a), prove that f is holomorphic and compute its derivative.

3. a) Find the Möbius transformation $f : \mathbb{C}_\infty \rightarrow \mathbb{C}_\infty$ such that $f(0) = \infty, f(i) = 1, f(\infty) = 2$.

b) Let $g : \mathbb{C}_\infty \rightarrow \mathbb{C}_\infty$ be given by $g(z) = -\frac{1}{z}$, $z \in \mathbb{C}_\infty$, and let

$$D = \{z \in \mathbb{C} : \operatorname{Re} z > 0, \operatorname{Im} z > 0, |z| < 1\}.$$

Represent graphically the domain $g(D)$.

4. a) Find the Möbius transformation $f : \mathbb{C}_\infty \rightarrow \mathbb{C}_\infty$ such that

$$f(i) = \infty, \quad f(0) = 2i, \quad f(\infty) = 1.$$

b) Let $g : \mathbb{C}_\infty \rightarrow \mathbb{C}_\infty$ be given by $g(z) = \frac{z+i}{z+1}$, $z \in \mathbb{C}_\infty$, and let

$$D = \{z \in \mathbb{C} : -1 < \operatorname{Re} z < 0, \operatorname{Im} z < 0\}.$$

Represent graphically the domain $g(D)$.

5. Let $\gamma : [0, 1] \rightarrow \mathbb{C}$, $\gamma(t) = 2e^{2\pi it}$, $t \in [0, 1]$. Compute the complex integrals:

a) $\int_\gamma \frac{\sin z^2}{z^2} dz$; b) $\int_\gamma \frac{1}{z^2 + 1} dz$; c) $\int_\gamma (z - 1)e^{\frac{1}{z-1}} dz$.

6. Let $\gamma : [0, 1] \rightarrow \mathbb{C}$, $\gamma(t) = 2e^{it}$, $t \in [0, 2\pi]$. Compute the integrals:

a) $\int_\gamma \frac{\cos z}{z - \frac{\pi}{2}} dz$; b) $\int_\gamma \frac{1}{z^3 - 3z^2} dz$; c) $\int_\gamma z \cdot \cos \frac{1}{z-1} dz$.

7. Let $f, g \in \mathcal{H}(\mathbb{C})$ be such that $f(x) \cdot g(x) = 0$, $\forall x \in \mathbb{R}$. Prove that $f \equiv 0$ or $g \equiv 0$.

8. (1 point) Let $f \in \mathcal{H}(\mathbb{C})$ be such that $|f(z)| \leq |z|$, $\forall z \in \mathbb{C}$. Prove that there exists $\alpha \in \mathbb{C}$ such that $f(z) = \alpha z$, $\forall z \in \mathbb{C}$.

9. Find $\max_{z \in \overline{U}(0,1)} \left| z^3 e^{-z^2 - z} \right|$.