



You are here: [Home](#) / [Products](#) / [Thoracolumbar](#) / Binary Anterior Buttress Plate

Binary® Anterior Buttress Plate



1. Patented Zero-Step *Helios*
Technology locking mechanism

4. Low profile

5. Smooth taper leading edge

provides audible, tactile, and visual feedback.

2. Smooth low-profile design incorporating lordotic curvature
3. Available in 4 plate sizes

Ease of use, and reduced operating time

Designed to optimize ease of use and reduce operation time, the *Binary* Anterior Buttress Plate features a sophisticated locking mechanism utilizing proprietary *Helios*™ Technology.



The locking mechanism resists both screw back-out and screw counter-rotation, requires no additional steps for the surgeon once the screws are fully seated and provides an audible, tactile and visual confirmation that the screw is captured by the lock.

Offering plates in 4 sizes, the *Binary* Anterior Buttress Plate has a smooth low-profile design incorporating lordotic curvature to minimize plate contouring during the procedure.

Helios Technology for zero-step anti-rotation and anti-backout

The *Helios* Technology locking mechanism allows the lock to open as the screw head passes during screw insertion and then return to its original position, capturing the screw head. The interface between the *Helios* lock and screw resists both counter rotation and screw back-out without additional steps.

Plate section


The *Binary* Anterior Buttress Plate's profile is low and available in single screw plates. Sizes include 20mm, 22mm, 25mm and 28mm.



Screw sizes available in 5.5mm
primary and 6.0mm recovery
diameters

IMPLANT DIMENSIONS	
5.5	6.0

PRIMARY DIAMETERS	RECOVERY DIAMETERS
5.5mm x 20mm	6.0mm x 20mm
5.5mm x 22mm	6.0mm x 22mm
5.5mm x 24mm	6.0mm x 24mm
5.5mm x 26mm	6.0mm x 26mm
5.5mm x 28mm	6.0mm x 28mm
5.5mm x 30mm	6.0mm x 30mm



PATIENT ANATOMY

The smooth tapered leading edge and lordotic curve ensure minimal disruption to the local anatomy.

**Request more
information**

Binary Anterior Buttress Plate

Name *

First

Last

Email *

Phone *

Company Name *

Any additional message or
question

SUBMIT

© 2017 Copyright Genesys Spine | [Disclaimer](#) | [Patents](#) | Website by [Woody Creative](#) | GENESYS

SPINE, the GENESYS SPINE Logo, TiLock PSS, the HELIOS Logo, BINARY, APACHE, and APACHE

INTERBODY SYSTEM are registered trademarks of Genesys Orthopedic Systems, LLC.

