# Swaptor - Decentralized P2P Exchange Dapp

### Marko Ivanković<sup>1</sup>

<sup>1</sup>Berry Block, marko@berryblock.io

#### Abstract

Peer-to-peer (P2P) swaps on blockchain have the potential to greatly benefit users by eliminating the need for intermediaries in the exchange of assets. However, the use of P2P swaps on blockchain also presents several challenges, including trust issues that must be addressed in order to ensure their success. Since there is no intermediary to oversee the exchange of assets, users must rely on the trustworthiness of the other party to the transaction. In the absence of a trusted third party, it is difficult to verify the authenticity and quality of the assets being exchanged, which can lead to disputes and losses for users.

Furthermore, P2P swaps on blockchain are subject to potential security risks, such as hacking and fraud. Since the transactions are conducted directly between users, there is a greater risk of malicious actors attempting to exploit vulnerabilities in the system. This risk is exacerbated by the fact that blockchain transactions are irreversible, meaning that users have no recourse if their assets are stolen or lost.

In this paper we describe Swaptor, a decentralized P2P exchange dapp which aims to eliminate these problems.

# 1 Architectural Overview

. .

2 Security

. .

### 2.1 Tokenomics

. . .

### References

[1] Author(s), "title," journal/proceedings info, page numbers, month & year.