

Report for PEP Section in mzTab File example_4

The PEP section of the **mzTab** file contains 1,335 quantified peptide features measured in 54 samples.

	number of peptides
quantified	1,335
identified (total)	1,335
identified (unique modified)	1,221
identified (unique stripped)	1,212

Table 1: Total number of quantified and identified peptides.

mod	specificity	number
Oxidation	M	179
Methylthio	C	150
Label:13C(6)15N(2)	K	6
Label:13C(6)15N(4)	R	4


Table 2: Statistics of modifications.




Figure 1: Frequency plot of peptide quantifications.




Figure 2: (modified sequence, charge) pair multiplicity vs frequency plot. Each peptide feature (characterised by a (possibly) modified peptide sequence and a charge state) should ideally occur only once in the analysis. In other words, peptides of multiplicity 1 should have a very high frequency. The plot below should show a significant spike on the left and can be used as QC of the analysis.



(a) peptide abundances 1, $\text{median}(\text{intensity}) = 1,605,469,952$



(b) peptide abundances 2, $\text{median}(\text{intensity}) = 3,819,539,968$



(c) peptide abundances 3, $\text{median}(\text{intensity}) = 2,497,959,936$

Figure 3: peptide abundance distributions.




Figure 4: Kendrick nominal fractional mass plot




Figure 5: Fold changes of peptide abundances 1 and 2.
 $\text{median}(\text{fc}) = -1.3328$ $\text{sd}(\text{fc}) = 1.5445$




Figure 6: Fold changes of peptide abundances 1 and 3.
 $\text{median}(\text{fc}) = -0.6641$ $\text{sd}(\text{fc}) = 1.1804$




Figure 7: Fold changes of peptide abundances 2 and 3.
 $\text{median}(\text{fc}) = 0.6958$ $\text{sd}(\text{fc}) = 0.9636$




Figure 8: Pearson correlation of all peptide abundances. (min correlation = 0.1622, median correlation = 0.5936, max correlation = 1)




Figure 9: Boxplot of all peptide abundances.




Figure 10: Standard deviation of all principal components.




Figure 11: Principal Component Analysis of all peptides with complete quantifications. Any peptides with one or more missing values are ignored. The numbers in the upper right panels correspond to the sample IDs.




Figure 12: Most important contributions to the first principal component.

row index	modified sequence	accession	charge	retention time	m/z
856	LVPFDHAESTYGLYR	O95336	3	6753.43	589.96
807	TTPPVLDSDGSFFLYSK	P01857	2	9523.72	937.46
1037	VLKQVHPDTGISSK	P62807	2	1911.32	754.92
736	LYSILGTTLKDEGK	O75083	2	6063.81	769.43
240	FLPSELRDEH	Q9Y490	2	3804.75	621.81
1353	YGFIEGHVVIPR	P16070	3	6095.82	462.92
1213	TPAQYDASELK	P07355	2	3190.51	611.80
380	TSASILR	P17987	2	3663.84	430.76
940	ILYSQC(Methylthio)GDVM(Ox...	P14649	2	5333.98	673.80
1094	ERQEAEAAKEALLQASR	P26038	3	4365.68	653.34

Table 3: Most important contributions to the first principal component.




Figure 13: Most important contributions to the second principal component.

row index	modified sequence	accession	charge	retention time	m/z
770	GAVDGGLSIPHSTK	P46777	2	3445.54	669.85
1087	AIVAIENPADVSVISSR	P08865	2	8158.61	870.98
81	NVHGINFVSPVR	P53634	3	4626.45	446.91
1070	SKDIVLVAYSALGSQR	P42330	3	7358.33	569.65
1006	IAQSDYIPTQQDVLRL	P04899	2	6684.21	873.95
412	LM(Oxidation)VALAK	P07355	2	3119.97	381.23
47	LLDAVDITYIPVPAR	P49411	2	9218.90	771.93
1112	TPALVNAAVTYSKPR	O75964	3	4964.94	529.97
572	IKIGDPLLEDTR	P49189	3	5956.77	457.26
1321	SGDSEVYQLGDVSQK	Q04837	2	5178.78	806.38

Table 4: Most important contributions to the second principal component.




Figure 14: Most important contributions to the third principal component.

row index	modified sequence	accession	charge	retention time	m/z
139	VTAPDVDLHLKAPK	Q09666	3	4409.15	501.96
127	KDDLGDITNLHDYLR	Q9NUV9	3	5318.69	558.94
518	GFGFVLFK	Q14103	2	9123.27	457.76
71	IFVGGLSPDTPEEK	Q14103	2	6171.10	744.88
1078	TFVNITPAEVGVLVGKDR	P07737	3	8764.50	639.03
19	TIISYIDEQFER	Q15019	2	9451.35	757.38
1053	DREVGIPPEQSLETAK	P61158	2	4599.94	884.96
869	LAQAAQSSVATITR	Q9Y490	2	3767.92	708.89
1037	VLKQVHPDTGISSK	P62807	2	1911.32	754.92
568	HIYYITGETKDQVANSFVER	P07900	4	5448.50	611.06

Table 5: Most important contributions to the third principal component.




Figure 15: Logarithmic peptide abundances for all peptides of interest.

row index	modified sequence	accession	charge	retention time	m/z
1061	SSAAPPPPPR(Label:13C(6)15...	STD_01	2	1659.92	493.77
266	HVLTSIGEK(Label:13C(6)15N...	STD_03	2	2127.71	496.29
1130	IGDYAGIK(Label:13C(6)15N(...	STD_05	2	3096.71	422.74
1261	TASEFDSAIAQDK(Label:13C(6...	STD_06	2	4266.53	695.83
891	SAAGAFGPESLR(Label:13C(6)...	STD_07	2	4457.27	586.80
979	ELGQSGVDTYLQTK(Label:13C(...	STD_08	2	5741.14	773.90
306	GLILVGGYGTR(Label:13C(6)1...	STD_09	2	6431.53	558.33
1193	GILFVGSGVSGGEEGAR(Label:1...	P52209	2	6781.34	801.41
392	GILFVGSGVSGGEEGAR	P52209	2	6780.92	796.41
735	SFANQPLEVVYSK(Label:13C(6...	STD_11	2	6787.30	745.39
415	ELASGLSFPVGFK(Label:13C(6...	STD_14	2	9083.08	680.37

Table 6: Peptides of interest. Please note that the script requires a vector of *stripped* peptides sequences, but in the above table we list the *modified* peptide sequences.

row index	modified sequence	accession	charge	retention time	m/z
5	DYLHLPPEIVPATLRR	P46783	3	8103.29	630.69

Table 7: Proteins of interest.




Figure 16: Logarithmic peptide abundances for all proteins of interest.