

7/22/23

Table of contents

	4
.....	4
.....	4
I	5
A	6
arguments	6
automatic speech recognition	6
architecture	6
attention mask	6
argumentation	6
autoencoding model	6
autoregressive model	6
B	7
backward	7
C	7
causal language model	7
checkpoint	7
chunk	7
clustering	7
convolution	7
crob	7
custom	7
connectionist temporal classification, CTC	8
D	8
data collator	8
dataset	8
directory	8
directory	8
distributed training	8
down stream	8
E	8
entity	8
epoch	9

evaluation method	9
F	9
feature extraction	9
feature matrix	9
fine-tunning	9
H	9
hidden state	9
hyperparameter	9
L	10
learning	10
load	10
M	10
method	10
O	10
optimizer	10
P	10
pad	10
parameter	10
S	11
speech enhancement	11
spectrogram	11
seperator	11
sequence	11
silent error	11
T	11
token	11
tokenizer	11
training	11
V	12
vocoder	12
Quarto	13
	15
Pull Request	16
	17
	18
.	18
.	18

. Pull Request .

HuggingFace Transformers

[Link »](#)

HuggingFace Audio Course

[Link »](#)

Part I

A

arguments

automatic speech recognition

architecture

attention mask

argumentation

autoencoding model

autoregressive model

B

backward

C

causal language model

checkpoint

chunk

clustering

convolution

croB

custom

connectionist temporal classification, CTC

D

data collator

dataset

directory

directory

distributed training

down stream

E

entity

epoch

evaluation method

F

feature extraction

feature matrix

fine-tuning

H

hidden state

hyperparameter

L

learning

load

M

method

O

optimizer

P

pad

parameter

S

speech enhancement

spectrogram

seperator

sequence

silent error

T

token

tokenizer

training

V

vocoder

Quarto

Quarto
Pseudo-Lab Fork . html qmd
markdown . markdown Visual Code . Visual Code
extention Figure 1 quarto quarto GUI .





Figure 1: Quarto Extention

Visual Code Edit in Visual Mode . markdown
wysiwyg¹ Figure 2 .
GUI quarto preview .

```
cd glossary
quarto preview
```

¹wysiwyg(What You See is What You Get) GUI .



Visual Code에서 자신이 수정할 문서를 선택하고 마우스 우측 버튼을 누르면 **Edit in Visual Mode**를 선택할 수 있습니다.




Figure 2: VS Code Visual Mode

Pull Request

HuggingFace

Pseudo Lab. HuggingFace	
Pseudo Lab. HuggingFace	
Pseudo Lab. HuggingFace	
Pseudo Lab. HuggingFace	Github
Pseudo Lab. HuggingFace	
Pseudo Lab. HuggingFace	Github
Pseudo Lab. HuggingFace	
