

Package ‘MR.CUE’

October 21, 2023

Type Package

Title What the package does (short line)

Version 1.0

Date 2023-10-21

Author Who wrote it

Maintainer Who to complain to

<yourfault@somewhere.net>

Description More about what it does (maybe more
than one line)

License What license is it under?

Imports Rcpp (>= 1.0.9)

LinkingTo Rcpp, RcppArmadillo, BH, RcppDist

R topics documented:

MR.CUE-package	1
RcppArmadillo-Functions	2

Index	4
--------------	----------

MR.CUE-package	<i>What the package does (short line)</i>
----------------	---

Description

More about what it does (maybe more than one line)

Details

The DESCRIPTION file: This package was not yet installed at build time.

Index: This package was not yet installed at build time.

~~ An overview of how to use the package, including ~~ ~~ the most important functions ~~

Author(s)

Who wrote it

Maintainer: Who to complain to <yourfault@somewhere.net>

References

~~ Literature or other references for background information ~~

See Also

~~ Optional links to other man pages, e.g. ~~ <pkg> ~~

RcppArmadillo-Functions

Set of functions in example RcppArmadillo package

Description

These four functions are created when `RcppArmadillo.package.skeleton()` is invoked to create a skeleton packages.

Usage

```
rcpparma_hello_world()
rcpparma_outerproduct(x)
rcpparma_innerproduct(x)
rcpparma_bothproducts(x)
```

Arguments

`x` a numeric vector

Details

These are example functions which should be largely self-explanatory. Their main benefit is to demonstrate how to write a function using the Armadillo C++ classes, and to have to such a function accessible from R.

Value

`rcpparma_hello_world()` does not return a value, but displays a message to the console.

`rcpparma_outerproduct()` returns a numeric matrix computed as the outer (vector) product of `x`.

`rcpparma_innerproduct()` returns a double computer as the inner (vector) product of `x`.

`rcpparma_bothproducts()` returns a list with both the outer and inner products.

Author(s)

Dirk Eddelbuettel

References

See the documentation for Armadillo, and RcppArmadillo, for more details.

Examples

```
x <- sqrt(1:4)
rcpparma_innerproduct(x)
rcpparma_outerproduct(x)
```

Index

* **package**

MR.CUE-package, [1](#)

<pkg>, [2](#)

MR.CUE (MR.CUE-package), [1](#)

MR.CUE-package, [1](#)

rcpparma_bothproducts

(RcppArmadillo-Functions), [2](#)

rcpparma_hello_world

(RcppArmadillo-Functions), [2](#)

rcpparma_innerproduct

(RcppArmadillo-Functions), [2](#)

rcpparma_outerproduct

(RcppArmadillo-Functions), [2](#)

RcppArmadillo-Functions, [2](#)