



CSS Essentials

CSS Overview



Overview





- 1. What is CSS?
- 2. CSS Syntax
- 3. Browser support
- 4. Apply CSS to browser
- 5. How CSS work?





What is CSS?

1. What is CSS?





- CSS is a language that describes the style of an HTML document
 - CSS stands for Cascading Style Sheets
 - CSS describes how HTML elements should be rendered on screen, on paper, in speech, or on other media.
 - CSS is one of the core languages of the open Web and is standardized across Web browsers according to the W3C specification





CSS Syntax

2. CSS Syntax






- ➤ The basic goal of the **CSS** language is to allow a browser engine to paint elements of the page with specific features, like colors, positioning, or decorations.
- > CSS Syntax includes:
 - The property which is an identifier, that is a human-readable name, that defines which feature is considered.
 - The value which describe how the feature must be handled by the engine. Each property has a set of valid values, defined by a formal grammar, as well as a semantic meaning, implemented by the browser engine.

2. CSS Syntax





CSS Declarations: A property and value pair is called a declaration




2. CSS Syntax





CSS Declarations block: Declarations are grouped in blocks







Browser support

3. Browser support





Visit link below to set the list contains all CSS properties and how each property is supported in the different browsers

https://www.w3schools.com/cssref/css3_browser support.asp





Apply CSS to browser





- CSS can be added to HTML elements in 3 ways:
 - Inline by using the style attribute in HTML elements
 - Internal by using a <style> element in the <head> section
 - External by using an external CSS file





Inline style: An inline CSS is used to apply a unique style to a single HTML element

❖ Syntax

<element style="style_definitions">

Value	Description
style_definitions	One or more CSS properties and values separated by semicolons (e.g. style="color:blue;text-align:center")

❖ Note: The style attribute will override any style set globally, e.g. styles specified in the <style> tag or in an external style sheet.





> Internal style:

- An internal CSS is used to define a style for a single HTML page.
- It is defined in the <head>
 section of an HTML page,
 within a <style> element

```
<head>
  <meta charset="utf-8">
  <title>My CSS experiment</title>
  <style>
    h1 {
      color: blue:
      background-color: yellow;
      border: 1px solid black;
      color: red;
  </style>
</head>
```





> External style:

- An external style sheet is used to define the style for many HTML pages.
- With an external style sheet, you can change the look of an entire web site, by changing one file.
- Each HTML page must include a reference to the external style sheet file inside the link> element, inside the head section.

```
<!DOCTYPE html>
<html>
<html>
<head>
kead>
kead>
<head>
<heading</he>
<head>
<head>
<head>
<head>
<head>
<head>
<head>
<heading</he>
<head>
<he
```





- Cascading order: All the styles in a page will "cascade" into a new "virtual" style sheet by the following rules, where number one has the highest priority:
 - Inline style.
 - 2. External and internal style sheets.
 - Browser default






How CSS work?

5. How CSS works?





Process loading a webpage



6. Quiz 1





How many ways you can add stylesheet to your website?

- A. 1
- B. 2
- C. 3
- D. 4

6. Quiz 2





➤ What is the extension of a stylesheet file ?

- A. .style
- B. .stylesheet
- C. .css
- D. .sheet

6. Quiz 3





Which one from the types of styling is the mose useful in terms of website optimization?

- A. Inline
- B. External
- C. Internal





Thank you