



Machine-Level Programming I: Basics

These slides adapted from materials provided by the textbook authors.

Machine Programming I: Basics

- **History of Intel processors and architectures**
- C, assembly, machine code
- Assembly Basics: Registers, operands, move
- Arithmetic & logical operations

Intel x86 Processors

- **Dominate laptop/desktop/server market**
- **Evolutionary design**
 - Backwards compatible up until 8086, introduced in 1978
 - Added more features as time goes on
- **Complex instruction set computer (CISC)**
 - Many different instructions with many different formats
 - But, only small subset encountered with Linux programs
 - Hard to match performance of Reduced Instruction Set Computers (RISC)
 - But, Intel has done just that!
 - In terms of speed. Less so for low power.


Intel x86 Evolution: Milestones

<i>Name</i>	<i>Date</i>	<i>Transistors</i>	<i>MHz</i>
■ 8086	1978	29K	5-10
<ul style="list-style-type: none">■ First 16-bit Intel processor. Basis for IBM PC & DOS■ 1MB address space			
■ 386	1985	275K	16-33
<ul style="list-style-type: none">■ First 32 bit Intel processor , referred to as IA32■ Added “flat addressing”, capable of running Unix			
■ Pentium 4E	2004	125M	2800-3800
<ul style="list-style-type: none">■ First 64-bit Intel x86 processor, referred to as x86-64			
■ Core 2	2006	291M	1060-3500
<ul style="list-style-type: none">■ First multi-core Intel processor			
■ Core i7	2008	731M	1700-3900
<ul style="list-style-type: none">■ Four cores; likely what your laptops or desktops are running.			

Intel x86 Processors, cont.

■ Machine Evolution

■ 386	1985	0.3M
■ Pentium	1993	3.1M
■ Pentium/MMX	1997	4.5M
■ PentiumPro	1995	6.5M
■ Pentium III	1999	8.2M
■ Pentium 4	2001	42M
■ Core 2 Duo	2006	291M
■ Core i7	2008	731M



■ Added Features

- Instructions to support multimedia operations
- Instructions to enable more efficient conditional operations
- Transition from 32 bits to 64 bits
- More cores

2015 State of the Art


- Core i7 Broadwell 2015

■ Desktop Model

- 4 cores
- Integrated graphics
- 3.3-3.8 GHz
- 65W

■ Server Model

- 8 cores
- Integrated I/O
- 2-2.6 GHz
- 45W



x86 Clones: Advanced Micro Devices (AMD)

■ Historically

- AMD has followed just behind Intel
- A little bit slower, a lot cheaper

■ Then

- Recruited top circuit designers from Digital Equipment Corp. and other downward trending companies
- Built Opteron: tough competitor to Pentium 4
- Developed x86-64, their own extension to 64 bits

■ Recent Years

- Intel got its act together
 - Leads the world in semiconductor technology
- AMD has fallen behind
 - Relies on external semiconductor manufacturer

Intel's 64-Bit History

- **2001: Intel Attempts Radical Shift from IA32 to IA64**
 - Totally different architecture (Itanium)
 - Executes IA32 code only as legacy
 - Performance disappointing
- **2003: AMD Steps in with Evolutionary Solution**
 - x86-64 (now called “AMD64”)
- **Intel Felt Obligated to Focus on IA64**
 - Hard to admit mistake or that AMD is better
- **2004: Intel Announces EM64T extension to IA32**
 - Extended Memory 64-bit Technology
 - Almost identical to x86-64!
- **All but low-end x86 processors support x86-64**
 - But, lots of code still runs in 32-bit mode