



Jane Doe <sup>1</sup> Statistics, Name of Affiliation one  
John Doe  Computer Science, Name of Affiliation two

Date published: 2024-06-14    Last modified: 2024-06-14

### Abstract

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Curabitur posuere vestibulum facilisis. Aenean pretium orci augue, quis lobortis libero accumsan eu. Nam mollis lorem sit amet pellentesque ullamcorper. Curabitur lobortis libero eget malesuada vestibulum. Nam nec nibh massa. Pellentesque porttitor cursus tellus. Mauris urna erat, rhoncus sed faucibus sit amet, venenatis eu ipsum.

*Keywords:* key1, key2, key3

## Contents

|    |                                                                       |          |
|----|-----------------------------------------------------------------------|----------|
| 1  | <b>Contents</b>                                                       |          |
| 2  | <b>1 Introduction</b>                                                 | <b>2</b> |
| 3  | 1.1 About this document . . . . .                                     | 2        |
| 4  | 1.2 Setup a github repository for preparing your submission . . . . . | 2        |
| 5  | 1.3 Quarto . . . . .                                                  | 2        |
| 6  | 1.4 Requirements . . . . .                                            | 2        |
| 7  | 1.5 Link with your usual tools . . . . .                              | 2        |
| 8  | <b>2 Formatting</b>                                                   | <b>3</b> |
| 9  | 2.1 Basic markdown formatting . . . . .                               | 3        |
| 10 | 2.2 Mathematics . . . . .                                             | 3        |
| 11 | 2.2.1 Mathematical formulae . . . . .                                 | 3        |
| 12 | 2.2.2 Theorems and other amsthm-like environments . . . . .           | 3        |
| 13 | 2.3 R Code . . . . .                                                  | 4        |
| 14 | 2.4 Figures . . . . .                                                 | 4        |
| 15 | 2.5 Tables . . . . .                                                  | 4        |
| 16 | 2.6 Handling references . . . . .                                     | 5        |
| 17 | 2.6.1 Bibliographic references . . . . .                              | 5        |
| 18 | 2.6.2 Other cross-references . . . . .                                | 5        |
| 19 | 2.7 Advanced formatting . . . . .                                     | 5        |
| 20 | <b>3 Finalize your submission</b>                                     | <b>6</b> |
| 21 | 3.1 Handle R dependencies with renv . . . . .                         | 6        |
| 22 | 3.2 Continuous integration . . . . .                                  | 6        |
| 23 | 3.3 Data and large files . . . . .                                    | 7        |
| 24 | <b>References</b>                                                     | <b>7</b> |

---

<sup>1</sup>Corresponding author: [janedoe@nowhere.moon](mailto:janedoe@nowhere.moon)

# 1 Introduction

## 1.1 About this document

This document, accompanied with the [hopefully finely tuned git repos](#), provides a template for writing contributions to **Computo** (Computo Team 2020). We show how R code (R Core Team 2020) can be included and how the repository can be set up for triggering github actions for rendering the document, with dependencies handled by `renv`.

## 1.2 Setup a github repository for preparing your submission

You can start by clicking the “**use this template**” button, on the top of the page of the [github repository associated to this document](#). Of course, you can set your repository private during the preparation of your manuscript.

## 1.3 Quarto

[Quarto](#) is a versatile formatting system for authoring documents integrating markdown, LaTeX and code blocks interpreted either via Jupyter or Knitr (thus supporting Python, R and Julia). It relies on the [Pandoc](#) document converter.

## 1.4 Requirements

You need [quarto](#) installed on your system and the [Computo extension](#) to prepare your document. For the latter, once quarto is installed, run the following to install the extension in the current directory (it creates a `_extension` directory which is ignored by git thanks to `.gitignore` by default):

```
quarto add computorg/computo-quarto-extension
```

R and the following R packages must be installed on your computer: [knitr](#), [markdown](#).

## 1.5 Link with your usual tools

Quarto is expecting a `.qmd` markdown file, but will also works with a standard [Rmarkdown](#) (`.Rmd`) file. In addition, especially if you are not comfortable with the command line interface, quarto is fully integrated inside the [Rstudio IDE](#) so that you can write and build your quarto document inside Rstudio.

Quarto can also process a [Jupyter notebook](#) file if you are used to it (it will just require to add the proper YAML metadata<sup>2</sup>).

**Note:** *More advanced Jupyter-related functionality like `Myst/Jupyter book` are not supported in this Quarto setup. The markdown syntax inside the Jupyter notebook should follow the Quarto syntax (c.f. [below](#)). If you are more comfortable with using `Myst/Jupyter book`, we provide a [specific template](#) but it will requires more formatting work for Computo editorial team, thus highly encourage authors to use the Quarto templates.*

---

<sup>2</sup>the same metadata as in the [template-computo-R.qmd](#) file in the first cell, type “Raw”, of the notebook

## 2 Formatting

This section covers basic formatting guidelines for quarto documents.

To render a document, run `quarto render`. By default, both PDF and HTML documents are generated:

```
quarto render template-computo-R.qmd # will render both to html and PDF
```

### Note

To check the syntax of the formatting below, you can use the `</>` source button at the top left of this document.

### 2.1 Basic markdown formatting

**Bold text** or *italic*

- This is a list
- With more elements
- It isn't numbered.

But we can also do a numbered list

1. This is my first item
2. This is my second item
3. This is my third item

### 2.2 Mathematics

#### 2.2.1 Mathematical formulae

[LaTeX](#) code is natively supported<sup>3</sup>, which makes it possible to use mathematical formulae:

$$f(x_1, \dots, x_n; \mu, \sigma^2) = \frac{1}{\sigma\sqrt{2\pi}} \exp\left(-\frac{1}{2\sigma^2} \sum_{i=1}^n (x_i - \mu)^2\right)$$

It is also possible to cross-reference an equation, see Equation 1:

$$\begin{aligned} D_{x_N} &= \frac{1}{2} \begin{bmatrix} x_L^\top & x_N^\top \end{bmatrix} \begin{bmatrix} L_L & B \\ B^\top & L_N \end{bmatrix} \begin{bmatrix} x_L \\ x_N \end{bmatrix} \\ &= \frac{1}{2} (x_L^\top L_L x_L + 2x_N^\top B^\top x_L + x_N^\top L_N x_N), \end{aligned} \tag{1}$$

#### 2.2.2 Theorems and other amsthm-like environments

Quarto includes a nice support for theorems, with predefined prefix labels for theorems, lemmas, proposition, etc. see [this page](#). Here is a simple example:

**Theorem 2.1** (Strong law of large numbers). *The sample average converges almost surely to the expected value:*

$$\bar{X}_n \xrightarrow{a.s.} \mu \quad \text{when } n \rightarrow \infty.$$

---

<sup>3</sup>We use [lualatex](#) for this purpose.

79 See Theorem 2.1.

## 80 2.3 R Code

81 Quarto uses either Jupyter or knitr to render code chunks. This can be triggered in the yaml header.  
82 In this tutorial, we use knitr (R and packages knitr, markdown must be installed on your computer).


```
---  
title: "My Document"  
author "Jane Doe"  
---
```

83 R code (R Core Team 2020) chunks may be embedded as follows:

```
x <- rnorm(10)
```

## 84 2.4 Figures

85 Plots can be generated as follows:



86  
87 It is also possible to create figures from static images:

88 **Note:** Until Quarto version 1.3+ is released, including a remote image (from a web URL) in a document  
89 (like the image above) will work in the rendered HTML document but will generate an error when  
90 building the PDF document (c.f. [related bug report](#)).

## 91 2.5 Tables

92 Tables (with label: @tbl-mylabel renders Table 1) can be generated with markdown as follows

Table 1: my table caption

| Tables   | Are          | Cool   |
|----------|--------------|--------|
| col 1 is | left-aligned | \$1600 |

| Tables   | Are           | Cool |
|----------|---------------|------|
| col 2 is | centered      | \$12 |
| col 3 is | right-aligned | \$1  |

93 Table can also be generated by some code, for instance with knitr here:

Table 2: Table caption.

| speed        | dist           |
|--------------|----------------|
| Min. : 4.0   | Min. : 2.00    |
| 1st Qu.:12.0 | 1st Qu.: 26.00 |
| Median :15.0 | Median : 36.00 |
| Mean :15.4   | Mean : 42.98   |
| 3rd Qu.:19.0 | 3rd Qu.: 56.00 |
| Max. :25.0   | Max. :120.00   |

## 94 2.6 Handling references

### 95 2.6.1 Bibliographic references

96 References are displayed as footnotes using [BibTeX](#), e.g. `[@computo]` will be displayed as (Computo  
97 Team 2020), where `computo` is the bibtex key for this specific entry. The bibliographic informa-  
98 tion is automatically retrieved from the `.bib` file specified in the header of this document (here:  
99 `references.bib`).

### 100 2.6.2 Other cross-references

101 As already (partially) seen, Quarto includes a mechanism similar to the bibliographic references for  
102 sections, equations, theorems, figures, lists, etc. Have a look at [this page](#).

## 103 2.7 Advanced formatting

104 Advanced formatting features are possible and documented (including interactive plots, pseudo-code,  
105 (Tikz) diagrams, Lua filters, mixing R + Python in the same document), but are beyond the scope of  
106 this simple introduction. We point several entries in this direction.

### More information

- [The Quarto web site](#) for comprehensive documentation, including:
  - [Tutorial](#)
  - [User guide](#)
  - [Options reference](#)
- [The template distributed with the Quarto extension](#), which uses such advanced features.
- [Our mock version of the t-SNE paper](#), a full and advanced example using Python and the Jupyter kernel.
- [The previously published papers in Quarto](#) can be used as references.




Figure 1: Computo logo (label)

## 3 Finalize your submission

### 3.1 Handle R dependencies with `renv`

To make your work reproducible, you need to fix the packages and environment used to run your analysis. For the R system, the `renv` package is one of the possible reliable method, supported by the community. You basically need a couple of commands to setup your environment on your local machine. First,

will initialize your repository. Then you just need to install the dependencies required to run your contribution, for instance,

Non-CRAN packages (e.g. Github packages) can be used. Once you are done, you can fix everything with the command

#### ! Important

The only file that needs to be versioned by git is `renv.lock`. By default, the rest is ignored thanks to `.gitignore`.

More details for using `renv` can be found either

- on the [renv package webpage](#), or
- on the [quarto page dedicated to environments](#)

### 3.2 Continuous integration

The repository associated with this template is pre-configure to trigger an action on push that performs the following:

1. Check out repository on the ubuntu-latest machine
2. Install quarto and dependencies, including the Computo extension
3. Install R and dependencies with `renv`, using your `renv.lock` file
4. Render your `.qmd` file and Publish the results on a gh-page (both HTML and PDF)

The file `.github/workflows/build.yml` is largely inspired from [this file](#).

Once this is successful, you are ready to submit your manuscript to the [Computo submission platform](#).

### Warning

The first time, you possibly need to create the branch for the action to work. This can be done by running the following command from your computer, in your git repository:

```
quarto publish gh-pages
```

Then, set the branch `gh-page` as the source of your github page, and trigger the action to check that everything works fine.

## 3.3 Data and large files

If your submission materials contain files larger than 50MB, **especially data files**, they won't fit on a git repository as is. For this reason, we encourage you to put your data or any materials you deem necessary on an external "open data" centered repository hub such a [Zenodo](#) or [OSF](#).

## References

Computo Team. 2020. "Computo: Reproducible Computational/Algorithmic Contributions in Statistics and Machine Learning."

R Core Team. 2020. *R: A Language and Environment for Statistical Computing*. Vienna, Austria: R Foundation for Statistical Computing. <https://www.R-project.org/>.

## Session information

R version 4.4.0 (2024-04-24)

Platform: x86\_64-pc-linux-gnu

Running under: Ubuntu 22.04.4 LTS

Matrix products: default

BLAS: /usr/lib/x86\_64-linux-gnu/blas/libblas.so.3.10.0

LAPACK: /usr/lib/x86\_64-linux-gnu/lapack/liblapack.so.3.10.0

locale:

[1] LC\_CTYPE=C.UTF-8 LC\_NUMERIC=C LC\_TIME=C.UTF-8

[4] LC\_COLLATE=C.UTF-8 LC\_MONETARY=C.UTF-8 LC\_MESSAGES=C.UTF-8

[7] LC\_PAPER=C.UTF-8 LC\_NAME=C LC\_ADDRESS=C

[10] LC\_TELEPHONE=C LC\_MEASUREMENT=C.UTF-8 LC\_IDENTIFICATION=C

time zone: Etc/UTC

tzcode source: system (glibc)

attached base packages:

[1] stats graphics grDevices datasets utils methods base

other attached packages:

[1] ggplot2\_3.5.1

loaded via a namespace (and not attached):

[1] vctrs\_0.6.5 nlme\_3.1-163 cli\_3.6.2 knitr\_1.46

[5] rlang\_1.1.3 xfun\_0.43 renv\_1.0.7 jsonlite\_1.8.8

|     |      |                |                 |                  |                   |
|-----|------|----------------|-----------------|------------------|-------------------|
| 168 | [9]  | labeling_0.4.3 | glue_1.7.0      | colorspace_2.1-0 | htmltools_0.5.8.1 |
| 169 | [13] | scales_1.3.0   | fansi_1.0.6     | rmarkdown_2.26   | grid_4.4.0        |
| 170 | [17] | evaluate_0.23  | munSELL_0.5.1   | tibble_3.2.1     | fastmap_1.1.1     |
| 171 | [21] | yaml_2.3.8     | lifecycle_1.0.4 | compiler_4.4.0   | pkgconfig_2.0.3   |
| 172 | [25] | mgcv_1.9-1     | farver_2.1.1    | lattice_0.22-5   | digest_0.6.35     |
| 173 | [29] | R6_2.5.1       | utf8_1.2.4      | splines_4.4.0    | pillar_1.9.0      |
| 174 | [33] | magrittr_2.0.3 | Matrix_1.6-5    | withr_3.0.0      | tools_4.4.0       |
| 175 | [37] | gtable_0.3.5   |                 |                  |                   |