## Problem Set 3

#### Applied Stats/Quant Methods 1

Due: November 20, 2022

#### Instructions

- Please show your work! You may lose points by simply writing in the answer. If the problem requires you to execute commands in R, please include the code you used to get your answers. Please also include the .R file that contains your code. If you are not sure if work needs to be shown for a particular problem, please ask.
- Your homework should be submitted electronically on GitHub.
- This problem set is due before 23:59 on Sunday November 20, 2022. No late assignments will be accepted.
- Total available points for this homework is 80.

In this problem set, you will run several regressions and create an add variable plot (see the lecture slides) in R using the incumbents\_subset.csv dataset. Include all of your code.

### Question 1

We are interested in knowing how the difference in campaign spending between incumbent and challenger affects the incumbent's vote share.

1. Run a regression where the outcome variable is **voteshare** and the explanatory variable is **difflog**.


```
# Question 1
# Question 1
# 1. Difflog voteshare regression
| lm(dat$voteshare ~ dat$difflog)
| dlvs.lm <- lm(dat$voteshare ~ dat$difflog)</pre>
```

Table 1:

	Dependent variable:
	voteshare
difflog	0.042***
	(0.001)
Constant	0.579***
	(0.002)
Observations	3,193
$\mathbb{R}^2$	0.367
Adjusted R <sup>2</sup>	0.367
Residual Std. Error	0.079 (df = 3191)
F Statistic	$1,852.791^{***} (df = 1; 3191)$
Note:	*p<0.1; **p<0.05; ***p<0.0

2. Make a scatterplot of the two variables and add the regression line.

## Difference in cadidates voteshare by their campaign spending



3. Save the residuals of the model in a separate object.

2 #3. dvls residuals

4. Write the prediction equation. Y = B0 + B1xi where Y is predicted value of the OV, B0 is the intercept, B1 is the slope of the regression line, and xi a value of the EV. Using the regression coefficient; Y = 0.58 + 0.04xi.

We are interested in knowing how the difference between incumbent and challenger's spending and the vote share of the presidential candidate of the incumbent's party are related.

1. Run a regression where the outcome variable is **presvote** and the explanatory variable is difflog.

Table 2:

	Dependent variable:
	presvote
difflog	0.024***
	(0.001)
Constant	0.508***
	(0.003)
Observations	3,193
$\mathbb{R}^2$	0.088
Adjusted R <sup>2</sup>	0.088
Residual Std. Error	0.110 (df = 3191)
F Statistic	$307.715^{***} (df = 1; 3191)$
Note:	*p<0.1; **p<0.05; ***p<0.05

```
# Question 1


2 # 1. Difflog voteshare regression

3 lm(dat$voteshare ~ dat$difflog)

4 dlvs.lm <- lm(dat$voteshare ~ dat$difflog)
```

2. Make a scatterplot of the two variables and add the regression line.

# Difference in presidential voteshare by candiates campaign spending



3. Save the residuals of the model in a separate object.

4. Write the prediction equation. Y = B0 + B1x where Y is the predicted value of the OV, B0 is the intercept, B1 is the slope of the regression line, and x a given value of the EV; Y = 0.51 + 0.02xi.

We are interested in knowing how the vote share of the presidential candidate of the incumbent's party is associated with the incumbent's electoral success.

1. Run a regression where the outcome variable is **voteshare** and the explanatory variable is **presvote**.

Table 3:

	Dependent variable:
	voteshare
presvote	0.388***
	(0.013)
Constant	0.441***
	(0.008)
Observations	3,193
$\mathbb{R}^2$	0.206
Adjusted R <sup>2</sup>	0.206
Residual Std. Error	0.088 (df = 3191)
F Statistic	$826.950^{***} (df = 1; 3191)$
Note:	*p<0.1; **p<0.05; ***p<0.01

<sup>#</sup> Question 3.


# 1. Vote share presidential vote regression

| lm(dat\$voteshare ~ dat\$presvote)

| pvvs.lm <- lm(dat\$voteshare ~ dat\$presvote)

2. Make a scatterplot of the two variables and add the regression line.

#### Difference in candidates voteshare by the president's voteshare



3. Write the prediction equation. Y = B0 + B1xi where Y is predicted value of the OV, B0 is the intercept, B1 is the slope of the regression line, and xi a given value of the the EV; Y = 0.44 + 0.39xi.

The residuals from part (a) tell us how much of the variation in **voteshare** is *not* explained by the difference in spending between incumbent and challenger. The residuals in part (b) tell us how much of the variation in **presvote** is *not* explained by the difference in spending between incumbent and challenger in the district.

1. Run a regression where the outcome variable is the residuals from Question 1 and the explanatory variable is the residuals from Question 2.


Table 4:

	20010 1.
	Dependent variable:
	dlvs.resid
pvdl.resid	0.257***
	(0.012)
Constant	-0.000
	(0.001)
Observations	3,193
$\mathbb{R}^2$	0.130
Adjusted $R^2$	0.130
Residual Std. Error	0.073 (df = 3191)
F Statistic	$476.975^{***} (df = 1; 3191)$
Note:	*p<0.1; **p<0.05; ***p<0.01

```
1 # Question 4.
2 # 1,
3 lm(dlvs.resid ~ pvdl.resid)
4 resid.lm <- lm(dlvs.resid ~ pvdl.resid)</pre>
```

2. Make a scatterplot of the two residuals and add the regression line.

## Residuals of voteshare and spending model plotted against residuals of spending and presidential vote model



3. Write the prediction equation. Y = B0 + B1xi where Y is predicted value of the OV, B0 is the intercept, B1 is the slope of the regression line, and xi is a given value of the the EV. Using the regression coefficient: Y = -5.2 + 2.56xi.


What if the incumbent's vote share is affected by both the president's popularity and the difference in spending between incumbent and challenger?

1. Run a regression where the outcome variable is the incumbent's voteshare and the explanatory variables are difflog and presvote.

Table 5:

	10010 0.
	Dependent variable:
	voteshare
difflog	$0.036^{***}$
	(0.001)
presvote	0.257***
	(0.012)
Constant	0.449***
	(0.006)
Observations	3,193
$\mathbb{R}^2$	0.450
Adjusted R <sup>2</sup>	0.449
Residual Std. Error	0.073 (df = 3190)
F Statistic	$1,302.947^{***} (df = 2; 3190)$
Note:	*p<0.1; **p<0.05; ***p<0.01

#### 2. Added variable plot



- 1 #Added variable plot
- 2 crPlots (dlpvvs.mm)
- 3. Write the prediction equation. Y = B0 + B1xi + B1xii where Y is predicted value of the OV, B0 is the intercept, B1 is the slope of the regression line, and xi and xii are given values of the EVs. Y = -0.45 + 0.03xi + 0.25xii.

4. What is it in this output that is identical to the output in Question 4? Why do you think this is the case? The residuals.