

6. a) Solve (i)  $p(1+q) = qz$  (ii)  $py^2 = x(y^2 + q^2)$  6 L1
- b) Solve by the method of separation of variables  $\frac{\partial u}{\partial x} = 2 \frac{\partial u}{\partial t} + u$ , where  $u(x,0) = 6e^{-3x}$ . 7 L2
- c) Derive one dimensional wave equation in the form  $\frac{\partial^2 u}{\partial t^2} = c^2 \frac{\partial^2 u}{\partial x^2}$  7 L2

## Unit - IV

7. a) Evaluate  $\int_2^3 \int_1^2 \int_0^1 5x^2 y^3 z \, dx dy dz$ . 6 L1
- b) Change the order of integration and hence evaluate  $\int_0^x \int_0^y x^2 (e^{-x^2/y}) dy dx$ . 7 L2
- c) Prove that  $\beta(m, n) = \frac{\Gamma(m)\Gamma(n)}{\Gamma(m+n)}$ . 7 L2
8. a) Evaluate  $\int_0^2 x(8-x^3)^{1/3} dx$  in terms of Gamma function. 6 L1
- b) Find the area of the cardioid  $r = a(1 + \cos \theta)$ . Using double integration. 7 L2
- c) Find the volume common to the cylinders  $x^2 + y^2 = a^2$  and  $x^2 + z^2 = a^2$ . 7 L2

## Unit - V

9. a) Find (i)  $L\{\cos 2t \cos 3t\}$ , (ii)  $L\{e^{-4t} \int_0^t \frac{\sin 3u}{u} du\}$ . 6 L2
- b) Rewrite  $f(t) = \begin{cases} \cos t, & 0 < t < \pi \\ \cos 2t, & \pi < t < 2\pi \\ \cos 3t, & t > 2\pi \end{cases}$  using unit step functions and find its Laplace transform. 7 L2
- c) Find the Laplace transform of  $f(t) = \begin{cases} t, & 0 < t < c \\ 2c-t, & c < t < 2c \end{cases}$ ,  $f(t+2c) = f(t)$ . 7 L2
10. a) Find (i)  $L^{-1}\left\{\frac{5s+1}{(s^2+2s+15)}\right\}$ , (ii)  $L^{-1}\left\{\log \frac{s+4}{s+5}\right\}$  6 L2
- b) Using convolution theorem find  $L^{-1}\left\{\frac{2}{(s^2+1)(s+1)}\right\}$  7 L2
- c) Solve  $y''(t) + 2y'(t) + 5y(t) = e^{-t} \sin t$ ;  $y(0) = 0$ ,  $y'(0) = 1$  by Laplace transform method. 7 L2



## NMAM INSTITUTE OF TECHNOLOGY, NITTE

(An Autonomous Institution affiliated to VTU, Belagavi)

## Second Semester B.E. (Credit System) Degree Examinations

Supplementary Examinations - September 2022

## 20MA201- ENGINEERING MATHEMATICS - II

Max. Marks: 100

Duration: 3 Hours

Note: Answer Five full questions choosing One full question from each Unit.

## Unit - I

Marks BT\* CO\* PO\*

Solve  $[3x^2y + 6xy + x]dx + [x^3 + 3x^2 + y]dy = 0$ .

6 L\*1 1 1

If a body originally is at  $85^\circ C$  cools down to  $60^\circ C$  in 20 minutes, the temperature of air being  $40^\circ C$ , find the temperature of the body after 40 minutes from the original.

7 L2 1 2

Solve  $\cos^2 x \frac{dy}{dx} + y = \tan x$ .

7 L1 1 1

Solve  $\sin(px - y) = p$ .

6 L1 1 1

Find the member of the orthogonal trajectories of the family

$y = ke^{-2x} + 5x$  passing through the point (0, 5).

7 L2 1 2

Solve  $p(p + x) = y(y + x)$ .

7 L1 1 1

## Unit - II

Solve  $(D^2 + 5D + 6)y = xe^{3x} + e^{2x}$ .

6 L1 2 1

Solve  $(D^2 - 2D + 2)y = e^x \tan x$  using the method of variation of parameters.

7 L2 2 1

Solve  $x \frac{d^3y}{dx^3} + \frac{d^2y}{dx^2} - \frac{2y}{x^2} = x + \frac{1}{x^3}$

7 L2 2 1

Solve  $\frac{d^2y}{dx^2} + 3 \frac{dy}{dx} + 2y = \cos 4x + 5x^2$ .

6 L1 2 1

Solve  $(D^2 + 2D + 3)y = 5 + 7x + 3x^2$

7 L2 2 1

Solve  $(D^2 + 2D + 1)y = 2e^x + e^{2x} + 7$

7 L2 2 2

## Unit - III

Solve by direct integration  $\frac{\partial^3 u}{\partial x \partial y^2} = \sin(5x + 2y) + 2xy$

6 L1 3 1

Solve by Lagrange's method  $(mz - ny) \frac{\partial z}{\partial x} + (nx - lz) \frac{\partial z}{\partial y} + mx - ly = 0$

7 L2 3 1

Derive one dimensional heat flow equation in the form  $\frac{\partial u}{\partial t} = c^2 \frac{\partial^2 u}{\partial x^2}$

7 L2 3 2

P.T.O.



- c) Find the inverse Laplace transform of  $\log \frac{s^2+1}{s(s+1)}$ .

6 L2 4

## Unit – III

7. a) Form the partial differential equation by eliminating the arbitrary constants / functions from

i)  $z = ax + by + a^2 + b^2;$

ii)  $x + y + z = f(x^2 + y^2 + z^2).$

7 L2 5

- b) Derive one dimensional wave equation in the form  $\frac{\partial^2 u}{\partial t^2} = c^2 \frac{\partial^2 u}{\partial x^2}.$

7 L3 5

- c) Solve the following PDE by direct integration method:

$$\frac{\partial^3 z}{\partial x \partial y^2} + 12x^2y + \sin(x - 2y) = 0.$$

6 L2 5

8. a) Solve  $\frac{\partial^2 z}{\partial x^2} - 2\frac{\partial z}{\partial x} + \frac{\partial z}{\partial y} = 0$  by the method of separation of variables.

7 L2 5

- b) Solve  $(x^2 - y^2 - z^2)p + 2xyq = 2xz.$

7 L2 5

- c) Solve  $p^2y(1 + x^2) = qx^2.$

6 L2 5

BT\* Bloom's Taxonomy, L\* Level; CO\* Course Outcome; PO\* Program Outcome

\*\*\*\*\*



# NMAM INSTITUTE OF TECHNOLOGY, NITTE

(An Autonomous Institution affiliated to VTU, Belagavi)

## Second Semester B.E. (Credit System) Degree Examinations

September - October 2022

### 21MA201 - ENGINEERING MATHEMATICS - II

Duration: 3 Hours

Max. Marks: 100

**Note:** Answer **Five full** questions choosing **Two full** questions from **Unit - I & Unit - II** each and **One full** question from **Unit - III**.

#### Unit - I

Marks BT\* CO\* PO\*

- |    |  |   |     |   |   |
|----|--|---|-----|---|---|
| a) | Solve $\frac{dy}{dx} + y \tan x = y^3 \sec x$ .  | 7 | L*2 | 1 | 2 |
| b) | A body originally at $80^\circ C$ cools down to $60^\circ C$ in 20 minutes, the temperature of air being $40^\circ C$ . Find the temperature of the body after 40 minutes from the original. | 7 | L3  | 1 | 2 |
| c) | Solve $(4D^2 - 1)y = e^{2x} + 1$ .   | 6 | L2  | 2 | 2 |
| a) | Solve $\frac{dy}{dx} - \frac{dx}{dy} = \frac{x}{y} - \frac{y}{x}$ .  | 7 | L2  | 1 | 2 |
| b) | Solve $x^3 \frac{d^3y}{dx^3} + 2x^2 \frac{d^2y}{dx^2} + 2y = 10 \left(x + \frac{1}{x}\right)$ .  | 7 | L2  | 2 | 2 |
| c) | Find the orthogonal trajectories of $\frac{x^2}{a^2} + \frac{y^2}{a^2 + \lambda} = 1$ where $\lambda$ is a parameter.  | 6 | L3  | 1 | 2 |
| a) | Solve $(D^2 + 2D + 2)y = 1 + 3x + x^2$ .   | 7 | L2  | 2 | 2 |
| b) | Using the method of variation of parameters, solve $(D^2 + 1)y = \sec x \tan x$ .  | 7 | L3  | 2 | 2 |
| c) | Find the general and singular solutions of $p = \sin(y - xp)$ .  | 6 | L2  | 1 | 2 |

#### Unit - II

- |    |   |   |    |   |   |
|----|---|---|----|---|---|
| a) | If $L\{f(t)\} = F(s)$ then prove that $L\{t^n f(t)\} = (-1)^n \frac{d^n}{ds^n} (F(s))$ .  | 7 | L3 | 3 | 1 |
| b) | Using partial fraction method find the inverse Laplace transform of $\frac{s^2 + s - 2}{s(s+3)(s-2)}$ .   | 7 | L2 | 4 | 2 |
| c) | Find the Laplace transform of $e^{-3t}(2\cos 5t - 3\sin 5t)$ .  | 6 | L2 | 3 | 2 |
| a) | If $f(t)$ is a periodic function with period $T$ , then prove that $L\{f(t)\} = \frac{1}{1 - e^{-sT}} \int_0^T e^{-st} f(t) dt$ .   | 7 | L3 | 3 | 1 |
| b) | Find the Laplace transform of $\int_0^t \frac{\cos at - \cos bt}{t} dt$ .   | 7 | L2 | 3 | 2 |
| c) | Using convolution theorem find the inverse Laplace transform of $\frac{1}{(s^2 + a^2)^2}$ .   | 6 | L2 | 4 | 2 |
| a) | Rewrite the following function using unit step function and find its Laplace transform:<br>$f(t) = \begin{cases} t^2, & 0 \leq t < 2 \\ 4, & 2 \leq t < 4 \\ 0, & t \geq 4 \end{cases}$ | 7 | L2 | 3 | 2 |
| b) | Using Laplace transform method, solve the differential equation $x''(t) + 4x(t) = 2t - 8$ , $x(0) = 1$ and $x'(0) = 0$ .  | 7 | L3 | 4 | 2 |



21MA201

5. a) Find (i)  $L^{-1}\left\{\frac{s^2-3s+4}{s^3}\right\}$  (ii)  $L^{-1}\left\{\frac{s+2}{s^2-4s+13}\right\}$  6 L3 4
- b) If  $L\{f(t)\}=\bar{f}(s)$ , then prove that  $L\{t^n f(t)\}=(-1)^n \frac{d^n}{ds^n} \bar{f}(s)$  for  $n=1,2,3,\dots$  7 L2 3
- c) Find the inverse Laplace transform of  $\frac{1}{(s^2+1)(s^2+9)}$  by using the convolution theorem. 7 L3 4
6. a) Find the inverse Laplace transform of (i)  $\log\left[\frac{s+1}{(s-1)}\right]$  (ii)  $\frac{1-e^{-2s}}{s^2}$  6 L2 4
- b) Express  $f(t)=\begin{cases} t^2, & 0 < t \leq 3 \\ 4t, & t > 3 \end{cases}$  in terms of unit step function and hence find its Laplace transform. 7 L3 3
- c) Find  $L\{f(t)\}$  if  $f(t)=\begin{cases} t, & 0 < t < c \\ 2c-t, & c \leq t < 2c \end{cases}$  and  $f(t+2c)=f(t)$ . 7 L2 3

### Unit - III

7. a) Form the partial differential equation by eliminating the arbitrary functions / arbitrary constants from the equations  
i)  $z=(x-a)^2+(y-b)^2+5$  ii)  $z=f(x^2+y^2)$  6 L1 5
- b) Solve  $\frac{\partial^3 z}{\partial x^2 \partial y} = \sin(5x+7y)$  by direct integration. 7 L2 5
- c) Derive one dimensional wave equation in the form  $\frac{\partial^2 u}{\partial t^2} = c^2 \frac{\partial^2 u}{\partial x^2}$ . 7 L3 5
8. a) Solve the following non-linear partial differential equation  $zpq=p+q$  6 L2 5
- b) Solve  $(y+z)p-(x+z)q=(x-y)$  by Lagrange's method. 7 L2 5
- c) Solve  $\frac{\partial^2 u}{\partial x^2} - 2\frac{\partial u}{\partial x} + \frac{\partial u}{\partial y} = 0$  by the method of separation of variables. 7 L2 5

BT\* Bloom's Taxonomy, L\* Level;

CO\* Course Outcome; PO\* Program Outcome

\*\*\*\*\*



USN

**NMAM INSTITUTE OF TECHNOLOGY, NITTE**

(An Autonomous Institution affiliated to VTU Belagavi)

**Second Semester B.E. (Credit System) Degree Examinations****Makeup Examination - November 2022****21MA201 - ENGINEERING MATHEMATICS - II**

Duration: 3 Hours

Max. Marks: 100

**Note:** Answer **Five full** questions choosing **Two full** questions from **Unit – I & Unit – II each** and **One full** question from **Unit – III**.

**Unit – I****Marks BT\* CO\* PO\***

1. a) Find the general and singular solutions of the equation  $\sin(px-y)=p$ .

6 L\*2 1 1

- b) Obtain the orthogonal trajectories for the curve  $r = \frac{2a}{1+\cos\theta}$ .

7 L2 1 1

- c) Solve  $y'' - 2y' + 2y = e^x \cos x$ .

7 L1 2 1

2. a) Solve  $(D^2 - 4D + 4)y = \frac{e^{2x}}{x}$  by using the method of variation of parameters.

6 L1 2 1

- b) Solve  $y - 2px = \tan^{-1}(xp^2)$

7 L3 1 2

- c) Solve  $x^2 \frac{d^2y}{dx^2} + 2x \frac{dy}{dx} - 12y = x^2 \log x$ .

7 L2 2 2

3. a) Solve  $x^3 \frac{dy}{dx} - x^2 y = -y^4 \cos x$ .

6 L2 1 1

- b) A body is originally at 80°C cools down to 60°C in 20 min, the temperature of air being 40°C. Find the temperature of the body after 50 min from the original.

7 L2 1 1

- c) Solve  $\frac{d^2y}{dx^2} + \frac{dy}{dx} = x^3 + 3x^2 + 5$ .

7 L2 2 1

**Unit – II**

4. a) Find (i)  $L\{t^2 \sin 2t\}$  (ii)  $L\{\frac{\sin t}{t}\}$

6 L2 3 2

- b) If  $f(t)$  is a periodic function with period  $T$  so that  $f(t+T) = f(t)$  for all values of  $t$ , then prove that  $L\{f(t)\} = \frac{1}{1-e^{-sT}} \int_0^T e^{-st} f(t) dt$ .

7 L1 3 1

- c) Solve  $x''(t) + 4x(t) = 2t - 8$ ,  $x(0) = 1$ ,  $x'(0) = 0$  by the Laplace transform method.

7 L1 4 1

**P.T.O.**