Rajalakshmi Engineering College

Name: RamRohith Muthusamy
Email: 240701419@rajalakshmi.edu.in
Roll no: 240701419
Phone: 8248706370
Branch: REC
Department: CSE - Section 5
Batch: 2028
Degree: B.E - CSE

Scan to verify results

2024_28_III_OOPS Using Java Lab

2028_REC_OOPS using Java_Week 1_CY

Attempt : 1
Total Mark : 40
Marks Obtained : 40

Section 1 : Coding

1. Problem Statement:

Gilbert is tasked with writing a program that checks whether a given integer is an odd number. An odd number is one that cannot be exactly divided by 2. The program should take an integer as input and determine if it is an odd number or not. The task is to implement the logic to check if the provided integer is odd and return the result.

Input Format

The first line of the input contains an integer, "input".

Output Format

The output should display a boolean value, "result," which should be set to true if the input integer is an odd number and false if it is even.

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 0
Output: Is the integer odd? false

Answer

```java
import java.util.Scanner;
import java.io.*;

class Main{
    public static void main(String args[]){
        Scanner sc = new Scanner(System.in);
        int a = sc.nextInt();
        if(a%2==0){
            System.out.println("Is the integer odd? false");
        }
        else{
            System.out.println("Is the integer odd? true");
        }
    }
}
```

Status : Correct   *Marks : 10/10*

2. Problem Statement:

"Write a program that helps identify the type of a triangle based on the lengths of its three sides. The program prompts the user to input the lengths of sides 'a,' 'b,' and 'c,' and then it classifies the triangle as 'Equilateral' if all sides are equal, 'Isosceles' if two sides are equal, or 'Scalene' if all sides are different. Can you provide the Java code for this task?"

Input Format

The first line of the input is an integer 'a' representing the length of side 'a.'

The second line of the input is an integer 'b' representing the length of side 'b.'

The third line of the input is an integer 'c' representing the length of side 'c.'

Output Format

The program outputs a single line that specifies the type of the triangle: "Equilateral," "Isosceles," or "Scalene."

Sample Test Case

Input: 3
4
5
Output: The triangle is Scalene

Answer

```java
import java.io.*;
import java.util.Scanner;

class Main{
    public static void main(String args[]){
        Scanner sc = new Scanner(System.in);
        int a = sc.nextInt();
        int b = sc.nextInt();
        int c = sc.nextInt();

        if(a==b && b==c){
            System.out.println("The triangle is Equilateral");
        }
        else if(a==b || b==c || a==c){
            System.out.println("The triangle is Isosceles");
        }
        else{
            System.out.println("The triangle is Scalene");
        }
    }
}
```

Status : Correct   *Marks : 10/10*

3. Problem Statement

In a logistics company, each delivery pack contains a specific number of items, and the priority customer receives double the amount. Write a program to determine the total number of delivery packs required for the operation, considering the number of items per pack and the number of customers given as input by the user.

Example

Input:

Number of items per pack = 96

Number of customers = 8

Output:

10

Explanation:

Given the number of items per pack = 96 and the number of customers = 8, the calculations are as follows:

Total number of items needed = number of items per pack * number of customers = 96 * 8 = 768.Priority customer's share = double the amount of items per pack = 2 * 96 = 192.Total items with the priority customer = total items needed + priority share = 768 + 192 = 960.Number of packs needed = (960 + 96 − 1)/ 96 = 10.98Since we cannot have a fraction of a pack, the output is 10.

Input Format

The input consists of two space-separated integers N and C, representing the number of items per pack and the number of customers.

Output Format

The output displays an integer, representing the total number of delivery packs required for the operation.

Refer to the sample output for formatting specifications.

Input: 1 1

Output: 3

Answer

```java
import java.util.Scanner;
import java.io.*;

class Main{
    public static void main(String args[]){
        Scanner sc = new Scanner(System.in);

        int x = sc.nextInt();
        int y = sc.nextInt();

        int a = x*y;
        int b = x*2;
        int c = a+b;
        int d = (c+x-1)/x;

        System.out.println(d);


    }
}
```

Status : Correct   *Marks : 10/10*

4. Problem Statement

In the faraway land of Arithmetica, there exists an ancient calculator that can only perform bitwise operations. The calculator is locked with a secret code that only works when the number is modified using a special operation called right shifting.

The ruler of Arithmetica, King Thales, needs your help to unlock the calculator. The lock on the calculator is encoded with a number, and the calculator will only open if you apply a right shift by 2 on the number. Your task is to help King Thales determine the magic number that will unlock

the ancient calculator.

Input Format

The first line of input represents an integer.

Output Format

The output should display the right-shifted value by 2 bits.

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 16
Output: 4

Answer

```java
import java.io.*;
import java.util.Scanner;

class Main{
    public static void main(String args[]){
        Scanner sc = new Scanner(System.in);
        int a = sc.nextInt();
        System.out.print(a>>2);
    }
}
```

Status : Correct   *Marks : 10/10*