## Financial Theory - Lecture 4

Fredrik Armerin, Uppsala university, 2024

### Agenda

- Two-asset portfolios.
- Diversification.
- Some special types of portfolios.
- Portfolio mathematics.

#### The lecture is based on

• Chapter 4.1-4.2 and 4.4-4.5 in the course book.

### Basic definitions in portfolio models

We let  $\mathbf{r} = (r_1, r_2, \dots, r_N)^{\top}$  denote a vector of rates of return of N assets.

A vector of portfolio weights  $\boldsymbol{\pi} = (\pi_1, \pi_2, \dots, \pi_N)^{\top}$  is a vector satisfying

$$\sum_{i=1}^{N} \pi_i = \boldsymbol{\pi} \cdot \mathbf{1} = 1.$$

The rate of return of a portfolio is denoted  $r_p$ , or  $r(\pi)$  if we want to emphasise the specific portfolio weight vector.

We have previously shown that

$$r_p = r(\boldsymbol{\pi}) = \sum_{i=i}^N \pi_i r_i = \boldsymbol{\pi} \cdot \mathbf{r}.$$

Now assume that there exists only two assets: N = 2.

Let w be the portfolio weight in asset 1, i.e. the portfolio weights are

$$(\pi_1, \pi_2)^T = (w, 1 - w)^T.$$

Note that w can be any number. The return on this portfolios is

$$r(w) = wr_1 + (1-w)r_2.$$

We let for i = 1, 2

$$E[r_i] = \mu_i$$
,  $Std[r_i] = \sigma_i$  and  $Corr[r_1, r_2] = \rho$ ,

and assume that  $\mu_1 \neq \mu_2$ .

The mean return of the portfolio is

$$\mu(w) = E[r(w)]$$
  
=  $E[wr_1 + (1-w)r_2]$   
=  $w\mu_1 + (1-w)\mu_2$ ,

and the variance of the rate of return of the portfolio is

$$\sigma^{2}(w) = \operatorname{Var}[r(w)]$$

$$= \operatorname{Var}[wr_{1} + (1 - w)r_{2}]$$

$$= \operatorname{Var}[wr_{1}] + 2\operatorname{Cov}[wr_{1}, (1 - w)r_{2}] + \operatorname{Var}[(1 - w)r_{2}]$$

$$= w^{2}\sigma_{1}^{2} + 2w(1 - w)\operatorname{Cov}[r_{1}, r_{2}] + (1 - w)^{2}\sigma_{2}^{2}$$

$$= w^{2}\sigma_{1}^{2} + 2w(1 - w)\rho\sigma_{1}\sigma_{2} + (1 - w)^{2}\sigma_{2}^{2}.$$


Using the expression for  $\mu(w)$  we can solve for the weight as long as  $\mu_1 \neq \mu_2$ :

$$\mu(w) = w\mu_1 + (1-w)\mu_2 = \mu_2 + w(\mu_1 - \mu_2) \Leftrightarrow w = \frac{\mu(w) - \mu_2}{\mu_1 - \mu_2}.$$

Now use this expression in the formula for  $\sigma(w) = \sqrt{\sigma^2(w)}$ :


$$\sigma(w) = \sqrt{w^2 \sigma_1^2 + 2w(1-w)\rho \sigma_1 \sigma_2 + (1-w)^2 \sigma_2^2} 
= ... 
= \sqrt{K_0 + K_1 \mu(w) + K_2 \mu(w)^2}$$

for some constants  $K_0$ ,  $K_1$  and  $K_2$  depending on  $\mu_1$ ,  $\mu_2$ ,  $\sigma_1$ ,  $\sigma_2$  and  $\rho$  (see p. 107 in Munk for details).



By letting w vary we can get any expected return we want – given that we accept the standard deviation of that portfolio.

The weight w can be any real number.



When  $w \in [0,1]$  then also  $1-w \in [0,1]$ , and there is no short-selling in any of the assets (a "long-only portfolio").

Which portfolios has the lowest possible variance and how large is this variance?

We use

$$\sigma^{2}(w) = w^{2}\sigma_{1}^{2} + 2w(1-w)\rho\sigma_{1}\sigma_{2} + (1-w)^{2}\sigma_{2}^{2}$$

and look for a portfolio with

$$\frac{\partial \sigma^2(w)}{\partial w} = 2w\sigma_1^2 + 2(1-w-w)\rho\sigma_1\sigma_2 - 2(1-w)\sigma_2^2 = 0.$$


Solving this equation yields the portfolio weights


$$w_{\min} = \frac{\sigma_2^2 - \rho \sigma_1 \sigma_2}{\sigma_1^2 + \sigma_2^2 - 2\rho \sigma_1 \sigma_2}$$
 and  $1 - w_{\min} = \frac{\sigma_1^2 - \rho \sigma_1 \sigma_2}{\sigma_1^2 + \sigma_2^2 - 2\rho \sigma_1 \sigma_2}$ .


The minimum variance is given by

$$\sigma^2(w_{\min}) = \frac{(1-\rho^2)\sigma_1^2\sigma_2^2}{\sigma_1^2 + \sigma_2^2 - 2\rho\sigma_1\sigma_2}.$$

Check this by doing Exercise 4.1 in the course book, and there you can also find an expression for  $\mu(w_{\min})$ .








Colour	Yellow	Purple	Green	Blue	Red
$\overline{\rho}$	-1	-0.5	0	0.5	1

Now assume that asset 2 is a risk-free asset with rate of return  $r_f$ .

In this case


$$\mu(w) = w\mu_1 + (1-w)r_f$$
 and  $\sigma(w) = \sqrt{w^2\sigma_2^2} = |w|\sigma_2$ .



## Two special cases

$$\sigma_1 = \sigma_2$$


In this case a typical situation is as follows:



This is a situation that is OK.

$$\mu_1 = \mu_2$$

In this case a typical situation is as follows:



This is not a realistic situation from an economic point of view.

Now consider a market with N assets.

On this market we form a portfolio with equal weights in each asset:

$$\pi_1=\pi_2=\ldots=\pi_N.$$

Since they need to sum to one, we have

$$\pi_i = \frac{1}{N}, \ i = 1, 2, \dots, N.$$

How large is the variance of the rate return  $r_p$  of this equally weighted portfolio?

$$Var[r_{p}] = Var \left[ \sum_{i=1}^{N} \pi_{i} r_{i} \right]$$

$$= Var \left[ \sum_{i=1}^{N} \frac{1}{N} r_{i} \right]$$

$$= \frac{1}{N^{2}} Var \left[ \sum_{i=1}^{N} r_{i} \right]$$

$$= \frac{1}{N^{2}} \sum_{i=1}^{N} \sum_{j=1}^{N} Cov[r_{i}, r_{j}]$$

$$= \frac{1}{N^{2}} \left( \sum_{i=1}^{N} Var[r_{i}] + \sum_{i \neq j}^{N} Cov[r_{i}, r_{j}] \right)$$

There are N variance and N(N-1) covariance terms. Let

$$\overline{\mathsf{Var}}_{\mathit{N}} = \frac{1}{\mathit{N}} \sum_{i=1}^{\mathit{N}} \mathsf{Var}[\mathit{r}_i]$$

and

$$\overline{\mathsf{Cov}}_{N} = \frac{1}{N(N-1)} \sum_{i \neq j}^{N} \mathsf{Cov}[r_{i}, r_{j}]$$

be their respective averages.

We assume that as the number of assets grow, i.e. when  $N \to \infty$ , they converge to  $\overline{\text{Var}}$  and  $\overline{\text{Cov}}$  respectively.

Now,

$$Var[r_p] = \frac{1}{N^2} \sum_{i=1}^{N} Var[r_i] + \frac{1}{N^2} \sum_{i \neq j}^{N} Cov[r_i, r_j]$$

$$= \frac{1}{N} \cdot \frac{1}{N} \sum_{i=1}^{N} Var[r_i] + \frac{N-1}{N} \cdot \frac{1}{N(N-1)} \sum_{i \neq j}^{N} Cov[r_i, r_j]$$

$$= \frac{1}{N} \overline{Var}_N + \frac{N-1}{N} \overline{Cov}_N$$

$$\stackrel{N \to \infty}{\longrightarrow} 0 \cdot \overline{Var} + 1 \cdot \overline{Cov}$$

$$= \overline{Cov}.$$

**Conlusion:** By investing in more and more asset we can diminish the risk, but the lower limit is given by  $\overline{Cov}$ .

What is the intuition behind the previous result?

Let  $r_i$  be the rate of return of asset i and let  $r_m$  be the return of a market index.

Then we can always write

$$r_i = \alpha_i + \beta_i r_m + \varepsilon_i$$

for some  $\alpha_i$ ,  $\beta_i = \text{Cov}[r_i, r_m]/\text{Var}[r_m]$  and  $\text{Cov}[r_m, \varepsilon_i] = 0$  (cf. with OLS).

Hence,

$$Var[r_i] = Var[\alpha_i + \beta_i r_m + \varepsilon_i] = \beta_i^2 \sigma_m^2 + \sigma_i^2,$$

where

$$\sigma_m^2 = \text{Var}[r_m] \text{ and } \sigma_i^2 = \text{Var}[\varepsilon_i].$$

If we make the assumption that  $Cov[\varepsilon_i, \varepsilon_j] = 0$  if  $i \neq j$ , then we can interpret  $\varepsilon_i$  as the firm specific variation in the return  $r_i$ .

Under this assumption

$$Cov[r_i, r_j] = Cov[\alpha_i + \beta_i r_m + \varepsilon_i, \alpha_j + \beta_j r_m + \varepsilon_j] = \beta_i \beta_j \sigma_m^2.$$

It follows that

$$\overline{\mathsf{Cov}}_{\mathit{N}} = \frac{1}{\mathit{N}(\mathit{N}-1)} \sum_{i \neq j}^{\mathit{N}} \mathsf{Cov}[\mathit{r}_i, \mathit{r}_j] = \frac{\sigma_m^2}{\mathit{N}(\mathit{N}-1)} \sum_{i \neq j}^{\mathit{N}} \beta_i \beta_j.$$

The limit of this as  $N \to \infty$  does not depend on the variances  $\sigma_i^2$ .

We can diversify away the firm specific risks, but not the market risk.

Now let all the assets have the same standard deviation  $\sigma$  and the same pairwise correlation  $\rho$ .

**Remark.** One can show that if N random variables have the same pairwise correlation  $\rho$ , then this correlation has to satisfy  $\rho \geq -1/(N-1)$ .

In this case


$$\overline{\mathsf{Var}}_{\mathsf{N}} = \frac{1}{\mathsf{N}} \sum_{i=1}^{\mathsf{N}} \sigma^2 = \frac{1}{\mathsf{N}} \cdot \mathsf{N} \sigma^2 = \sigma^2$$

and

$$\overline{\mathsf{Cov}}_{\mathsf{N}} = \frac{1}{\mathsf{N}(\mathsf{N}-1)} \sum_{i \neq j}^{\mathsf{N}} \rho \sigma^2 = \frac{1}{\mathsf{N}(\mathsf{N}-1)} \cdot \mathsf{N}(\mathsf{N}-1) \rho \sigma^2 = \rho \sigma^2.$$

Now we get

$$\operatorname{Var}[r_p] = \frac{1}{N} \overline{\operatorname{Var}}_N + \frac{N-1}{N} \overline{\operatorname{Cov}}_N = \frac{\sigma^2}{N} + \left(1 - \frac{1}{N}\right) \rho \sigma^2.$$



Corrrelation  $\rho = 0, 0.25, 0.5, 0.75$  from bottom and up.

### Arbitrage portfolios

An arbitrage is a portfolio with the following properties:

- 1) It costs zero to buy.
- 2) It has a payoff that is non-negative, and with strictly positive probability the payoff is strictly positive.

One can think of this as getting a free lottery ticket.

How many units of this portfolio would you like?

Infinitely many!

## Arbitrage portfolios

The principle of no arbitrage states that on a market in equilibrium, there can be no arbitrage opportunities, i.e. it is not possible to construct an arbitrage on a market in equilibrium.

This approach is very powerful when determining the price of derivatives such as options and futures.

A model of a market that rules out arbitrage opportunities is said to be free of arbitrage or arbitrage free.

## Replicating portfolios

A replicating portfolio for a given asset is a portfolio that exactly replicates the cash flows of the given asset.


The law of one price states that if two assets have the same cash flows, then they must have the same price.

The law of one price is a weak requirement, and in fact if a market model is free of arbitrage, then the law of one price holds (but the converse is not true).

By using the law of one price, we see that the price of the replicating portfolio and the asset it replicates must be the same.

## Replicating portfolios

**Example.** Asset A is paying out 100 euros one year from now and 10100 euros in two years from now.



The price of asset B that is paying out 100 euros in one years time is 98.53 euros, and the price of asset C that is paying out 100 euros in two years time is 97.85.

We see that asset A is replicated by the portfolio consisting of 1 unit of asset B and 101 units of asset C. Hence, this is the replicating portfolio.

Using the law of one price we get

Price of A = 
$$1 \cdot 98.53 + 101 \cdot 97.85 = 9981.38$$
 euros.

#### Tracking portfolios

A tracking portfolio has as its goal to be close to the value of an asset. It is not unusual that the asset being tracked is an index.

The tracking error (TE) measures how much the tracking portfolio deviates from the asset it is tracking and is defined as

$$r_p - r_b$$
,

where  $r_p$  is the tracking portfolio and  $r_b$  the return on the given asset.

One way to quantitatively measure the TE is to calculate  $Std[r_p - r_b]$ .

#### Portfolio mathematics

Given is the vector of rates of return

$$\mathbf{r}=(r_1,r_2,\ldots,r_N)^{\top}.$$

From now on we let

$$\mu = E[r]$$

and

$$\Sigma = \mathsf{Var}[\textbf{\textit{r}}]$$

denote the mean vector and the variance-covariance of the rate of return vector respectively.

Recall

$$r_p = r(\boldsymbol{\pi}) = \sum_{i=1}^N \pi_i r_i = \boldsymbol{\pi} \cdot \boldsymbol{r}.$$

#### Portfolio mathematics

Then the mean rate of return of a portfolio is

$$E[r(\pi)] = E\left[\sum_{i=1}^{N} \pi_{i} r_{i}\right]$$

$$= \sum_{i=1}^{N} \pi_{i} E[r_{i}]$$

$$= \sum_{i=1}^{N} \pi_{i} \mu_{i}$$

$$= \pi \cdot \mu.$$

#### Portfolio mathematics

The variance of the portfolio rate of return is given by

$$Var[r(\pi)] = Var \left[ \sum_{i=1}^{n} \pi_i r_i \right]$$

$$= \sum_{i=1}^{N} \sum_{j=1}^{N} \pi_i \pi_j Cov[r_i, r_j]$$

$$= \sum_{i=1}^{N} \sum_{j=1}^{N} \pi_i \pi_j \Sigma_{ij}$$

$$= \pi \cdot \Sigma \pi.$$

## Portfolio optimisation

Using the N assets we can form portfolios with special characteristics.

Typically we want to minimise or maximise some property of a portfolio.

Since we must have

$$\sum_{i=1}^N \pi_i = \boldsymbol{\pi} \cdot \mathbf{1} = 1$$

this leads to optimisation with constraints.

#### Example

1) The portfolio with the smallest variance:

$$\begin{array}{lll} \min \limits_{\boldsymbol{\pi}} & \mathsf{Var}[r(\boldsymbol{\pi})] \\ \mathsf{s.t.} & \sum_{i=1}^{N} \pi_i = 1 \end{array} \Leftrightarrow \begin{array}{ll} \min \limits_{\boldsymbol{\pi}} & \boldsymbol{\pi} \cdot \boldsymbol{\Sigma} \boldsymbol{\pi} \\ \boldsymbol{\pi} & \mathsf{s.t.} & \boldsymbol{\pi} \cdot \boldsymbol{1} = 1 \end{array}$$

## Portfolio optimisation

2) The long-only portfolio with the smallest variance:

$$\begin{array}{lll} \min \limits_{\boldsymbol{\pi}} & \mathsf{Var}[r(\boldsymbol{\pi})] \\ \mathsf{s.t.} & \displaystyle \sum_{i=1}^{N} \pi_i = 1 \\ & \pi_i \geq 0, i = 1, 2, \dots, N \end{array} \Leftrightarrow \begin{array}{ll} \min \limits_{\boldsymbol{\pi}} & \boldsymbol{\pi} \cdot \boldsymbol{\Sigma} \boldsymbol{\pi} \\ \mathsf{s.t.} & \boldsymbol{\pi} \cdot \boldsymbol{1} = 1 \\ & \boldsymbol{\pi} \geq \boldsymbol{0} \end{array}$$

3) The portfolio with expected rate of return  $\bar{\mu}$  that has the smallest variance:

$$\begin{array}{lll} \min \limits_{\boldsymbol{\pi}} & \mathsf{Var}[r(\boldsymbol{\pi}] \\ & \boldsymbol{\pi} & \min \limits_{\boldsymbol{\pi}} & \boldsymbol{\pi} \cdot \boldsymbol{\Sigma} \boldsymbol{\pi} \\ \mathsf{s.t.} & \sum_{i=1}^{N} \pi_i = 1 & \Leftrightarrow & \mathsf{s.t.} & \boldsymbol{\pi} \cdot \mathbf{1} = 1 \\ & & \boldsymbol{E}[r(\boldsymbol{\pi})] = \overline{\mu}. & & & \boldsymbol{\pi} \cdot \boldsymbol{\mu} = \overline{\mu}. \end{array}$$