

## Definition: Metric Space

### Definition: Metric Space

A **metric space** is a **Set**  $X$  together with a function  $d : X \times X \rightarrow \mathbb{R}$  called a **metric** (or **distance function**) that satisfies certain axioms capturing the intuitive properties of distance.

### Metric Axioms

For all  $x, y, z \in X$ , the metric  $d$  must satisfy:

1. **Non-negativity:**  $d(x, y) \geq 0$
2. **Identity of indiscernibles:**  $d(x, y) = 0$  if and only if  $x = y$
3. **Symmetry:**  $d(x, y) = d(y, x)$
4. **Triangle inequality:**  $d(x, z) \leq d(x, y) + d(y, z)$

The pair  $(X, d)$  is called a metric space.

### Examples

1. **Euclidean metric** on  $\mathbb{R}^n$ :

$$d(x, y) = \sqrt{\sum_{i=1}^n (x_i - y_i)^2}$$

2. **Discrete metric** on any set  $X$ :

$$d(x, y) = \begin{cases} 0 & \text{if } x = y \\ 1 & \text{if } x \neq y \end{cases}$$

3. **Manhattan metric** on  $\mathbb{R}^n$ :

$$d(x, y) = \sum_{i=1}^n |x_i - y_i|$$


### Key Concepts

- **Open ball:**  $B(x, r) = \{y \in X : d(x, y) < r\}$
- **Closed ball:**  $\bar{B}(x, r) = \{y \in X : d(x, y) \leq r\}$
- **Bounded set:**  $A \subseteq X$  is bounded if  $\exists M > 0, x_0 \in X$  such that  $A \subseteq B(x_0, M)$

### Importance

Metric spaces: - Generalize the notion of distance beyond Euclidean space - Provide a framework for studying continuity and convergence - Form the foundation for analysis and topology - Connect geometry with analysis

## Dependency Graph



Local dependency graph