

Definition: Identity Element

An **identity element** for a **Binary Operation** is an element that leaves any other element unchanged when combined with it.

Formal Definition

Let $(S, *)$ be a set S with a binary operation $*$. An element $e \in S$ is called:

Left Identity

If for all $a \in S$:

$$e * a = a$$

Right Identity

If for all $a \in S$:

$$a * e = a$$

Two-Sided Identity (or simply Identity)

If e is both a left identity and a right identity.

Uniqueness

If an identity element exists, it is unique:

Proof: Suppose e and e' are both identities. Then: - $e = e * e'$ (since e' is a right identity) - $e * e' = e'$ (since e is a left identity) - Therefore $e = e'$

Examples

Arithmetic Operations

- **Addition on \mathbb{R} :** Identity is 0, since $a + 0 = 0 + a = a$
- **Multiplication on \mathbb{R} :** Identity is 1, since $a \cdot 1 = 1 \cdot a = a$

Matrix Operations

- **Matrix addition:** The zero matrix **0**
- **Matrix multiplication:** The identity matrix **I** with 1s on diagonal

Set Operations

- **Union:** The empty set \emptyset , since $A \cup \emptyset = A$
- **Intersection:** The universal set U , since $A \cap U = A$

Function Composition

- In the set of functions $f : X \rightarrow X$, the identity function $\text{id}_X(x) = x$

Non-Examples

- **Subtraction on \mathbb{R} :** No identity element exists
 - No right identity: $a - e = a$ implies $e = 0$
 - But 0 is not a left identity: $0 - a = -a \neq a$


Related Concepts

- **Group:** Requires an identity element
- **Monoid:** A set with an associative operation and identity
- **Inverse elements:** Defined relative to an identity element
- **Uniqueness of Identity:** Proves uniqueness in group context

Properties

1. In a **Group**, every element has an inverse with respect to the identity
2. The identity element is its own inverse: $e * e = e$
3. Identity elements are preserved by homomorphisms between algebraic structures

Dependency Graph



Local dependency graph