

## Definition: Associativity

**Associativity** is a fundamental property of a [Binary Operation](#) that allows us to perform multiple operations without needing to specify the order of evaluation using parentheses.

### Formal Definition

A binary operation  $*$  on a set  $S$  is **associative** if for all  $a, b, c \in S$ :

$$(a * b) * c = a * (b * c)$$

When this property holds, we can write  $a * b * c$  without ambiguity.

### Extended Associativity

By induction, if  $*$  is associative, then for any elements  $a_1, a_2, \dots, a_n$ : - All possible ways of parenthesizing  $a_1 * a_2 * \dots * a_n$  yield the same result - We can write the expression without parentheses

### Examples of Associative Operations

#### Arithmetic

- **Addition:**  $(a + b) + c = a + (b + c)$
- **Multiplication:**  $(a \cdot b) \cdot c = a \cdot (b \cdot c)$

#### Set Theory

- **Union:**  $(A \cup B) \cup C = A \cup (B \cup C)$
- **Intersection:**  $(A \cap B) \cap C = A \cap (B \cap C)$

#### Logic

- **AND:**  $(p \wedge q) \wedge r = p \wedge (q \wedge r)$
- **OR:**  $(p \vee q) \vee r = p \vee (q \vee r)$

#### Functions

- **Composition:**  $(f \circ g) \circ h = f \circ (g \circ h)$

#### Strings

- **Concatenation:**  $(AB)C = A(BC)$  for strings  $A, B, C$

## Non-Associative Operations

### Arithmetic

- **Subtraction:**  $(a - b) - c \neq a - (b - c)$ 
  - Example:  $(5 - 3) - 1 = 1$  but  $5 - (3 - 1) = 3$
- **Division:**  $(a \div b) \div c \neq a \div (b \div c)$ 
  - Example:  $(8 \div 4) \div 2 = 1$  but  $8 \div (4 \div 2) = 4$
- **Exponentiation:**  $(a^b)^c \neq a^{(b^c)}$ 
  - Example:  $(2^3)^2 = 64$  but  $2^{(3^2)} = 512$

### Vector Operations

- **Cross product:**  $(\vec{a} \times \vec{b}) \times \vec{c} \neq \vec{a} \times (\vec{b} \times \vec{c})$

### Importance

1. **Algebraic Structures:** Associativity is required for:
  - Semigroups
  - Monoids
  - [Groups](#)
  - Rings (for both operations)
2. **Computation:** Allows flexible evaluation order for optimization
3. **Generalization:** Enables definition of products/sums over arbitrary index sets


### Related Properties

- **Commutativity:**  $a * b = b * a$  (independent of associativity)
- **Power associativity:**  $(x^m)^n = x^{mn}$  (weaker than full associativity)
- **Alternative property:**  $(aa)b = a(ab)$  and  $a(bb) = (ab)b$  (weaker)

### Consequences

In structures with associativity: - Can define powers:  $a^n = a * a * \dots * a$  (n times) - Can extend to infinite products (with appropriate convergence) - Matrix multiplication is associative, enabling efficient computation

## Dependency Graph



Local dependency graph