## ${\sf yahL\_predicted}$

Anaerobic + Nitrate -						
Nitrate -						
Acetate -						
Copper Sulfate (2mM) -						
Low Phosphate -						
LB + 0.75M NaCl -						
Low Osmolarity -						
Anaerobic -						
Serine Hydroxamate -				_		
Spermidine -						
HOCI (4mM) -						
Copper Sulfate (500µM) -						
Gentamicin -						
H2O2 (2.5mM, 10min) -						
Phenazine Methosulfate -						
2,2-Dipyridyl -						
Medium Cold shock 19C -						
2pH (HCI) -						
Leucine (10mM) -			<del>-</del>			
Glutamic acid (pH 2.5) -						
Ethanol (induction) -						
Ampicillin (induction) -						
Sodium Salicytate (induction) -						
Sulphur starvation -						
Magnesium starvation -						
Nirtogen starvation -						
LB -						
H2O2 (0.1mM 30min) -						
Heatshock						
Ampicillin -						
Cold Shock (1h at 10C)						
Stationary Phase (3d)						
Stationary Phase (3d)						
Ethanol (2.5 %) -						
Sodium Salicytate -						
Galactose -						
Arabinose -						
Xylose -						
Glucose -						
	1 1 1	1 1 1	1 1 1	1 1	1 1	1 1 1
	-110-100-90	) -80 -70 -6	0 -50 -40 -3	30 -20 -10	0 10	20 30 40