Anaerobic + Nitrate - Nitrate - Acetate - Copper Sulfate (2mM) - Low Phosphate - LB + 0.75M NaCl - Low Osmolarity - Anaerobic - Serine Hydroxamate - Spermidine - HOCI (4mM) - Copper Sulfate (500µM) - Gentamicin - H2O2 (2.5mM, 10min) -				
Phenazine Methosulfate - 2,2-Dipyridyl - Medium Cold shock 19C -				-
2pH (HCI) - Leucine (10mM) -				
Glutamic acid (pH 2.5) -			-	
Ethanol (induction) - Ampicillin (induction) -				
Sodium Salicytate (induction) -				_
Sulphur starvation - Magnesium starvation -				_
Nirtogen starvation				
LB - H2O2 (0.1mM 30min) -			-	
H2O2 (0.11110/3011111) Heatshock -		_	-	
Ampicillin -				
Cold Shock (1h at 10C) - Stationary Phase (3d) -				_
Stationary Phase (1d) -				
Ethanol (2.5 %) - Sodium Salicytate -				
Galactose -			-	
Arabinose -		-		
Xylose - Glucose -				
Giucosc				
-110-100-90 -80 -70 -60 -50 -40 -30 -20 -10 0 10 20 30 40				