Anaerobic + Nitrate -							
Nitrate -							_
Acetate -					-		
Copper Sulfate (2mM) -							
Low Phosphate -							
LB + 0.75M NaCl -			-				
Low Osmolarity -							
Anaerobic -							_
Serine Hydroxamate -							
Spermidine -							
HOCI (4mM) -							
Copper Sulfate (500µM) -							
Gentamicin -							
H2O2 (2.5mM, 10min) -							
Phenazine Methosulfate -							_
2,2-Dipyridyl -							
Medium Cold shock 19C -					-		
2pH (HCI) -							
Leucine (10mM) -							_
Glutamic acid (pH 2.5) -				_	_		_
Ethanol (induction) -							_
Ampicillin (induction) -				-			_
Sodium Salicytate (induction) -							
Sulphur starvation -							
Magnesium starvation –			-				
Nirtogen starvation -			_		-		
LB -							_
H2O2 (0.1mM 30min) -							
Heatshock -							
Ampicillin -			-				
Cold Shock (1h at 10C) -							
Stationary Phase (3d) -							
Stationary Phase (1d) -							
Ethanol (2.5 %)							
Sodium Salicytate							
Galactose -							
Arabinose -							
Xylose -							
Glucose -							
	1 1 1	1 1 1	I 50	1 1 1	1 1	1 1	1 1
	-110-100-90 -	80 -70 -60	-50 -	40 -30 -20	-10 0	10 20	30 40