	0 1	
Anaerobic + Nitrate -		
Nitrate -		
Acetate -		
Copper Sulfate (2mM) -		
Low Phosphate		
LB + 0.75M NaCl -		
Low Osmolarity		
Anaerobic -		
Serine Hydroxamate -		
Spermidine -		
HOCI (4mM) -		
Copper Sulfate (500µM)		
Gentamicin		
H2O2 (2.5mM, 10min) -		
11202 (2.511111)		
Phenazine Methosulfate -		
2,2-Dipyridyl		
Medium Cold shock 19C -		
2pH (HCl) -		
Leucine (10mM) -		
Glutamic acid (pH 2.5) -		
Ethanol (induction)		
Ampicillin (induction) -		
Sodium Salicytate (induction) -		
Sulphur starvation -		
Magnesium starvation –		
Nirtogen starvation -		
LB -		
H2O2 (0.1mM 30min) -		
Heatshock -		
Ampicillin -		
Cold Shock (1h at 10C) -		
Stationary Phase (3d) -		
Stationary Phase (1d) -		
Ethanol (2.5 %) -		
Sodium Salicytate -		
Galactose -		
Arabinose -		
Xylose -		-
Glucose -		
	-110-100-90 -80 -70 -60 -50 -40 -30 -20	0-10 0 10 20 30 40