Anaerobic + Nitrate -							-
Nitrate -							-
Acetate -							
Copper Sulfate (2mM) -							
Low Phosphate -							
LB + 0.75M NaCl -		_					
Low Osmolarity -							
Anaerobic -							-
Serine Hydroxamate -							_
Spermidine -							_
HOCI (4mM) -							
Copper Sulfate (500µM) -							
Gentamicin -							
H2O2 (2.5mM, 10min) -							_
11202 (2.311111, 1311111)							
Phenazine Methosulfate -							
2,2-Dipyridyl							
Medium Cold shock 19C -					_		
2pH (HCl) -		_					
Leucine (10mM) -							_
Glutamic acid (pH 2.5)					_		
Ethanol (induction)		_				_	
Ampicillin (induction)							
Sodium Salicytate (induction)		_					
Sulphur starvation -							
Magnesium starvation -							
Nirtogen starvation						_	
LB -							_
H2O2 (0.1mM 30min) -							
Heatshock -							_
Ampicillin -							_
Cold Shock (1h at 10C)					_		
Stationary Phase (3d)							
Stationary Phase (3d)							
Ethanol (2.5 %)							_
Sodium Salicytate -							_
Galactose -							
Arabinose -							_
Xylose -					_		
Glucose -							_
Glucose							
	-110-100-90 -	1 1 1 90 -70 - 40	1 50 - 4	0 -30 -30	-10 0	10 20	30 40
	-110-100-30 -	00 -70 -60	-30 -4	0 -30 -20 -	-10 O	10 20	30 40