Swiss-SEP 2.0 index Report 1.09 - citations

Radoslaw Panczak *et al.*July 5, 2021

- [1] Abel T, Hofmann K, Schori D. Social and Regional Variations in Health Status and Health Behaviours among Swiss Young Adults. Swiss Medical Weekly;143(5152).
- [2] Akinyemiju TF, Genkinger JM, Farhat M, Wilson A, Gary-Webb TL, Tehranifar P. Residential Environment and Breast Cancer Incidence and Mortality: A Systematic Review and Meta-Analysis. BMC Cancer;15(1):191.
- [3] Allik M, Brown D, Dundas R, Leyland AH. Developing a New Small-Area Measure of Deprivation Using 2001 and 2011 Census Data from Scotland. Health & Place;39:122-30.
- [4] Arhab A, Messerli-Bürgy N, Kakebeeke TH, Lanzi S, Stülb K, Zysset AE, et al. Childcare Correlates of Physical Activity, Sedentary Behavior, and Adiposity in Preschool Children: A Cross-Sectional Analysis of the SPLASHY Study. Journal of Environmental and Public Health;2018:1-12.
- [5] Berlin C, Panczak R, Hasler R, Zwahlen M. Do Acute Myocardial Infarction and Stroke Mortality Vary by Distance to Hospitals in Switzerland? Results from the Swiss National Cohort Study. BMJ Open;6(11):e013090.
- [6] Berlin C, Techel F, Moor BK, Zwahlen M, Hasler M. Snow Avalanche Deaths in Switzerland from 1995 to 2014 — Results of a Nation-Wide Linkage Study. PLoS ONE;2004:1-12.
- [7] Bringolf-Isler B, de Hoogh K, Schindler C, Kayser B, Suggs L, Dössegger A, et al. Sedentary Behaviour in Swiss Children and Adolescents: Disentangling Associations with the Perceived and Objectively Measured Environment. International Journal of Environmental Research and Public Health;15(5):918.
- [8] Bringolf-Isler B, Mäder U, Dössegger A, Hofmann H, Puder JJ, Braun-Fahrländer C, et al. Regional Differences of Physical Activity and Sedentary Behaviour in Swiss Children Are Not Explained by Socio-Demographics or the Built Environment. International Journal of Public Health;60(3):291-300.
- [9] Bringolf-Isler B, Schindler C, de Hoogh K, Kayser B, Suggs LS, Dössegger A, et al. Association of Objectively Measured and Perceived Environment with Accelerometer-Based Physical Activity and Cycling: A Swiss Population-Based Cross-Sectional Study of Children. International Journal of Public Health;3:1-12.
- [10] Bringolf-Isler B, Kriemler S, Mäder U, Dössegger A, Hofmann H, Puder JJ, et al. Relationship between the Objectively-Assessed Neighborhood Area and Activity Behavior in Swiss Youth. Preventive Medicine Reports;1:14-20.
- [11] Cairns JM, Graham E, Bambra C. Area-Level Socioeconomic Disadvantage and Suicidal Behaviour in Europe: A Systematic Review. Social Science & Medicine;192:102-11.
- [12] Chammartin F, Probst-Hensch N, Utzinger J, Vounatsou P. Mortality Atlas of the Main Causes of Death in Switzerland, 2008–2012. Swiss Medical Weekly;146(0708).
- [13] Clough-Gorr KM, Egger M, Spoerri A. A Swiss Paradox? Higher Income Inequality of Municipalities Is Associated with Lower Mortality in Switzerland. European Journal of Epidemiology;30(8):627-36.
- [14] Coste A, Bailey HD, Kartal-Kaess M, Renella R, Berthet A, Spycher BD. Parental Occupational Exposure to Pesticides and Risk of Childhood Cancer in Switzerland: A Census-Based Cohort Study. BMC Cancer;20(1):819.
- [15] Denhaerynck K, Goldfarb-Rumyantzev AS, Sandhu G, Beckmann S, Huynh-Do U, Binet I, et al. Pre-Transplant Social Adaptability Index and Clinical Outcomes in Renal Transplantation – The Swiss Transplant Cohort Study. Clinical Transplantation:e14218.
- [16] Domínguez-Berjón MF, Rodríguez-Sanz M, Marí-Dell'Olmo M, Esnaola S, Prieto-Salceda MD, Duque I, et al. Uso de Indicadores Socioeconómicos Del Área de Residencia En La Investigación Epidemiológica: Experiencia En España y Oportunidades de Avance. Gaceta Sanitaria;28(5):418-25.

- [17] Dubath C, Gholam-Rezaee M, Sjaarda J, Levier A, Saigi-Morgui N, Delacrétaz A, et al. Socio-Economic Position as a Moderator of Cardiometabolic Outcomes in Patients Receiving Psychotropic Treatment Associated with Weight Gain: Results from a Prospective 12-Month Inception Cohort Study and a Large Population-Based Cohort. Translational Psychiatry;11(1):1-7.
- [18] Egli-Gany D, Spaar Zographos A, Diebold J, Masserey Spicher V, Frey Tirri B, Heusser R, et al. Human Papillomavirus Genotype Distribution and Socio-Behavioural Characteristics in Women with Cervical Pre-Cancer and Cancer at the Start of a Human Papillomavirus Vaccination Programme: The CIN3+ plus Study. BMC cancer;19(1):111.
- [19] Eiholzer U, Fritz C, Katschnig C, Dinkelmann R, Stephan A. Contemporary Height, Weight and Body Mass Index References for Children Aged 0 to Adulthood in Switzerland Compared to the Prader Reference, WHO and Neighbouring Countries. Annals of Human Biology;46(6):437-47.
- [20] Eiholzer U, Fritz C, Stephan A. The Increase in Child Obesity in Switzerland Is Mainly Due to Migration from Southern Europe a Cross-Sectional Study. BMC Public Health;21(1):243.
- [21] Endes S, Schaffner E, Caviezel S, Dratva J, Stolz D, Schindler C, et al. Is Physical Activity a Modifier of the Association between Air Pollution and Arterial Stiffness in Older Adults: The SAPALDIA Cohort Study. International Journal of Hygiene and Environmental Health;(2):1-9.
- [22] Eze IC, Schaffner E, Zemp E, Eckardstein AV, Turk A, Bettschart R, et al. Environmental Tobacco Smoke Exposure and Diabetes in Adult Never-Smokers. Environmental Health;13:74.
- [23] Eze IC, Imboden M, Kumar A, Adam M, von Eckardstein A, Stolz D, et al. A Common Functional Variant on the Pro-Inflammatory Interleukin-6 Gene May Modify the Association between Long-Term PM10 Exposure and Diabetes. Environmental Health;15(1):39.
- [24] Eze IC, Schaffner E, Fischer E, Schikowski T, Adam M, Imboden M, et al. Long-Term Air Pollution Exposure and Diabetes in a Population-Based Swiss Cohort. Environment International;70:95-105.
- [25] Eze IC, Imboden M, Kumar A, von Eckardstein A, Stolz D, Gerbase MW, et al. Air Pollution and Diabetes Association: Modification by Type 2 Diabetes Genetic Risk Score. Environment International;94:263-71.
- [26] Eze IC, Foraster M, Schaffner E, Vienneau D, Héritier H, Pieren R, et al. Transportation Noise Exposure, Noise Annoyance and Respiratory Health in Adults: A Repeated-Measures Study. Environment International;121:741-50.
- [27] Eze IC, Jeong A, Schaffner E, Rezwan FI, Ghantous A, Foraster M, et al. Genome-Wide DNA Methylation in Peripheral Blood and Long-Term Exposure to Source-Specific Transportation Noise and Air Pollution: The SAPALDIA Study. Environmental Health Perspectives;128(6):67003.
- [28] Eze IC, Foraster M, Schaffner E, Vienneau D, Pieren R, Imboden M, et al. Incidence of Depression in Relation to Transportation Noise Exposure and Noise Annoyance in the SAPALDIA Study. Environment International;144:106014.
- [29] Eze I, Imboden M, Foraster M, Schaffner E, Kumar A, Vienneau D, et al. Exposure to Night-Time Traffic Noise, Melatonin-Regulating Gene Variants and Change in Glycemia in Adults. International Journal of Environmental Research and Public Health;14(12):1492.
- [30] Eze IC, Schaffner E, Foraster M, Imboden M, von Eckardstein A, Gerbase MW, et al. Long-Term Exposure to Ambient Air Pollution and Metabolic Syndrome in Adults. PloS one;10(6):e0130337.
- [31] Faeh D, Moser A, Panczak R, Bopp M, Röösli M, Spoerri A, et al. Independent at Heart: Persistent Association of Altitude with Ischaemic Heart Disease Mortality after Consideration of Climate, Topography and Built Environment. J Epidemiol Community Health;70(8):798-806.
- [32] Fairburn J, Maier W, Braubach M. Incorporating Environmental Justice into Second Generation Indices of Multiple Deprivation: Lessons from the UK and Progress Internationally. International Journal of Environmental Research and Public Health;13(8).

- [33] Fecht D, Jones A, Hill T, Lindfield T, Thomson R, Hansell AL, et al. Inequalities in Rural Communities: Adapting National Deprivation Indices for Rural Settings. Journal of Public Health;40(2):419-25.
- [34] Feller A, Schmidlin K, Bordoni A, Bouchardy C, Bulliard JL, Camey B, et al. Socioeconomic and Demographic Disparities in Breast Cancer Stage at Presentation and Survival: A Swiss Population-Based Study. International Journal of Cancer;141(8):1529-39.
- [35] Feller A, Schmidlin K, Clough-Gorr KM. Trends and Socioeconomic Inequalities in Amenable Mortality in Switzerland with International Comparisons. Swiss Medical Weekly;147(w14477):1-13.
- [36] Fond G, Zendjidjian X, Boucekine M, Brunel L, Llorca PM, Boyer L. The World Health Organization (WHO) Dataset for Guiding Suicide Prevention Policies: A 3-Decade French National Survey. Journal of Affective Disorders;188:232-8.
- [37] Foraster M, Eze IC, Schaffner E, Vienneau D, Héritier H, Endes S, et al. Exposure to Road, Railway, and Aircraft Noise and Arterial Stiffness in the SAPALDIA Study: Annual Average Noise Levels and Temporal Noise Characteristics. Environmental Health Perspectives;125(9):1-8.
- [38] Foraster M, Eze IC, Vienneau D, Brink M, Cajochen C, Caviezel S, et al. Long-Term Transportation Noise Annoyance Is Associated with Subsequent Lower Levels of Physical Activity. Environment International;91:341-9.
- [39] Foraster M, Eze IC, Vienneau D, Schaffner E, Jeong A, Héritier H, et al. Long-Term Exposure to Transportation Noise and Its Association with Adiposity Markers and Development of Obesity. Environment International;121:879-89.
- [40] Gueler A, Schoeni-Affolter F, Moser A, Bertisch B, Bucher HC, Calmy A, et al. Neighbourhood Socio-Economic Position, Late Presentation and Outcomes in People Living with HIV in Switzerland. AIDS (London, England);29(2):231-8.
- [41] Güsewell S, Floris J, Berlin C, Zwahlen M, Rühli F, Bender N, et al. Spatial Association of Food Sales in Supermarkets with the Mean BMI of Young Men: An Ecological Study. Nutrients;11(3):579.
- [42] Hagedoorn P, Groenewegen PP, Roberts H, Helbich M. Is Suicide Mortality Associated with Neighbourhood Social Fragmentation and Deprivation? A Dutch Register-Based Case-Control Study Using Individualised Neighbourhoods. Journal of Epidemiology & Community Health;74(2):197-202.
- [43] Halonen JI, Vahtera J, Oksanen T, Pentti J, Virtanen M, Jokela M, et al. Socioeconomic Characteristics of Residential Areas and Risk of Death: Is Variation in Spatial Units for Analysis a Source of Heterogeneity in Observed Associations? BMJ open;3(4).
- [44] Héritier H, Vienneau D, Foraster M, Eze IC, Schaffner E, de Hoogh K, et al. A Systematic Analysis of Mutual Effects of Transportation Noise and Air Pollution Exposure on Myocardial Infarction Mortality: A Nationwide Cohort Study in Switzerland. European Heart Journal;40(7):598-603.
- [45] Héritier H, Vienneau D, Foraster M, Eze IC, Schaffner E, Thiesse L, et al. Diurnal Variability of Transportation Noise Exposure and Cardiovascular Mortality: A Nationwide Cohort Study from Switzerland. International Journal of Hygiene and Environmental Health;221(3):556-63.
- [46] Herrmann C, Vounatsou P, Thürlimann B, Probst-Hensch N, Rothermundt C, Ess S. Impact of Mammography Screening Programmes on Breast Cancer Mortality in Switzerland, a Country with Different Regional Screening Policies. BMJ Open;8(3):e017806.
- [47] Huss A, Spoerri A, Egger M, Kromhout H, Vermeulen R. Occupational Exposure to Magnetic Fields and Electric Shocks and Risk of ALS: The Swiss National Cohort. Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration;16(1-2):80-5.
- [48] Karavasiloglou N, Matthes KL, Berlin C, Limam M, Wanner M, Korol D, et al. Increasing Trends in in Situ Breast Cancer Incidence in a Region with No Population-Based Mammographic Screening Program: Results from Zurich, Switzerland 2003–2014. Journal of Cancer Research and Clinical Oncology;145(3):653-60.

- [49] Konstantinoudis G, Schuhmacher D, Ammann RA, Diesch T, Kuehni CE, Spycher BD, et al. Bayesian Spatial Modelling of Childhood Cancer Incidence in Switzerland Using Exact Point Data: A Nationwide Study during 1985–2015. International Journal of Health Geographics;19(1):15.
- [50] Kreis C, Lupatsch JE, Niggli F, Egger M, Kuehni CE, Spycher BD, et al. Space-Time Clustering of Childhood Leukemia: Evidence of an Association with ETV6-RUNX1 (TEL-AML1) Fusion. PLoS ONE;12(1):1-15.
- [51] Lamnisos D, Lambrianidou G, Middleton N. Small-Area Socioeconomic Deprivation Indices in Cyprus: Development and Association with Premature Mortality. BMC Public Health;19(1):627.
- [52] Lamnisos D, Middleton N, Kyprianou N, Talias MA. Geodemographic Area Classification and Association with Mortality: An Ecological Study of Small Areas of Cyprus. International Journal of Environmental Research and Public Health;16(16):2927.
- [53] Landi S, Ivaldi E, Testi A. Measuring Change Over Time in Socio-Economic Deprivation and Health in an Urban Context: The Case Study of Genoa. Social Indicators Research;139(2):745-85.
- [54] Lerch M, Oris M, Wanner P. Periurbanization and the Transformation of the Urban Mortality Gradient in Switzerland. Population; Vol. 72(1):93-122.
- [55] Li X, Sundquist J, Zöller B, Sundquist K. Neighborhood Deprivation and Lung Cancer Incidence and Mortality. Journal of Thoracic Oncology;10(2):256-63.
- [56] Lòpez-De Fede A, Stewart JE, Hardin JW, Mayfield-Smith K. Comparison of Small-Area Deprivation Measures as Predictors of Chronic Disease Burden in a Low-Income Population. International Journal for Equity in Health;15(1):89.
- [57] Lupatsch JE, Kuehni CE, Niggli F, Ammann RA, Egger M, Spycher BD. Population Mixing and the Risk of Childhood Leukaemia in Switzerland: A Census-Based Cohort Study. European Journal of Epidemiology;30(12):1287-98.
- [58] Lupatsch JE, Kreis C, Korten I, Latzin P, Frey U, Kuehni E, et al. Neighbourhood Child Population Density as a Proxy Measure for Exposure to Respiratory Infections in the First Year of Life: A Validation Study. PLoS ONE;13(9):e0203743.
- [59] Luta X, Panczak R, Maessen M, Egger M, Goodman DC, Zwahlen M, et al. Dying among Older Adults in Switzerland: Who Dies in Hospital, Who Dies in a Nursing Home? BMC Palliative Care;15(1):83.
- [60] Messerli-Bürgy N, Kakebeeke TH, Arhab A, Stülb K, Zysset AE, Leeger-Aschmann CS, et al. The Swiss Preschoolers' Health Study (SPLASHY): Objectives and Design of a Prospective Multi-Site Cohort Study Assessing Psychological and Physiological Health in Young Children. BMC pediatrics;16(1):85.
- [61] Moreno-Altamirano L, Sapienza E. Food Patterns, Diabetes and Overweight / Obesity and Some Socio-Economic Indicators in the Italy Regions. Journal of Nutrition;8(2).
- [62] Moser A, Panczak R, Zwahlen M, Clough-Gorr KM, Spoerri A, Stuck AE, et al. What Does Your Neighbourhood Say about You? A Study of Life Expectancy in 1.3 Million Swiss Neighbourhoods. J Epidemiol Community Health;68(12):1125-32.
- [63] Mozun R, Kuehni CE, Pedersen ESL, Goutaki M, Kurz JM, de Hoogh K, et al. LuftiBus in the School (LUIS): A Population-Based Study on Respiratory Health in Schoolchildren. medRxiv:2020.10.14.20212076.
- [64] Mozun R, Ardura-Garcia C, de Jong CCM, Goutaki M, Usemann J, Singer F, et al. Smoking Behaviour in Swiss Schoolchildren: The LuftiBus in the School Survey. medRxiv:2020.05.29.20116525.
- [65] Mozun R, Ardura-Garcia C, de Jong CCM, Goutaki M, Usemann J, Singer F, et al. Cigarette, Shisha, and Electronic Smoking and Respiratory Symptoms in Swiss Children: The LUIS Study. Pediatric Pulmonology;55(10):2806-15.

- [66] Panczak R, von Wyl V, Reich O, Luta X, Maessen M, Stuck AE, et al. Death at No Cost? Persons with No Health Insurance Claims in the Last Year of Life in Switzerland. BMC Health Services Research;18(1):178.
- [67] Panczak R, Held L, Moser A, Jones PA, Rühli FJ, Staub K. Finding Big Shots: Small-Area Mapping and Spatial Modelling of Obesity among Swiss Male Conscripts. BMC Obesity;3(1):10.
- [68] Panczak R, Moser A, Held L, Jones PA, Rühli FJ, Staub K. A Tall Order: Small Area Mapping and Modelling of Adult Height among Swiss Male Conscripts. Economics & Human Biology;26:61-9.
- [69] Panczak R, Galobardes B, Spoerri A, Zwahlen M, Egger M. High Life in the Sky? Mortality by Floor of Residence in Switzerland. European Journal of Epidemiology;28(6):453-62.
- [70] Panczak R, Luta X, Maessen M, Stuck AE, Berlin C, Schmidlin K, et al. Regional Variation of Cost of Care in the Last 12 Months of Life in Switzerland: Small-Area Analysis Using Insurance Claims Data. Medical Care;55(2):155-63.
- [71] Panczak R, Zwahlen M, Spoerri A, Tal K, Killias M, Egger M, et al. Incidence and Risk Factors of Homicide–Suicide in Swiss Households: National Cohort Study. PLOS ONE;8(1):e53714.
- [72] Panczak R, Zwahlen M, Woitek U, Rühli FJ, Staub K. Socioeconomic, Temporal and Regional Variation in Body Mass Index among 188,537 Swiss Male Conscripts Born between 1986 and 1992. PLOS ONE;9(5):e96721.
- [73] Papp M, Kőrösi L, Sándor J, Nagy C, Juhász A, Ádány R. Workforce Crisis in Primary Healthcare Worldwide: Hungarian Example in a Longitudinal Follow-up Study. BMJ Open;9(7):e024957.
- [74] Platt S. Inequalities and Suicidal Behavior. In: The International Handbook of Suicide Prevention. John Wiley & Sons, Ltd;. p. 258-83.
- [75] Riesen M, Konstantinoudis G, Lang P, Low N, Hatz C, Maeusezahl M, et al. Exploring Variation in Human Papillomavirus Vaccination Uptake in Switzerland: A Multilevel Spatial Analysis of a National Vaccination Coverage Survey. BMJ Open;8(5):e021006.
- [76] Riou J, Panczak R, Althaus CL, Junker C, Perisa D, Schneider K, et al.. Socioeconomic Position and the Cascade From SARS-CoV-2 Testing to COVID-19 Mortality: Population-Based Analysis of Swiss Surveillance Data; Available from: https://papers.ssrn.com/abstract=3845990.
- [77] Rodríguez R J, Santander T J, Aedo S A, Robert B S. Suicide Worldwide: Can the Evolutionary Perspective Explain the Relationship between Suicide Rates and Quality of Life Variables? Revista chilena de neuro-psiquiatría;52(4):241-2.
- [78] Rueegg CS, Gianinazzi E, Michel G, Zwahlen M, Weid XVD, Kuehni CE, et al. No Evidence of Response Bias in a Population- Based Childhood Cancer Survivor Questionnaire Survey Results from the Swiss Childhood Cancer Survivor Study. PLoS ONE.
- [79] Saint-jacques N, Dewar R, Cui Y, Parker L, Dummer TJB. Premature Mortality Due to Social and Material Deprivation in Nova Scotia, Canada. International Journal for Equity in Health;13:94.
- [80] Saucy A, Scha B, Tangermann L, Vienneau D, Wunderli Jm, Ro M. Does Night-Time Aircraft Noise Trigger Mortality? A Case-Crossover Study on 24 886 Cardiovascular Deaths. European Heart Journal:ehaa957.
- [81] Scheuter C, Wertli MM, Haynes AG, Panczak R, Chiolero A, Perrier A, et al. Unwarranted Regional Variation in Vertebroplasty and Kyphoplasty in Switzerland: A Population-Based Small Area Variation Analysis. PLOS ONE;13(12):e0208578.
- [82] Skrivankova V, Zwahlen M, Adams M, Low N, Kuehni C, Egger M. Spatial Epidemiology of Gestational Age and Birth Weight in Switzerland: Census-Based Linkage Study. BMJ Open;9(10):e027834.
- [83] Spoerri A, Zwahlen M, Panczak R, Egger M, Huss A. Alcohol-Selling Outlets and Mortality in Switzerland the Swiss National Cohort. Addiction;108(9):1603-11.

- [84] Spycher BD, Röösli M, Egger M, Kuehni CE, Kühni C, Kuehni CE. Response to "Comment on 'Background Ionizing Radiation and the Risk of Childhood Cancer: A Census-Based Nationwide Cohort Study'". Environmental health perspectives;123(8):A200-1.
- [85] Spycher BD, Lupatsch JE, Zwahlen M, Roosli M, Niggli F, Grotzer MA, et al. Background Ionizing Radiation and the Risk of Childhood Cancer: A Census-Based Nationwide Cohort Study. Environmental Health Perspectives;123(6):622-8.
- [86] Spycher BD, Lupatsch JE, Huss A, Rischewski J, Schindera C, Spoerri A, et al. Parental Occupational Exposure to Benzene and the Risk of Childhood Cancer: A Census-Based Cohort Study. Environment International;108:84-91.
- [87] Spycher BD, Feller M, Röösli M, Ammann RA, Diezi M, Egger M, et al. Childhood Cancer and Residential Exposure to Highways: A Nationwide Cohort Study. European Journal of Epidemiology;30(12):1263-75
- [88] Steck N, Junker C, Zwahlen M. Increase in Assisted Suicide in Switzerland: Did the Socioeconomic Predictors Change? Results from the Swiss National Cohort. BMJ Open;8(4):e020992.
- [89] Steck N, Egger M, Zwahlen M. Assisted and Unassisted Suicide in Men and Women: Longitudinal Study of the Swiss Population. The British Journal of Psychiatry;208(5):484-90.
- [90] Steck N, Egger M, Schimmelmann BG, Kupferschmid S, for the Swiss National Cohort. Suicide in Adolescents: Findings from the Swiss National Cohort. European Child & Adolescent Psychiatry;27(1):47-56.
- [91] Steck N, Junker C, Maessen M, Reisch T, Zwahlen M, Egger M, et al. Suicide Assisted by Right-to-Die Associations: A Population Based Cohort Study. International Journal of Epidemiology;43(2):614-22.
- [92] Stoller N, Wertli MM, Zaugg TM, Haynes AG, Chiolero A, Rodondi N, et al. Regional Variation of Hysterectomy for Benign Uterine Diseases in Switzerland. PLOS ONE;15(5):e0233082.
- [93] Strassmann A, de Hoogh K, Röösli M, Haile SR, Turk A, Bopp M, et al. NO2 and PM2.5 Exposures and Lung Function in Swiss Adults: Estimated Effects of Short-Term Exposures and Long-Term Exposures with and without Adjustment for Short-Term Deviations. Environmental Health Perspectives;129(1).
- [94] Stuck AE, Moser A, Morf U, Wirz U, Wyser J, Gillmann G, et al. Effect of Health Risk Assessment and Counselling on Health Behaviour and Survival in Older People: A Pragmatic Randomised Trial. PLoS Medicine;12(10):1-21.
- [95] Vienneau D, Hoogh KD, Hauri D, Vicedo-cabrera AM, Schindler C, Huss A. Effects of Radon and UV Exposure on Skin Cancer Mortality in Switzerland. Environmental Health Perspectives:1-8.
- [96] Vienneau D, de Hoogh K, Faeh D, Kaufmann M, Wunderli JM, Röösli M. More than Clean Air and Tranquillity: Residential Green Is Independently Associated with Decreasing Mortality. Environment International;108:176-84.
- [97] Vienneau D, Héritier H, Foraster M, Eze IC, Scha E, Thiesse L, et al. Façades, Floors and Maps – Influence of Exposure Measurement Error on the Association between Transportation Noise and Myocardial Infarction. Environment International;123:399-406.
- [98] Vijayasiri G, Molina Y, Chukwudozie I, Tejeda S, Pauls H, Rauscher G, et al. Racial Disparities in Breast Cancer Survival: The Mediating Effects of Macro-Social Context and Social Network Factors. Journal of Health Disparities Research and Practice;11(3):6.
- [99] Walther D, Curjuric I, Dratva J, Schaffner E, Quinto C, Schmidt-Trucks??ss A, et al. Hypertension, Diabetes and Lifestyle in the Long-Term Results from a Swiss Population-Based Cohort. Preventive Medicine;97:56-61.
- [100] Walther D, Curjuric I, Dratva J, Schaffner E, Quinto C, Rochat T, et al. High Blood Pressure: Prevalence and Adherence to Guidelines in a Population-Based Cohort. Swiss Medical Weekly;146(2728).

- [101] Weiss J, Coslovsky M, Keel I, Immer FF, Jüni P. Organ Donation in Switzerland An Analysis of Factors Associated with Consent Rate. PLoS ONE;9(9):1-7.
- [102] Weng M, Pi J, Tan B, Su S, Cai Z. Area Deprivation and Liver Cancer Prevalence in Shenzhen, China: A Spatial Approach Based on Social Indicators. Social Indicators Research;133:317-32.
- [103] Wertli MM, Schlapbach JM, Haynes AG, Scheuter C, Jegerlehner SN, Panczak R, et al. Regional Variation in Hip and Knee Arthroplasty Rates in Switzerland: A Population-Based Small Area Analysis. PLOS ONE;15(9):e0238287.
- [104] Wild P, Bovio N, Guseva Canu I, Egger M, Spörri A, Zwahlen M, et al. Part-Time Work and Other Occupational Risk Factors for Suicide among Working Women in the Swiss National Cohort. International Archives of Occupational and Environmental Health;94.
- [105] Zufferey J. Pourquoi les migrants vivent-ils plus longtemps? Les inégalités face à la mort en Suisse (1990–2008). Peter Lang;. Available from: https://doi.org/10.3726/b10891.
- [106] Zufferey J, Oris M. Spatial Differentials in Mortality in Switzerland: How Do Contexts Explain the Differences between Natives and Migrants? Espace populations sociétés Space populations sociétés;2018/1-2.