

Index

- ▶ **SDLC models**
 - ▶ Software Development Life
 - ▶ Software Testing Life Cycle
 - ▶ Types of Software Testing
 - ▶ Levels of Testing
- ▶ **SDLC models**
 - ▶ WaterFall model
 - ▶ Spiral model
 - ▶ V-model
- ▶ **Types of Manual Testing**
 - ▶ White Box Testing
 - ▶ Black Box Testing
 - ▶ Gray Box Testing
- ▶ **Types of Black Box**
 - ▶ Functional Testing
 - ▶ Non-Functional Testing
- ▶ **Types Functional**
 - ▶ Unit Testing
 - ▶ Integration Testing
 - ▶ System Testing
- ▶ **Types Non- Functional**
 - ▶ Performance Testing
 - ▶ Usability Testing
 - ▶ Compatibility Testing
- ▶ **White Box Techniques**
 - ▶ Data Flow Testing

- ▶ Control Flow Testing
- ▶ Branch Coverage
- ▶ Statement Coverage
- ▶ Decision Coverage Testing
- ▶ **Black Box Techniques**
 - ▶ Decision Table
 - ▶ All-pair Testing
 - ▶ Cause-Effect Testing
 - ▶ State Transition
 - ▶ Use Case
- ▶ **Testing Techniques**
 - ▶ Error Guessing
 - ▶ Equivalence Portioning
 - ▶ Boundary Value analysis
- ▶ **Defect Tracking**
 - ▶ Bug in Software Testing
 - ▶ Bug Life cycle
 - ▶ Severity & Priority
- ▶ **Other types of Testing**
 - ▶ Regression Testing
 - ▶ Smoke Testing
 - ▶ Sanity Testing
 - ▶ Stress Testing
 - ▶ Load Testing
 - ▶ Exploratory Testing
 - ▶ Adhoc Testing
 - ▶ Globalization Testing
 - ▶ Negative Testing
 - ▶ Positive Testing

- ▶ Monkey Testing
- ▶ Test case content
- ▶ Tes Suite
- ▶ Test Case Template
- ▶ Project
- ▶ FAQ