



[Home](#)

2. [Drug Interactions](#)
3. [Hyoscyamine/methenamine](#).

Hyoscyamine/methenamine/methylene blue/phenyl salicylate Interactions

There are **596 drugs** known to interact with hyoscyamine/methenamine/methylene blue/phenyl salicylate, along with 32 disease interactions, and 2 alcohol/food interactions. Of the total drug interactions, 162 are major, 416 are moderate, and 18 are minor.

Does hyoscyamine/methenamine/methylene blue/phenyl salicylate interact with my other drugs?

Enter medications to view a detailed interaction report using our [Drug Interaction Checker](#).

hyoscyamine/methenamine/methylene blue/phenyl salicylate

+

Enter a drug name

Add

- [View all 596 medications](#) that may interact with hyoscyamine/methenamine/methylene blue/phenyl salicylate
- View [hyoscyamine/methenamine/methylene blue/phenyl salicylate alcohol/food interactions](#) (2)
- View [hyoscyamine/methenamine/methylene blue/phenyl salicylate disease interactions](#) (32)

Most frequently checked interactions

View interaction reports for **hyoscyamine / methenamine / methylene blue / phenyl salicylate** and the medicines listed below.

Major Moderate Minor Unknown

- [Abelcet \(amphotericin b lipid complex\)](#)
- [Accutane \(isotretinoin\)](#)
- [Acidophilus Probiotic Blend \(lactobacillus acidophilus\)](#)
- [Aciphex \(rabeprazole\)](#)
- [Actemra \(tocilizumab\)](#)
- [Acthar \(corticotropin\)](#)
- [Activase \(alteplase\)](#)

Adasuve (loxapine)
Adderall (amphetamine / dextroamphetamine)
Advair Diskus (fluticasone / salmeterol)
Advil (ibuprofen)
Aerolate III (theophylline)
Alaway (ketotifen ophthalmic)
Ambien (zolpidem)
Amphojel (aluminum hydroxide)
Ampyra (dalfampridine)
AndroGel (testosterone)
Anoro Ellipta (umeclidinium / vilanterol)
Anzemet (dolasetron)
Apresoline (hydralazine)
Ativan (lorazepam)
Carafate (sucralfate)
Celexa (citalopram)
Cymbalta (duloxetine)
Dilaudid (hydromorphone)
EpiPen (epinephrine)
Latuda (lurasidone)
Lotensin (benazepril)
Restasis (cyclosporine ophthalmic)
Tylenol (acetaminophen)

[View all...](#)

Hyoscyamine/methenamine/methylene blue/phenyl salicylate alcohol/food interactions

There are [2 alcohol/food interactions](#) with hyoscyamine / methenamine / methylene blue / phenyl salicylate.

Hyoscyamine/methenamine/methylene blue/phenyl salicylate disease interactions

There are [32 disease interactions](#) with hyoscyamine / methenamine / methylene blue / phenyl salicylate which include:

[autonomic neuropathy](#)
[GI obstruction](#)
[glaucoma](#)
[obstructive uropathy](#)
[reactive airway diseases](#)
[myasthenia gravis](#)
[infectious diarrhea](#)
[crystalluria](#)

[gout](#)
[liver disease](#)
[methemoglobinemia in G-6-PD](#)
[GI toxicity](#)
[renal dysfunction](#)
[Reye's syndrome](#)
[cardiac disease](#)
[tachycardia](#)
[coronary artery disease](#)
[gastric ulcer](#)
[gastroesophageal reflux](#)
[ulcerative colitis](#)
[liver disease](#)
[renal failure](#)
[renal dysfunction](#)
[anemia](#)
[coagulation](#)
[dialysis](#)
[G-6-PD deficiency](#)
[hepatotoxicity](#)
[hypertension](#)
[hyperthyroidism](#)
[diarrhea](#)
[fever](#)

Report options

Loading...

- [Email this report to a friend, doctor, or patient](#)
- [Ask questions, find answers](#)

More about hyoscyamine / methenamine / methylene blue / phenyl salicylate

- [Compare alternatives](#)
- [Reviews \(17\)](#)
- [Drug images](#)

- [Side effects](#)
- [Dosage information](#)
- [Drug class: urinary antispasmodics](#)

Related treatment guides

- [Urinary Tract Infection](#)

Drug Interaction Classification

These classifications are only a guideline. The relevance of a particular drug interaction to a specific individual is difficult to determine. Always consult your healthcare provider before starting or stopping any medication.

Major	Highly clinically significant. Avoid combinations; the risk of the interaction outweighs the benefit.
Moderate	Moderately clinically significant. Usually avoid combinations; use it only under special circumstances.
Minor	Minimally clinically significant. Minimize risk; assess risk and consider an alternative drug, take steps to circumvent the interaction risk and/or institute a monitoring plan.
Unknown	No interaction information available.

Further information

Always consult your healthcare provider to ensure the information displayed on this page applies to your personal circumstances.


[Medical Disclaimer](#)

How to Prevent Deadly Drug Interactions

Some mixtures of medications can lead to serious and even fatal consequences.

[Here are 9 ways to stay safe](#)

DRUG STATUS

Availability	
 Discontinued	
CSA Schedule*	
N/A Not a controlled drug	



User Reviews & Ratings

7.7 / 10

[17 Reviews](#)

Related Drugs

[Augmentin](#), [Bactrim](#), [Macrobid](#), [sulfamethoxazole / trimethoprim](#), [nitrofurantoin](#), [amoxicillin / clavulanate](#), [levofloxacin](#), [ceftriaxone](#), [ciprofloxacin](#), [doxycycline](#)

Images

[Utira-C 0.12 mg / 81.6 mg / 10.8 mg / 36.2 mg \(HAW 513\)](#)

Drugs.com Mobile App

Access drug & treatment information, identify pills, check interactions and set up personal medication records.



About

[About Drugs.com](#)
[Advertising policy](#)
[Attribution & citations](#)

Terms & privacy

[Terms of use](#)
[Editorial policy](#)
[Privacy policy](#)

Support

[Help center](#)
[Sitemap](#)
[Contact us](#)



[Subscribe to our newsletter](#) for the latest medication news, new drug approvals and FDA alerts.

Drugs.com provides accurate and independent information on more than 24,000 prescription drugs, over-the-counter medicines and natural products. This material is provided for educational purposes only and is not intended for medical advice, diagnosis or treatment.

Data sources include Micromedex (updated 7 Apr 2025), Cerner Multum™ (updated 13 Apr 2025), ASHP (updated 10 Apr 2025) and others.



Copyright © 2000-2025 Drugs.com. All rights reserved.