

## **Migration Framework**

Work Package 2



## **Agenda**

Architecture

Overview

Features

Performance Results

Outlook



## **Architecture**



### **Overview**

- Hier koennte z. B. ein Schaubild hin, wie man mit dem Migrations-Framwork interagiert.
- Eine zweite Folie könnte die Klassenstruktur etwas erklären und deutlich machen, was man benötigt um das Framwork in existierende andere Projekte zu integrieren



## **YAML-Messages**

task: migrate start
vm-name: anthe1

destination: pandora2

parameter:

live-migration: false

. . .

\_\_\_

result: migrate done
list:


- vm-name: anthe1 status: success

. . .



### **Procedure**

6





### UML

#### Migration-Framework

#### «interface» Communicator

- + send message(str : string) : void + get\_message() : string

### MQTT\_communicator

- subscribe\_topic : string
- publish topic : string
- + send message(str : string) : void
- + get message(): string

### «interface» **Hypervisor**


- + start(vm : string, vcpus : uint, memory : ulong) : void
- + stop(vm : string) : void
- + migrate(vm : string, dest : string, live : bool) : void

### Libvirt\_hypervisor

- local host conn : virConnectPtr
- + start(vm : string, vcpus : uint, memory : ulong) : void
- + stop(vm : string) : void
- + migrate(vm : string, dest : string, live : bool) : void



### **UML**





### Classes

- Task\_handler is the main loop which gets messages from Communicator, calls parser and launches Tasks in Threads.
- Parser translates YAML messages to Task/Subtask objects and Result objects back to YAML.
- Communicator and Hypervisor are interfaces
  - Implementations: MQTT\_communicator and Libvirt\_hypervisor
  - By adding other implementations the framework can be expanded.
  - Integration in other projects is also possible.
  - e.g. using the Communicator interface to call migration
- Tasks can contain more than one subtask (e.g. "start 5 VMs")
  - each subtask is executed in a separate thread



Simon Pickartz 03/05/2015

### **Features**

### Done:

- All parts are ready (MQTT\_communicator, parser, Task\_handler, Task, Libvirt\_hypervisor)
- Task execution and communication are asynchronous.
- Start, stop and migrate tasks are currently available.

### Missing:

- No details about errors are sent back.
- No possibility to ask status of migration framework
- No PCI attach/detach
- Other pre/post hooks (e.g. reduce memory)
- Optimization of migration time



## **Performance Results**




### **Performance Results**

- Was kann man deiner Meinung nach alles Messen?
- Wichtig sind vergleichbare Ergebnisse. So solltest du dich z. B. für eine OS, Kernerl, Treiber, etc. Konfiguration entscheiden.
- Auf der nächsten Folie habe ich dir mal ein Beispiel angehängt, wie man Graphen mit tikz erzeugen kann.



## **Migration Time**

13





Simon Pickartz 03/05/2015

## **Outlook**

14



### **Outlook**

- · Basics are working
- PCI attach/detach almost done
- Currently working on verbose error reporting
- Plans to create library from parser module





Thank you for your kind attention!

Simon Pickartz - spickartz@eonerc.rwth-aachen.de

Institute for Automation of Complex Power Systems E.ON Energy Research Center, RWTH Aachen University Mathieustraße 10 52074 Aachen

www.eonerc.rwth-aachen.de



# **Example slides**



## Title of the frame that may also go into the second line

- Itemize list
- Itemize list
  - Second layer
    - Third layer
- Itemize List
- Itemize List

18

Second layer



## Title of a frame having paragraphs

- Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.
- Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.
- Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.



### Frame with boxes

### Block 1

Content of the first block

### **Another block**

Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

# **More Examples**

21



### How to set columns

- Item 1
- Item 2
- Item 3
- Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.





## How to set columns (2)

Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

- cat
- dog
- mouse
- elephant

- Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.
- Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.

Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.



This frame does not contain a (dedicated) frame title.



## **Examples with uncovering**



Paragraphs and items can be uncovered easily with \pause.



26

Paragraphs and items can be uncovered easily with \pause.

• Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.



Paragraphs and items can be uncovered easily with \pause.

- Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.
- Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.



Paragraphs and items can be uncovered easily with \pause.

- Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.
- Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.
- Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.



Paragraphs and items can be uncovered easily with \pause.

- Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.
- Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.
- Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.
- Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.



• First line



- First line
- Second line (appears after first line, disappears again)



- First line
- Third line (appears before firth one)



- First line
- Third line (appears before firth one)
- Fourth line



First line

- Fourth line
- Fifth line



First line

- Fourth line
- Fifth line

Standard behavior with \onslide is to keep its place, even if not displayed.



First line

- Fourth line
- Fifth line

Standard behavior with \onslide is to keep its place, even if not displayed. With \only, the element does not occupy place. This may lead to shifting other elements.



## Quellcode



03/05/2015

## **Example-Code: Hallo Welt!**

```
#include <stdio.h>
void main (void) {
    printf("Hallo UWelt!\n");
}
```



## TikZ example



.tex file



