MAST90138 Week 2 Lab

Goals: Get familiar with R: matrix operations, basic descriptive statistics.

Task 1: get familiar with matrix operations

Using the function matrix, Create the matrices

$$A = \left(\begin{array}{rrr} 1 & 1 & 2 \\ 1 & 0 & 1 \\ 0 & 2 & 2 \end{array}\right)$$

and

$$B = \left(\begin{array}{cc} -1 & 5\\ 1 & 1\\ 3 & 2 \end{array}\right)$$

- 1. Compute A^T , diag(A), A^TA and A^TB .
- 2. Compute the matrix D whose elements are the elements of A to the power 3. Compare this matrix with the matrix $E = A^3$
- 3. Compute the dimension, the trace, the determinant, the eigenvalues and the eigenvectors of A. Create three vectors, v1, v2 and v3 which are respectively the first, second and third eigenvectors of A. Create three scalars lambda1, lambda2 and lambda3 which are respectively the first, second and third eigenvalues of A. Also compute the rank of A. For the rank, you need to use the package matrix

Task 2: elementary descriptive statistics

The file google_review_ratings.txt, which was downloaded from

https://archive.ics.uci.edu/dataset/485/tarvel+review+ratings

contains data populated by capturing user ratings from Google reviews. Reviews on attractions from 24 categories across Europe are considered. Google user rating ranges from 1 to 5 and average user rating per category is calculated. This data set contains the reviews over the p=24 categories of n=5456 individuals.

- 1. Open the file to see its structure and check how the following information is formatted in the file: Attribute 1: Unique user id Attribute 2: Average ratings on churches Attribute 3: Average ratings on resorts Attribute 4: Average ratings on beaches Attribute 5: Average ratings on parks Attribute 6: Average ratings on theatres Attribute 7: Average ratings on museums Attribute 8: Average ratings on malls Attribute 9: Average ratings on zoo Attribute 10: Average ratings on restaurants Attribute 11: Average ratings on pubs/bars Attribute 12: Average ratings on local services Attribute 13: Average ratings on burger/pizza shops Attribute 14: Average ratings on hotels/other lodgings Attribute 15: Average ratings on juice bars Attribute 16: Average ratings on art galleries Attribute 17: Average ratings on dance clubs Attribute 18: Average ratings on swimming pools Attribute 19: Average ratings on gyms Attribute 20: Average ratings on bakeries Attribute 21: Average ratings on beauty & spas Attribute 22: Average ratings on cafes Attribute 23: Average ratings on view points Attribute 24: Average ratings on monuments Attribute 25: Average ratings on gardens
- 2. Set the R working directory to the directory of the course (that you create in your own directory), for example:

- 3. Use R commands to create, using instructions that read the above file, a 5456×24 data matrix X whose *i*th row, for $i = 1, \ldots, 5456$, is the vector of 24 reviews for the *i*th individual.
- 4. Compute the mean vector, the covariance matrix and the correlation matrix of the rating data.
- 5. Draw pairwise scatterplots for the first 10 categories.