



**Started on** Wednesday, 17 September 2025, 3:42 PM

**State** Finished

**Completed on** Wednesday, 17 September 2025, 3:43 PM

**Time taken** 48 secs

**Marks** 1.00/1.00

**Grade** **10.00** out of 10.00 (**100%**)

**Problem Statement:**

Given a sorted array of integers say arr[] and a number x. Write a recursive program using divide and conquer strategy to check if there exist two elements in the array whose sum = x. If there exist such two elements then return the numbers, otherwise print as "No".

Note: Write a Divide and Conquer Solution

**Input Format**

First Line Contains Integer n – Size of array

Next n lines Contains n numbers – Elements of an array

Last Line Contains Integer x – Sum Value

**Output Format**

First Line Contains Integer – Element1

Second Line Contains Integer – Element2 (Element 1 and Elements 2 together sums to value "x")

**Answer:** (penalty regime: 0 %)

```
1 #include <stdio.h>
2
3 int findPair(int arr[], int left, int right, int x, int *a, int *b) {
4     if (left >= right)
5         return 0;
6
7     int sum = arr[left] + arr[right];
8
9     if (sum == x) {
10        *a = arr[left];
11        *b = arr[right];
12        return 1;
13    } else if (sum < x) {
14        return findPair(arr, left + 1, right, x, a, b);
15    } else {
16        return findPair(arr, left, right - 1, x, a, b);
17    }
18}
19
20 int main() {
21     int n, x;
22     scanf("%d", &n);
23
24     int arr[n];
25     for (int i = 0; i < n; i++)
26         scanf("%d", &arr[i]);
27
28     scanf("%d", &x);
29
30     int a, b;
31     if (findPair(arr, 0, n - 1, x, &a, &b)) {
32         printf("%d\n%d\n", a, b);
33     } else {
34         printf("No\n");
35     }
36
37     return 0;
38 }
39
```

	<b>Input</b>	<b>Expected</b>	<b>Got</b>	
✓	4 2 4 8 10 14	4 10	4 10	✓
✓	5 2 4 6 8 10 100	No	No	✓

Passed all tests! ✓

**Correct**

Marks for this submission: 1.00/1.00.

[Back to Course](#)