





Started on	Wednesday, 8 October 2025, 2:58 PM
State	Finished
Completed on	Wednesday, 8 October 2025, 3:27 PM
Time taken	29 mins 1 sec
Grade	<b>10.00</b> out of 10.00 ( <b>100</b> %)

Question 1 | Correct Mark 10.00 out of 10.00

## **Playing with Numbers:**

Ram and Sita are playing with numbers by giving puzzles to each other. Now it was Ram term, so he gave Sita a positive integer 'n' and two numbers 1 and 3. He asked her to find the possible ways by which the number n can be represented using 1 and 3. Write any efficient algorithm to find the possible ways.

#### Example 1:

# Input: 6

#### Output:6

**Explanation:** There are 6 ways to 6 represent number with 1 and 3

```
1+1+1+1+1+1
3+3
1+1+1+3
1+1+3+1
1+3+1+1
```

#### **Input Format**

3+1+1+1

First Line contains the number n

## **Output Format**

Print: The number of possible ways 'n' can be represented using 1 and 3

Sample Input

6

Sample Output

6

# Answer: (penalty regime: 0 %)

```
#include <stdio.h>
 1
3 ,
    long long countWays(int n) {
 4
        long long dp[n + 1];
        dp[0] = 1;
 5
 6
 7
        for (int i = 1; i <= n; i++) {
            dp[i] = 0;
if (i - 1 >= 0)
 8
 9
10
                dp[i] += dp[i - 1];
            if (i - 3 >= 0)
11
12
                 dp[i] += dp[i - 3];
        }
13
14
15
        return dp[n];
16
17
18 v int main() {
19
        int n;
         scanf("%d", &n);
20
21
        printf("%lld\n", countWays(n));
22
        return 0;
23
24
```

	Input	Expected	Got	
~	6	6	6	<b>~</b>

	Input	Expected	Got			
~	25	8641	8641	~		
~	100	24382819596721629	24382819596721629	~		
December 1 A						

Passed all tests! 🗸

Correct

Marks for this submission: 10.00/10.00.

Back to Course