

Heaven's Light is Our Guide
Rajshahi University of Engineering & Technology
Department of Computer Science & Engineering

Lab Manual

Course Code: **CSE 1204 (All Sec)**
Course Title: Sessional based on CSE 1203

Module 3 [Inheritance]: (for Week 4 [29-3/11-12/2025])

Problem Statement: You have to create an inheritance among **Father** --> **Son** --> **GrandSon** class. The **father** class has the following data members

```
class Father{
    private:
        int money;
    protected:
        int gold;
    public:
        int land;
};
```

Now write the **Son** and **GrandSon** classes with **private/protected/public** access modifier and do the following:

- i) Try to access **money**, **gold** and **land** from Son class
- ii) Try to access **money**, **gold** and **land** from GrandSon class
- iii) Find the values of money, gold and land when different access modifier is used in the following table
- iv) Display the sum of money, gold and land in Grandson class.

Class		In Son class			In GrandSon class		
Son	GrandSon	money	gold	land	money	gold	land
public	public	?	?	?	?	?	?
protected	public	?	?	?	?	?	?
private	public	?	?	?	?	?	?
public	protected	?	?	?	?	?	?
protected	protected	?	?	?	?	?	?
private	protected	?	?	?	?	?	?
public	private	?	?	?	?	?	?
protected	private	?	?	?	?	?	?
private	private	?	?	?	?	?	?

Topic 2 [Types of Inheritance]: Learn and Test different types of inheritance in C++. In each inheritance draw the class diagram with class chain and try to access the data members of bases classes from child classes.

i) Single inheritance

<pre>class A{ private: int x; protected: int y; public: int z; }</pre>	<pre>class B:public A{ //write public method to //access x,y & z }</pre>	<pre>int main(){ B b; //call methods of class B return 0; }</pre>
--	--	---

ii) Multi-level inheritance

<pre>class A{ private: int x; protected: int y; public: int z; }</pre>	<pre>class B:public A{ }</pre>	<pre>class C:public B{ //write public //method to //access x,y & z }</pre>	<pre>int main(){ C c; //call //methods of //class C return 0 }</pre>
--	--------------------------------	--	--

iii) Multiple inheritance

<pre>class A{ private: int x; protected: int y; public: int z; }</pre>	<pre>class B{ private: int p; protected: int q; public: int r; }</pre>	<pre>class C:public A, Public B{ //write public method //to access //x,y,z,p,q & r }</pre>	<pre>int main(){ C c; //call //methods of //class C return 0 }</pre>
--	--	--	--

iv) Heirarchical inheritance

<pre>class A{ private: int x; protected: int y; public: int z; }</pre>	<pre>class B:public A { //write public method to access x,y & z }</pre>	<pre>class C:public A { //write method public to access x,y & z }</pre>	<pre>int main(){ B b; C c; //call //methods of //class B & C return 0 }</pre>
--	---	---	---

			}
--	--	--	---

v) Hybrid (Diamond) inheritance [virtual class]

<pre> class A{ private: int x; protected: int y; public: int z; } </pre>	<pre> class B:public A { } </pre>	<pre> class C:public A { } </pre>	<pre> class D:public B, public C { //write public method to access x,y & z } </pre>	<pre> int main(){ D d; //call //methods of //class D return 0 } </pre>
--	-----------------------------------	-----------------------------------	---	--

Topic 3 [Constructor & Destructor in inheritance]: Write the constructors & destructors for different types of inheritance are given as follows. Also follow and write the sequence of their execution.

i) Single inheritance

<pre> class A{ private: int ax; public: //write constructor to initialize ax //Write destructor } </pre>	<pre> class B:public A{ private: int bx; public: //write constructor to initialize bx //Write method to sum ax and bx //Write destructor } </pre>	<pre> int main(){ B b; //call methods of class B return 0; } </pre>
--	---	---

ii) Multi-level inheritance

<pre> private: int ax; public: //write constructor to initialize ax //Write destructor } </pre>	<pre> class B:public A { private: int bx; public: //write constructor to initialize bx //Write destructor } </pre>	<pre> class C:public B { private: int cx; public: //write constructor to initialize cx //Write method to sum ax, bx and cx //Write destructor } </pre>	<pre> int main(){ C c; //call //methods of //class C return 0 } </pre>
---	--	--	--

iii) Multiple inheritance

<pre>private: int ax; public: //write constructor to initialize ax //Write destructor }</pre>	<pre>class B{ private: int bx; public: //write constructor to initialize bx //Write destructor }</pre>	<pre>class C:public A, Public B{ private: int cx; public: //write constructor to initialize cx //Write method to sum ax, bx and cx //Write destructor }</pre>	<pre>int main(){ C c; //call //methods of //class C return 0 }</pre>
---	--	---	--

iv) Heirarchical inheritance

<pre>class A{ private: int ax; public: //write constructor to initialize ax //Write destructor }</pre>	<pre>class B:public A { private: int bx; public: //write constructor to initialize bx //Write destructor }</pre>	<pre>class C:public A { private: int cx; public: //write constructor to initialize cx //Write method to sum ax, bx and cx //Write destructor }</pre>	<pre>int main(){ B b; C c; //call //methods of //class B & C return 0 }</pre>
--	--	--	---

v) Hybrid (Diamond) inheritance [virtual class]

<pre>class A{ private: int ax; public: //write constructo r to initialize ax //Write destructor }</pre>	<pre>class B:public A { private: int bx; public: //write constructo r to initialize bx //Write destructor }</pre>	<pre>class C:public A { private: int cx; public: //write constructor to initialize cx //Write destructor }</pre>	<pre>class D:public B, public C { private: int dx; public: //write constructor to initialize dx //Write method to sum ax, bx cx and dx //Write destructor }</pre>	<pre>int main(){ D d; //call //methods of //class D return 0 }</pre>
---	---	--	---	--